# SONY

PORTABLE VIDEOCASSETTE RECORDER

# PVV-3 PVV-3P

## **SERVICE MANUAL**

Vol. 2 (1st Edition)

BETACAM ED

#### LITHIUM BATTERY

Replace the battery with a Sony CR2025 lithium battery. Use of another battery may present a risk of fire or explosion.

#### WARNING

Battery may explode if mistreated.

Do not recharge, disassemble or dispose of in fire.

#### Note

Keep the lithium battery out of the reach of children. Should the battery be swallowed, consult a doctor immediately.

#### ADVARSEL!

Lithiumbatteri - Eksplosionsfare ved fejlagtig håndtering. Udskiftning må kun ske med batteri af samme fabrikat og type. Levér det brugte batteri tilbage til laverandøren.

#### **ADVARSEL**

Lithiumbatteri - Eksplosjonsfare.
Ved utskifting benyttes kun batteri som anbefalt av apparatfabrikanten.
Brukt batteri returneres apparatleverandøren.

#### **VARNING**

Explosionsfara vid felaktigt batteribyte.

Använd samma batterityp eller en likvärdig typ som rekommenderas av apparattillverkaren.

Kassera använt batteri enligt gällande föreskrifter.

#### **VAROITUS**

Paristo voi räjähtää jos se on virheellisesti asennettu. Vaihda paristo ainoastaan laitevalmistajan suosittelemaan tyyppiin. Hävitä käytetty paristo valmistajan ohjeiden mukaisesti. このマニュアルに記載されている事柄の著作権は当社にあり、説明内容は機器購入者の使用を目的としています。従って、当社の許可なしに無断で複写したり、説明内容(操作、保守等)と異なる目的で本マニュアルを使用することを禁止します。

The material contained in this manual consists of information that is the property of Sony Corporation and is intended solely for use by the purchasers of the equipment described in this manual.

Sony Corporation expressly prohibits the duplication of any portion of this manual or the use thereof for any purpose other than the operation or maintenance of the equipment described in this manual without the express written permission of Sony Corporation.

Le matériel contenu dans ce manuel consiste en informations qui sont la propriété de Sony Corporation et sont destinées exclusivement à l'usage des acquéreurs de l'équipement décrit dans ce manuel.

Sony Corporation interdit formellement la copie de quelque partie que ce soit de ce manuel ou son emploi pour tout autre but que des opérations ou entretiens de l'équipement à moins d'une permission écrite de Sony Corporation.

Das in dieser Anleitung enthaltene Material besteht aus Informationen, die Eigentum der Sony Corporation sind, und ausschließlich zum Gebrauch durch den Käufer der in dieser Anleitung beschriebenen Ausrüstung bestimmt sind.

Die Sony Corporation untersagt ausdrücklich die Vervielfältigung jeglicher Teile dieser Anleitung oder den Gebrauch derselben für irgendeinen anderen Zweck als die Bedienung oder Wartung der in dieser Anleitung beschriebenen Ausrüstung ohne ausdrückliche schriftliche Erlaubnis der Sony Corporation.

#### このマニュアルについて

本書はポータブルビデオカセットレコーダー PVV-3のサービスマニュアルVOL.2です。 本書では、ブロックダイヤグラム、マウント図、回路図、半導体、パーツリストを 記載しています。

#### 構成

本書の構成を把握していただくために、全章の概略を以下に説明します。

#### 第13章 BLOCK DIAGRAMS

オーバーオールブロック図、回路ブロックごとのブロック図を掲載しています。

#### 第14章 SCHEMATIC DIAGRAMS AND BOARD LAYOUTS

全プリント基板の回路図およびパターンとシンボル図を掲載しています。

#### 第15章 SEMICONDUCTOR PIN ASSIGNMENTS

使用半導体の外形および、概略の機能ブロックや、ピン名称を掲載しています。

#### 第16章 SPARE PARTS AND OPTIONAL FIXTURES

分解図、電気部品リスト、梱包部品リスト、標準付属品リスト、治工具リストなどを掲載しています。

#### Introducing this manual

This manual is the Service Manual Vol.2 of the Portable Videocassette Recorder PVV-3/3P.

This manual contains block diagrams, board layouts, schematic diagrams, semiconductor pin assingments and parts lists.

#### **Contains**

The sections covered in the manual are summarized below to give you a general understanding of the manual.

#### Section 13 BLOCK DIAGRAMS

Describes the overall block diagrams and the block diagrams for every circuit block.

#### Section 14 SCHEMATIC DIAGRAMS AND BOARD LAYOUTS

Describes the schematic diagrams and board layouts for every circuit board and frame wiring.

#### Section 15 SEMICONDUCTOR PIN ASSIGNMENTS

Describes the outlines, system block diagrams and pin assignments of semiconductors used in this equipment.

#### Section 16 SPARE PARTS AND OPTIONAL FIXTURES

Describes the exploded views, electrical parts list, packing materials & accessories and optional fixtures.

#### 関連マニュアル

本機には、この「サービスマニュアル VOL.2」の他に、下記のマニュアルが用意されています。

・オペレーションマニュアル(本機に付属しています)

部品番号: 3-798-217-01

本機を実際に運用および操作するのに必要な情報を記載しています。

・サービスマニュアル vol.1 (本機に付属していません)

部品番号:9-977-615-11

本機の保守に関する情報と、部品交換および調整などのサービス情報を記載しています。

#### Related manuals

In addition to this Service Manual Vol. 2, the following manuals are provided.

#### Operation Manual (Supplied with equipment)

Part No. 3-798-217-21 (English)

3-798-217-31 (French)

3-798-217-41 (Germany)

3-798-217-51 (Italian)

Describes how to operate this equipment.

#### • Service Manual Vol.1 (Not supplied with equipment)

Part No. 9-977-613-11

Contains the maintenance information of this equipment, and the information on sevicing such as the replacement of the parts and the adjustments.


### 目次 TABLE OF CONTENTS


Volume 1	15. SEMICONDUCTOR PIN ASSIGNM	MENT
1. OPERATING INSTRUCTION	Semiconductor, Index	15-1
2. SERVICE OVERVIEW	Diode Transistor	
	IC	
3. PERIODIC MAINTENANCE AND INSPECTION	16. SPARE PARTS AND OPTIONAL I	CIYTHRES
4. REPLACEMENT OF THE MAJOR PARTS		
- LINK OVOTEM ALICHMENT	16-1. NOTES ON REPAIR PARTS 16-2. EXPLODED VIEW	
5. LINK SYSTEM ALIGNMENT	Reel Chassis	
6. TAPE PATH ALIGNMENT	Slant	
7. ELECTRICAL ALIGNMENT OVERVIEW	DrumLoading Gear/Pinch Arm	16-6 16-8
7. ELECTRICAL ALIGNMENT OVERVIEW	Cam Gear	16-10
8. POWER SUPPLY AND SYSTEM CONTROL	Pinch Press Mechanism	16-12
ALIGNMENT	CTL Head Base	
A ATTIVO ALIOMBITATE	A/T Head Base	
9. SERVO ALIGNMENT	Cassette-Up Compartment Top Frame/Front Frame	
10. AUDIO ALIGNMENT	Bottom Frame/Rear Frame	16-22
IV. AUDIO ALIGIMIEIVI	Left Side Plate	
11. VIDEO ALIGNMENT	Right Side Plate	16-26
	Battery Case	
12. ELECTRICAL ALIGNMENT WITH	16-3. ELECTRICAL PARTS LIST	16-30
REPLACEMENT OF MECHANICAL PARTS	16-4. PACKING MATERIALS AND ACCESSORIES	16-50
	16-5. OPTIONAL FIXTURES	
Volume 2	70 0. 01 11010.21 12(101.20	
Volume 2		
13. BLOCK DIAGRAMS		
Overall13-1		
VIDEO BLOCK13-2		
AUDIO BLOCK13-5		
TIME CODE BLOCK13-8		
SERVO/SYSTEM CONTROL BLOCK13-10		
14. SCHEMATIC DIAGRAMS AND BOARD LAYOUTS		
VO-46B (for NTSC)14-2		
VO-46C (for PAL)14-11		
SS-57B/57C14-16		
TC-86B/86C		
AU-185/185P		
DC-6714-30		
CN-935 14-32		
CN-983		
CN-1123		
DR-254		


PVV-3 (J) PVV-3 (UC) PVV-3P (EK)


FRAME ......14-34

KY-285 \_\_\_ LED-214 \_\_ SR-55 \_\_\_ MB-552 \_\_ OVERALL BLOCK









#### **VIDEO SIGNAL PROCESS** 31 IC651-pin4 AFM PILOT 5.5Vp-p REC mode (NTSC) 5.4Vp-p REC mode (PAL) (17) ■ TP-501 REC mode 24 TP-401 PLL VCO REC mode (10) CN1-pin6 R-Y 700mVp-p REC mode (5) ■ TP103 REC mode 100mVp-p RECモード...信号発生器(テクトロニクスTSG-300または同等品) 出力の75% COLOR BARSの記録状態。 PBモード .....アライメントテープCR5-1BのCOLOR BARS部分の 再生状態。 REC mode ......[ for NTSC] Record the 75% color bars signal which output from the Component Television Generator (Tektronix TSG-300 or equivalent). 32 ■ TP107 PB VIDEO 1.08Vp-p PB mode (NTSC) (6) IC100-pin5380mVp-p REC mode (NTSC) (11) CN1-pin4 B-Y 700mVp-p REC mode 18 ■ TP503 REC mode 75mVp-p 25 ■ TP402 R-CK, REC mode 5Vp-p [for PAL] Record the 100% color bars signal which output from the Component Television Generator (Tektronix TSG-300 or equivalent). PB mode....... Play back the alignment tape CR5-1B (for NTSC) / CR5-1BPS (for PAL). 26 IC407-pin5 Y REF SYNC 4.9Vp-p REC mode (NTSC) 5.0Vp-p REC mode (PAL) 1.34Vp-p (NTSC) 1.38Vp-p (PAL) TP107 PB VIDEO 1Vp-p PB mode (PAL) (19) IC500-pin5 REC mode 6 IC100-pin5 370mVp-p REC mode (PAL) 1.34Vp-p (NTSC) 1.38Vp-p (PAL) 20 ■ TP-502 REC mode IC408-pin5 C REF SYNC 4.9Vp-p REC mode (NTSC) 5.0Vp-p REC mode (PAL) 1 CN1-pin8 Y 1Vp-p REC mode (NTSC) 3 IC251-pin17 1Vp-p REC mode (NTSC) 7 TP102 REC mode (NTSC) TP505 CTDM 1.43Vp-p REC mode (NTSC) 1.78Vp-p REC mode (PAL) 28 IC100-pin29 Y CLAMP 900 mVp-p REC mode (PAL) 7 TP102 REC mode (PAL) 21) ■ TP600 C-FM, REC mode 410mVp-p (1) CN1-pin8 Y 1Vp-p REC mode (PAL) 200mC & 10,es TP601 REC C RF 0.8Vp-p REC mode (NTSC) 0.9Vp-p REC mode (PAL) 29 IC500-pin29 C CLAMP 900mVp-p REC mode (NTSC) 880mVp-p REC mode (PAL) 2 IC100-pin2 1Vp-p REC mode (NTSC) (15) ■ TP500 CTDM 700mVp-p REC mode 4 TP101 Y 1Vp-p REC mode (NTSC) (8) ■ TP200 Y-FM, REC mode 410mV 200mg } 2mm TP400 COMP SYNC 5.2Vp-p REC mode (NTSC) 5.3Vp-p REC mode (PAL) 30 IC650-pin4 AFM PILOT 5.5Vp-p REC mode (NTSC) 5.4Vp-p REC mode (PAL) TP201 REC Y RF 1.5Vp-p REC mode 16 IC500-pin2 CTDM REC mode 2 IC100-pin2\_1Vp-p REC mode (PAL) 4 ■ TP101 Y 1Vp-p REC mode (PAL) ALT:3124 TVC 800mg j. 2mc

#### **VIDEO SIGNAL PROCESS**

RECモード ... 信号発生器 (テクトロニクスTSG-300または同等品) 出力の75% COLOR BARSの記録状態。

PBモード .....アライメントテープCR5-1BのCOLOR BARS部分の

再生状態。

REC mode ..... [ for NTSC ]


Record the 75% color bars signal which output from the Component Television Generator (Tektronix TSG-300 or equivalent).


[for PAL]

Record the 100% color bars signal which output from the Component Television Generator (Tektronix TSG-300 or equivalent).


PB mode ....... Play back the alignment tape CR5-1B (for NTSC) /


CR5-1BPS (for PAL).






#### VIDEO SIGNAL PROCESS







AUDIO B

# INPUT/OUTPUT, AGC REC/PB AMP., NOISE REDUCTION






#### AUDIO MONITOR AMP.



#### TC GENERATOR/READER



#### TC GENERATOR/READER

RECモード...75% COLOR BARSの記録状態。

PBモード .....アライメントテープCR5-1BのCOLOR BARS部分の


再生状態。

REC mode ..... Record the 75% color bars signal.

PB mode.......Play back the color bars signal portion of the

alignment tape CR5-1B (for NTSC) / CR5-1BPS (for

PAL).




#### **SERVO & SYSTEM CONTROL BLOCK**


RECモード...75% COLOR BARSの記録状態。


PBモード .....アライメントテープCR5-1BのCOLOR BARS部分の

PB mode....... Play back the color bars signal portion of the




#### SYSTEM CONTROL






SS-57B/57C BOARD (2/2)
PVV-3(J)
PVV-3(UC)
PVV-3P(EK)

BOARD LAYOUT



- ① MB-552 Board
- ② TC-86B (J,UC)/TC-86C (EK) Board
- ③ VO-46B (J,UC)/VO-46C (EK) Board
- 4 SS-57B (J,UC)/SS-57C (EK) Board
- ⑤ AU-185 (J,UC)/AU-185P (EK) Board
- 6 CN-983 Board





- ⑦ CN-935 Board
- ® DC-67 Board
- DC-68 Board
- 10 CN-1123 Board
- ① LED-214 Board
- 1 KY-285 Board




## VO-46B/46C BOARD


V O – 4 6 B /	4 6 C (1 – 6	50-142-12)							
*; B SI	DE								
CN1	B – 1	IC800	E – 4	Q359	G – 2	*Q803	E - 5	S S 2 0 0	B - 4
CN2	D – 1	IC801	D - 5	*Q400	G – 6	*Q804	E – 5	\$\$600	C - 6
CN3	D – 1	IC802	E - 4	*Q401	G – 6	*Q805	D - 5	S S 6 5 0	B - 6
C N 4	D - 3	*1C900	D – 1	* Q 4 0 2	F - 1	*Q806	D – 5	0 7 0 0	
CN5	B – 3	* IC902	E – 1	*Q500	B – 5	*Q807	E – 5	S 7 0 0	A – 1
CN6	B - 4	*1C903	E – 1	Q 5 0 1	A – 5	*Q808	D - 5	TU 400	E – 6
		IC904	E – 1	Q 5 0 2	A – 5	Q809	D - 5	*TH400	E - 0
C V 2 0 0	C – 4	*1C905	F – 1	*Q503	A – 5	Q 8 1 0	D - 5 D - 5	TP101	A - 3
C V 2 0 1	C - 4	* IC906	D – 1	*Q504	B - 5	Q 8 1 1 Q 8 1 2	D - 5 D - 5	T P 1 0 2	B - 4
C V 2 0 2	C – 4			*Q505	B - 5	Q 8 1 3	D - 5	TP103	A - 3
C V 2 0 3	C – 4	L V 4 0 0	F – 6	*Q506	B - 6	*Q814	D - 4	TP104	A – 4
C V 6 0 0	C - 5	0 1 0 1	۸ ۵	*Q507 Q508	A – 5 B – 6	Q 8 1 5	D - 5	TP105	A - 3
C V 6 0 1	C - 5	* Q 101	A – 3		A – 5	Q850	D - 4	TP106	A - 3
C V 6 0 2	C - 5	Q 10 2	A – 4	*Q509	A – 5	Q851	D - 4	TP107	A - 1
Ç V 6 0 3	C – 5	Q 10 3	B – 4	*Q510 Q600	C – 5	Q852	D – 4	TP200	B - 4
	4 0	* Q 10 4	A – 4	*Q601	C – 5	Q853	D - 5	TP201	B - 2
*D100	A – 2	*Q105	A - 3	Q602	C – 5	Q900	F-1	TP300	G - 3
*D400	F - 6	*Q106	A – 3	Q602	C - 6	Q901	F-1	TP350	F - 3
*D402	G – 6	*Q107	A – 3	Q 6 0 4	C - 6	Q902	E-1	TP400	F - 2
*D800	D - 5	Q 10 8	A – 4 A – 4	Q605	C - 6	Q903	E-1	TP401	F - 6
D 8 0 1	D - 5	Q 10 9	A – 4 A – 3	Q606	C - 6	Q905	F-1	TP402	F - 6
D850	D - 4	*Q110 *Q111	B – 3	Q607	C – 5	Q906		TP405	F - 6
D851	D – 4	*Q111	A – 2	*Q608	C – 5		• •	TP500	A - 5
*D901	F-1	Q 114	A – 1	*Q609	C – 5	R V 100	A - 3	TP501	B - 5
D 9 0 2	E – 1	* Q 115	A – 3	*Q610	C - 5	R V 10 2	A – 4	TP502	B - 6
E-100	B - 3	*Q 116	A – 3	*Q611	C - 5	R V 103	B - 4	TP503	A - 6
E 1 0 0 E 2 0 0	B – 4	*Q117	A – 3	Q 612	C – 5	R V 10 4	B - 4	TP504	A - 5
E300	G – 2	Q 2 0 0	C - 3	*Q613	C – 5	R V 105	A - 3	TP505	B - 4
E 4 0 0	G - 2	*Q201	C – 3	*Q614	C – 5	R V 2 0 0	C - 4	TP506	B - 5
E 4 5 0	F - 5	Q 2 0 2	C - 3	*Q615	C – 5	R V 2 0 1	C - 4	TP600	C - 6
E 5 0 0	A – 6	Q 2 0 3	C - 4	*Q616	C - 5	R V 2 0 2	C – 4	TP601	C - 5
E 6 0 0	C - 6	Q 2 0 4	C - 4	*Q617	C - 5	R V 2 0 3	C – 4	TP700	E - 3
2000	0 0	Q 2 0 5	C - 4	*Q618	C - 5	R V 251	A – 2	TP701	C - 2
FL300	G – 2	Q 2 0 6	C - 4	* Q 6 1 9	C - 5	R V 3 0 0	G - 3	TP702	,C - 1
FL350	F – 2	Q207	C - 3	*Q620	B - 5	R V 3 0 1	G - 3	TP703	C – 2
FL500	A – 5	*Q208	C - 3	*Q650	D - 6	R V 3 0 2	G – 3	TP750	D - 3
,		*Q209	C - 3	*Q651	D - 6	R V 3 5 1	F – 3	TP800	D - 6
IC100	A – 4	*Q210	C - 3	*Q652	C – 6	R V 3 5 2	F – 3	T P 8 5 0	D - 4
IC101	A – 2	*Q211	C - 3	*Q653	C - 6	R V 4 0 1	F – 6		
IC 2 5 1	A – 3	*Q212	C - 3	*Q654	C - 6	R V 4 5 0	E - 6	X 4 0 0	G – :
IC 400	G - 5	* Q 2 1 3	C - 3	Q700	E – 3	R V 5 0 0	A - 5	X 6 5 0	D - (
	G – 6	* Q 2 1 4	C - 3	Q701	E - 3	R V 5 0 2	A - 6	X 6 5 1	D - (
*1C402	G - 6	* Q 2 1 5	C – 3	Q702	E – 3	R V 5 0 5	A – 5		
*IC403	F – 6	*Q216	C – 3	Q703	E - 3	R V 5 0 6	B - 6	*; B S	IDE
IC404	G – 6	* Q 2 1 7	C - 3	Q704	E - 2	R V 5 0 7	B – 6		
IC 405	F - 6	*Q218	C – 3	Q705	E – 3	R V 6 0 0	C – 6		
IC406	F - 6	* Q 2 1 9	B - 3	Q706	E - 3	R V 6 0 1	C - 6		
IC407	E – 6	*Q300	G – 2	*Q707	C - 2	R V 6 0 2	C - 6		
IC408	E - 6	*Q301	G – 3	*Q708	C – 2	R V 6 0 3	C-6		
IC409	F - 6	*Q302	G – 3	*Q709	C - 2	R V 7 0 0	E – 3		
IC 410	F – 2	*Q303	G – 3	*Q710	C-1	R V 7 0 1	E – 3		
IC 411	G-1	Q304	G - 3	Q 7 11	C - 2	R V 7 0 2	E – 3		
IC450	G – 4	*Q305	G – 3	Q750	D – 3	R V 7 0 3	E – 3		
IC 451	F - 4	*Q306	G – 3	Q751	D - 3	R V 7 5 0	D - 3		
IC 452	G – 4	*Q309	G – 2	Q752	D - 3	R V 7 5 1	D - 3		
IC 453	F – 5	*Q350	F – 2	Q753	D - 3	R V 7 5 2	D - 3		
IC 5 0 0	A – 6	*Q351	F - 3	Q754	D 2	R V 7 5 3	D - 3		
*1C650	D – 6	*Q352	F – 3	Q755	D - 3	R V 8 5 0	D - 4		
*IC651	C - 6	*Q353	F - 3	Q756	D - 3				
10700	E – 2	Q354	F - 3	Q800	E – 4	SP200	B – 4		
IC701	D - 2	*Q355	F – 3	Q801	E – 4	SP600	C-6		
10701									







VO-46B/46C-B SIDE-1-650-142-12 PVV-3(J) PVV-3(UC) PVV-3P(EK)



#### **VIDEO SIGNAL PROCESS**

RECモード ... 信号発生器(テクトロニクスTSG-300または同等品) 出力の75% COLOR BARSの記録状態。

PBモード .....アライメントテープCR5-1BのCOLOR BARS部分の再生状態。


#### REC mode ..... [ for NTSC ]


Record the 75% color bars signal which output from the Component Television Generator (Tektronix TSG-300 or equivalent).

[for PAL]


Record the 100% color bars signal which output from the Component Television Generator (Tektronix TSG-300 or equivalent).

PB mode.........Play back the alignment tape CR5-1B (for NTSC) / CR5-1BPS (for PAL).





16,1 # 5%



PVV-3 (J) PVV-3 (UC)

14 - 5


14 - 5


Q213 DTA144EU Q214 28C4178 0216 0218 28C4177 28C4177 0217 0219 8 28A1611 28A1611 Q 215 2 S C 4 17 8 O201 O202 O203 O204 O205 O208 O207 O208 2\$C4178 2\$C4178 2\$K852 2\$K852 2\$K852 2\$K852 2\$C4178 2\$K852 Q 2 1 0 2 \$ K 8 5 2 Q 2 11 2 \$ K 8 5 2 Q 2 12 2 S C 4 1 7 8 100 R146 ₹ 75k :HN I C126 O TP104 NOTE NM;NO MOUNT Q108 Q109 2SC4178 2SC4178 Q107 28C4177 NEAR EMPHASIS LEVEL VO-46B BOARD(1/5)
PVV-3 (UC)

14-5

14 - 5

CHROMA A/D, CTDM Y/C REF SYNC






VO-46B(2/5)

VO-46B(2/5)

VO-46B BOARD(2/5)

PVV-3 (J) PVV-3 (UC)

PVV-3 (J) PVV-3 (UC)



PVV-3 (J) PVV-3 (UC)

14 - 7

\_

14-7


Н

VO-46B(3/5) VO-46B(3/5)


0817 0619 28C4177 28C4177 0618 0618 0620 28C4178 28A1611 28A1611 Q614 DTA144EU Q613 2SC4178 2SC4178 0600 0601 0802 0603 0604 0605 0606 28C4178 28C4178 28C4178 28K852-T1X4 28K852-T1X4 28K852 28K852 Q608 25K852 Q611 Q612 25K852 25C4178 Q609 28K852 C614<sup>±</sup> 100 SW REC -5 V -2 L602 100¢ H TC4SU69F-TE85L 28C4177 Q654 28C4177 NOTE NM;NO MOUNT 3100FH TC48U69F-TE85L 28C4177 AFM PILOT 310KHZ -5 V - 2 SW REC

VO-46B BOARD(3/5) PVV-3 (UC)

14-7



14-8 C D E F G H




VO-46B BOARD(4/5) PVV-3 (J) PVV-3 (UC)

14-8

P V V - 3 (J) P V V - 3 (UC)

14 - 8

#### DC POWER SWITCH




 $\begin{array}{ccc} V\ O\ -\ 4\ 6\ B & B\ O\ A\ R\ D\ (\ 5\ /\ 5\ ) \\ P\ V\ V\ -\ 3 & (UC) \end{array}$ 

PVV-3 (J) PVV-3 (UC)

A


14 - 9

D




14-11 B C D E F G H


PVV-3P (EK)



14-11

CHROMA A/D, CTDM Y/C REF SYNC





VO-46C(2/5)

VO-46C(2/5)

VO-46C BOARD(2/5) PVV-3P (EK)

14-12

PVV-3P (EK)

14-12

-

M

1


.

0

Р

VO-46C(3/5) VO-46C(3/5)

CHROMA REC PROCESS, AFM PILOT



PVV-3P (EK)

14-13

A B C D E F G H




Q617 Q619 28C4177 25C4177 Q616 Q618 Q620 28C4178 28A1611 28A1611 Q814 DTA144EU Q613 2SC4178 2SC4178 0805 0800 0801 0802 0803 0804 28K852-T1X4 0806 0807 0508 0809 0810 0811 0512 28C4178 28C4178 28C4178 28K852-T1X4 T C603 NOTE NM;NO MOUNT AFM PILOT 310KHZ


VO-46C BOARD(3/5) PVV-3P (EK)

14 - 13

14-13



14-14
C D E F G H



14 – 14 N

14-14

ĸ


4

0

Г

PVV-3P (EK)


## SS-57B/57C BOARD



### SS-57B/57C-A SIDE-

1-650-140-13 PVV-3(J) PVV-3(UC) PVV-3P(EK)

SS-57B	/57C(1	-650-140-1	3)							P V V - 3 F	(EK)		
*; B S	IDE												
CN301	C - 6	*D205	F - 4	1C203	G – 5	*PH1	B - 2	*Q203	C - 2	*Q409	E - 2	TP403	B - 5
CN302	F - 5	D 2 0 6	F - 3	IC204	G - 5	*PH2	D - 2	*Q204	F – 2	* Q 4 1 0	E – 2	TP405	C - 3
CN303	E - 4	D 4 0 1	E - 4	IC205	D - 3	<b>*</b> ₽H3	F – 1	Q 2 0 7	F – 2	Q 4 1 1	E - 5	TP406	B - 3
CN304	G - 4	D 4 0 3	E - 3	IC206	C - 4	₩PH5	C - 2	*Q208	F – 4	*Q412	E – 4	T-P 5 0 0	G - 6
CN305	G - 3	*D404	E - 3	IC207	D - 4	*PH6	F - 2	Q209	F - 4	Q500	E - 6		
CN306	F - 6	D 4 0 5	E - 4	IC208	D - 4			Q 2 1 0	F – 4	*Q501	E - 6	X1	A - 4
CN307	D – 1	D 4 0 6	A - 4	IC209	D - 4	* Q1	A - 2	*Q211	F - 3	*Q502	F - 6	X 2 0 1	B - 3
CN308	G - 6			IC 210	D - 3	* Q2	D - 2	Q 2 1 2	F - 3				
CN309	E - 6	E1	C-1	IC211	D - 2	* Q3	F – 1	*Q213	D - 2	<b>*</b> S1	A – 1		
CN311	G - 3	E 2	D - 3	IC213	D - 3	Q5	A – 4	* Q 2 1 4	F - 2				
CN 312	G - 3	E 3	F - 3	IC214	D - 3	Q6	G - 3	*Q215	F - 2	TP201	D - 3		
CN350	G - 2			IC 216	C – 3	Q8	B - 4	Q 2 1 6	G – 5	TP202	D - 4		
011000		101	B – 4	1 C 2 1 7	G – 2	Q9	B - 4	Q 2 1 7	E - 1	TP203	D - 3	*; B SI	DE
D 1	A – 4	IC 2	A – 4	IC 218	G - 4	Q 1 0	A – 3	Q402	A - 4	TP204	E – 4	•	
D 2	G-3	103	A - 5	IC 219	F – 3	Q11	D - 5	Q 4 0 4	E - 2	TP206	C - 4		
D 2 0 1	G - 5	1 C 4	B - 5	IC220	E - 5	Q 1 2	D - 4	*Q405	E - 4	TP210	B – 1		
D 2 0 1	D - 3	106	F - 6	IC500	E - 6	Q 1 3	A - 3	Q406	E – 4	TP211	B – 1		
D 2 0 2	G – 5	IC 2 0 1	C - 3	IC 5 0 1	E - 6	Q 1 4	F - 5	Q407	E - 4	TP212	C – 1		
D 2 0 4	F - 3	IC 2 0 2	G - 4		- •	Q 2 0 1	G – 6	Q408	E - 3	TP402	B - 5		



1-650-140-13 PVV-3(J) PVV-3(UC) PVV-3P(FK)

SS-57B	/57C(1	-650-140-1	3)							P V V - 3 (			
*; B 9	SIDE												
CN301	C - 6	*D205	F – 4	10203	G – 5	₩PH1	B - 2	*Q203	C - 2	*Q409	E - 2	TP 403	B - 5
CN302	F - 5	D 2 0 6	F – 3	IC204	G - 5	*PH2	D - 2	*Q204	F – 2	*Q410	E - 2	TP 405	C - 3
CN303	E - 4	D 401	E - 4	IC205	D - 3	*PH3	F-1	Q 2 0 7	F - 2	Q 4 11	E - 5	TP 406	B - 3
CN304	G – 4	D 4 0 3	E - 3	IC206	C - 4	*PH5	C - 2	*Q208	F – 4	*Q412	E - 4	TP 500	G - 6
CN305	G - 3	*D404	E – 3	10207	D - 4	*PH6	F - 2	Q209	F – 4	Q500	E - 6		
CN306	F - 6	D 4 0 5	E - 4	1C208	D - 4			Q 2 1 0	F – 4	*Q501	E - 6	X1	A - 4
CN307	D – 1	D 4 0 6	A – 4	1C209	D - 4	* Q1	A – 2	*Q211	F - 3	*Q502	F - 6	X 2 0 1	B - 3
CN308	G - 6	- , , , ,		IC210	D - 3	* Q2	D - 2	Q 2 1 2	F - 3				
CN300	E - 6	E 1	C – 1	IC 211	D – 2	* Q3	F – 1	*Q213	D – 2	<b>*</b> S1	A – 1	*; B SIDE	
CN303	G – 3	E 2	D - 3	IC 213	D - 3	Q5	A – 4	*Q214	F - 2			,	
CN311	G - 3	E 3	F - 3	IC214	D - 3	Q6	G – 3	*Q215	F – 2	TP201	D - 3		
CN312	G – 2	- 0		IC 216	C - 3	Q8	B - 4	Q 2 1 6	G - 5	TP202	D - 4		
014330	u - 2	I C 1	B 4	IC 217	G - 2	Q9	B - 4	Q 2 1 7	E – 1	TP203	D - 3		
D 1	A – 4	102	A – 4	IC 218	G - 4	Q 1 0	A – 3	Q402	A – 4	TP204	E - 4		
D 2	G-3	103	A – 5	IC 219	F – 3	Q 11	D - 5	Q404	E - 2	TP206	C - 4		
D 2 0 1	G - 5	I C 4	B - 5	IC 2 2 0	E - 5	Q12	D - 4	*Q405	E – 4	TP210	B - 1		
D 2 0 2	D – 3	106	F - 6	10500	E - 6	Q 13	A – 3	Q406	E - 4	T P 2 1 1	B - 1		
	G - 5	10201	C – 3	IC 5 0 1	E - 6	Q 1 4	F - 5	Q407	E – 4	TP212	C-1	PVV-3 (J)	
D 2 0 3	G - 3	10201	G – 4	10001	_ 0	Q201	G - 6	Q408	E - 3	TP402	B - 5	PVV-3 (U	(C)
D 2 0 4	1 - 3	.0202	<b>₩</b> Ŧ			14-						P V V - 3P ` (I	EN)
						. 7 -	. •						

## **SERVO & SYSTEM CONTROL BLOCK**

RECモード...75% COLOR BARSの記録状態。 PBモード .....アライメントテープCR5-1BのCOLOR BARS部分の 再生状態。 REC mode ..... Record the 75% color bars signal.

1 TP403 COMP SYNC 4.5Vp-p REC mode

② ■ CL206 S REEL FG 5.3Vp-p
■ CL207 T REEL FG 5.3Vp-p FF/REW mode

TP202 CAP FG A 5Ур-р ■ TP203 CAP FG B 5Vp-p

CL201 CAP FG A

65mVp-p


CL202 CAP FG B

65mVp-р

(3) REC mode

(4) REC mode

PB mode......Play back the color bars signal portion of the alignment tape CR5-1B (for NTSC) / CR5-1BPS (for



8 PB mode

6 ■ CL213 CAP DRIVE 3.8Vdc REC mode

(7) IC201-pin66 REF SYNC 4.5Vp-p REC mode


■ TP206 PB CTL 2.3Vp-p

■ CL205

PB CTL 5Vp-p

بالماريون أوار ومعاوه إمامين والأرب مان يجبها بأرماه بعام يوره

SY CPU, CASSETTE SENSOR



PVV-3 (J) PVV-3 (UC) PVV-3P (EK)

14 - 19

.


.

F

14-19

Н

Α




SS-57B/57C BOARD(1/3)
PVV-3 (J)
PVV-3 (UC)
PVV-3P (EK)

14-19

14-19


SS-57B/

SY/SV CPU, DRUM MOTOR DRIVER LTC REC/PB



14 - 20

14 - 20




14-20


P V V - 3 (J) P V V - 3 (UC) P V V - 3 P (EK)


14 - 20

L




PVV-3 (J)
PVV-3 (UC)
PVV-3 P (UC)
PVV-3 P (UC)
PVV-3 P (UC)
PVV-3 (UC)
PVV-3 P (UC)
PVV-4 P (UC)






# TC-86B/86C BOARD



		650-676-1	2)							1-650- PVV-3(I PVV-3(I	1C) 1)	
*; B S	IDE			•						PVV-3P	(EK)	
<b>⊁</b> BT911	C - 5	*D105	A – 4	*D906	C-1	IC101	A – 4	IC504	E - 3	*Q101	A ~ 4	
		D 2 0 1	A – 4	*D907	B - 2	IC102	B - 4	IC550	E - 4	*Q102	A – 4	
CN1	D – 5	*D202	. A – 4	*D908	B-1	IC103	B - 3	10602	F - 3	*Q104	A – 4	
CN2	B – 5	*D203	A - 2	D909	C - 4	IC104	B - 2	IC603	F - 3	Q106	B - 3	
CN3	A – 1	*D204	A – 4	D 9 1 1	C – 4	IC105	C - 2	IC701	A - 5	*Q107	C - 3	
C N 1 0 1	A - 4	D 2 0 5	A - 3	D 9 1 2	C - 4	IC110	B - 4	1 C 7 0 2	G - 4	*Q108	C - 2	
C N 2 0 1	A – 4	D 5 5 0	E – 3			IC111	B – 4	*1C703	G - 3	*Q109	C - 2	
CN701	A – 5	<b></b> ₩ D 7 0 1	A – 5	E 2	D - 5	IC 113	B – 3	1C705	G - 4	*Q110	C – 3	
CN703	F – 3	*D702	A - 5	E101	B - 2	IC 201	A – 3	IC708	G - 3	*Q111	C – 3	
		*D704	B - 5	E 2 0 1	A - 2	IC202	A – 3	IC801	F-1	Q113	B – 4	
CV1	A – 2	<b>*</b> D705	B - 5	E 3 0 1	F - 3	IC205	A - 2	*IC802	F-1	*Q114	B – 4	
		*D802	G – 2	E 4 0 1	G – 3	IC 210	A - 4	IC803	G-1	*Q115	B – 4	
€D1	D – 1	*D803	G - 2	E 5 0 1	E - 2	IC 211	A - 3	IC804	G - 2	*Q116	B - 3	
D 4	A – 1	*D804	G – 2	E 6 0 1	F - 2	IC 213	A – 3	IC805	G - 2	Q 117	C-3	
D 5	A – 1	<b>*</b> D805	G – 2	*E701	D - 5	IC 3 0 1	F - 5	1C806	G - 2	Q 117	C-3	
D 6	D – 4	<b>₩</b> D901	D - 2	* = / • .		IC303	F – 4	IC807	F - 2 `			
€D 1 0 1	A – 5	*D902	D – 1	101	B – 1	1C304	F - 3	IC 9 11	C - 4	*Q201	A – 4	
D 102	A – 4	<b>*</b> D903	C-2	102	D - 1	IC 5 0 1	E – 2	10311	0-4	*Q202	A – 4	
€D 103	C - 2	<b>*</b> D904	C-1	103	D - 1	IC 5 0 2	E-3	Q1	р о	*Q204	A – 4	
D 104	A – 5	<b>*</b> D905	C-2	IC10	E-1	1C502	E-3	u1 ¥02	B – 2	Q 2 0 6	A – 3	
		* D 2 D 2	0-2	1010	L-1	10003	E - 3	- X (1)	A – 1	x.∩207	Δ 2	



T C - 8 6 B / 8 6 C - B SIDE-1-650-676-12 PVV-3(J) PVV-3(UC) PVV-3P(EK)

*Q208	A - 2	Q709	G - 3	R V 2 0 2	A – 3	<b>*</b> S 2 0 1	A – 5	X 2	B - 2
*Q209	A - 2	Q711	G – 3	R V 3 0 2	F - 4	*S202	A - 4	Х3	D - 1
*Q210	A - 2	Q712	G – 3	R V 4 0 2	F – 4	<b>*</b> S203	A - 3	X802	F - 1
*Q211	A-1	*Q713	G - 3	R V 7 0 1	G – 4	S 5 5 0	E - 3		
Q 2 1 3	A - 3	*Q714	G – 3	*RV702	G - 4	*S701	C - 2	*; B S	IDE
*Q214	A - 3	*Q715	G - 3	*RV703	G - 3				
*Q215	A - 3	Q801	D - 4			TP101	B - 2		
*Q216	A - 3	Q901	A -1	* S1	A - 2	TP201	A - 2		
*Q217	A - 2	Q902	A - 1	* S 2	C - 4	TP301	F - 5		
*Q218	A – 2	Q 9 1 1	C - 4	* S 3	D - 4	TP302	F - 3		
*Q301	F – 4	Q912	C - 4	* S 4	C - 3	TP401	F - 5		
*Q302	F – 4	Q 9 1 3	C - 4	* S 5	C - 3	TP402	G - 3		
*Q401	F - 4	Q 9 1 4	C - 4	* S 6	C - 4	TP550	E - 5		
*Q402	G - 4	Q 9 1 5	C - 4	*S7	D - 2	TP650	F - 5		
Q550	E - 3	Q 9 1 6	C - 4	* S 8	D - 4	TP801	E - 2		
*Q704	B - 5	Q 9 1 7	C - 4	*S11	G - 5	TP802	A - 2		
*Q705	G – 4			*S13	A - 1	TP805	G – 2		
*Q706	B - 5	*R V 101	B - 3	*S101	B - 5	TP806	B - 1		
*Q707	B - 5	R V 102	B - 3	*S102	B - 4				
*Q708	B - 5	*RV201	A - 3	*S103	B - 3	X1	A - 1		
						14 - 2	2		


### TC GENERATOR/READER


RECモード ...75% COLOR BARSの記録状態。 PBモード ..... アライメントテープCR5-1BのCOLOR BARS部分の 再生状態。


REC mode ..... Record the 75% color bars signal.

PB mode.......Play back the color bars signal portion of the


alignment tape CR5-1B (for NTSC) / CR5-1BPS (for









AUDIO REC PROCESS AUDIO MONITOR







PVV-3 (J) PVV-3 (UC) PVV-3P (EK)

14 - 27


E

F

14-27

Н

TC-86B/86C(3/3) TC-86B/86C(3/3)




TC-86B/86C BOARD(3/3)
PVV-3 (J)
PVV-3 (UC)
PVV-3P (EK)

14 - 27


3/3)

14 - 27

AU-185/18




# AU-185/185P BOARD




-B SIDE-

### AUDIO REC/PB, BIAS OSC




14-29

A B C D E F G H



DC-67/6



DC-67(1-68

\*; B SIDE

\* CN1 A -\* CN2 A -


D11 C-D12 C-D31 A-D32 B-


DC-68(1-6


\*; B SIDE
D101 C
D102 D


\* IC101 C \* IC102 A \* IC103 B

DC-67/68 BOARD









VV-3 (J) VV-3 (UC) VV-3P (EK)

14-31

D


E

1

14-31

1

Н



14-31

.

М

N

14 – 31

.

. 1


P


LED-214 BOARD CN-1123 BOARD CN-935 BOARD CN-983 BOARD KY-285 BOARD FE-18 BOARD DR-254 BOARD SR-55 BOARD MB-552 BOARD





LED-214 -A SIDE-


1-651-988-11 PVV-3(J) PVV-3(UC) PVV-3P(EK)






















PVV-3(J) PVV-3(UC) PVV-3P(EK)



FE-18 -A SIDE-1-650-134-11


PVV-3(J) PVV-3(UC) PVV-3P(EK)



SR-55 -A SIDE-


1-650-135-11

PVV-3(J) PVV-3(UC) PVV-3P(EK)




DR-254 -A SIDE-1-650-132-11

PVV-3(J) PVV-3(UC) PVV-3P(EK)




SR-55 -B SIDE-

1-650-135-11 PVV-3(J) PVV-3(UC) PVV-3P(EK)




DR - 254 -A SIDE-1-650-132-11

PVV-3(J) PVV-3(UC) PVV-3P(EK)



MOTHER BOARD



PVV-3 (J) PVV-3 (UC) PVV-3P (EK)

Α

14 - 33

В

C


D

E

F

G

Н





MB-552 BOARD PVV-3 (J) PVV-3 (UC) PVV-3P (EK)

14-33

0

3






### **SECTION 15** SEMICONDUCTOR PIN ASSIGNMENTS

この章の図の中には互換性のないダイオード、トランジスタ、 ICが併記されていることがあります。部品を交換するときには 必ず部品表を参照してください。 等価回路はICメーカーのData Bookに従いました。

The chart in this section may sometimes show diodes, transistors, and ICs that are not interchangeable. When replacing a component, be sure to refer to the parts list. The circuit diagram of each IC is obtained from the IC data book published by the manufacturer.


DIODE	PAGE	TRANSISTOR	PAGE	IC	PAGE
1SS300	15-2	DTA144EU	15-3	S-8054HN	15,10
1SS302		DTC114EK		SN74HC04ANS	
				SN/4HCU4ANS	15-12
1SS303		DTC114EU	,		
1SS304		DTC144EK		TA7291F	15-12
1SV160	15-2	DTC144EU	15-3	TC4052BFHB	15-12
				TC4053BFS	15-10
CL-150SD-CD	15-2	FMY1		TC4066BFS	15-10
CL-150Y-CD		FMY3		TC4S71F	
02 100 CO				TC4S81F	
DA-204U	15.0	IMB2	45.0		
DA-2040	13-2			TC4SU69F	
		IMH2		TC4W53F	
EBR3402S		IMT1US		TC74HC221AF	15-13
EC10QS-10		IMX1	15-3	TC74HC4053AF	15-13
ERA83	15-2	IRFU9020	15-3	TC74HC4066AFS.	15-13
				TC7S04F	
MA141A	15-2	IC	PAGE	TL1453CNS	
MA141WA		10	PAGE	1L1453CNS	15-13
		2200012			
MA141WK		BR9021BF		UPC1663G	
MA143	15-2	BR93LC46F	15-4	UPC324G2	15-16
				UPC358G2	15-16
NSQ03A04	15-2	CX20030		UPC4572G2	
		CXA1098Q		UPD75P516GF	
RD??M-B?	15.0	CXA1179N			
חטייוויםי	15-2			UPD78064GF-3BA	
		CXA1480Q		UPD78P064GF-3B	A 15-14
SB01-05CP		CXA8004M			
SB05-05CP	15-2	CXD1132Q			
		CXD1151Q	15-8		
U05G	15-2	CXD1171M			
UZM??B		CXD1175AM			
02.171 :		CXD1357Q			
TRANSISTOR	DACE	CAD1337Q	15-9		
TRANSISTOR	PAGE	1104 4000000	4- 4-		
		HD14053BFP	15-10		
2SA1162	15-3				
2SA1330	15-3	LA7205M			
2SA1576	15-3	LM1881M	15-9		
2SA1611	15-3	LM2901M			
2SB1115A		LM2903M			
2SB624					
2SC16233		MERCONATREM O DAIE	45.0		
		MB88347PFV-G-BND			
2SC2611		MC14013BF			
2SC2712		MC14046BF			
2SC3360	15-3	MC14066BF	15-10		
2SC4116	15-3	MC14070BF			
2SC4177-L6		MC14071BF			
2SC4178		MC14538BF			
2SC4213B		MC34182M			
		10034 1021VI			
2SD1615A					
2SD1623		NJM2903M	15-11		
2SD596	15-3	NJM386M	15-11		
2SJ132		NJM4556M			
2SK209G		NJM4558M			
2SK852		NJM4560MD			
2SK853	15-3	NJM78L05UA	15-11		•
	.= -		· .		
DEASIGN	15-3	RH5RE50AA	15-11		
DTA114EU					
DTA114YU DTA144EK	15-3	S-8054ALR			






CL-150SD-CD; ORANGE

### **TRANSISTOR**




BR9021BF (ROHM) FLAT PACKAGE C-MOS 2k (128x16) BITS SERIAL EEPROM - TOP VIEW -




INPUT
CS : CHIP SELECT
DI OP CODE, ADDRESS, AND SERIAL DATA
RS : RESET
SK : SERIAL DATA CLOCK


OUTPUT DO : SERIAL DATA OUTPUT R/B : READY/BUSY SIGNAL




BR93LC46F (ROHM) FLAT PACKAGE C-MOS 1024 (64x16) BIT ELECTRICALLY ERASABLE PROM - TOP VIEW -



CX20030 (SONY) FLAT PACKAGE VIDEO Y SIGNAL PROCESSOR - TOP VIEW -



PIN NO.	1/0	SYMBOL	PIN NO.	1/0	SYMBOL	PIN NO.	1/0	SYMBOL
1	ł	SYNC SEP TC1	17	1	PEAK AGC TC	33	1	NLE TC1
2	0	COMP SYNC	18	1	EE LEVEL	34	-	NC
3	1	SYNC SEP TC2	19	-	GND2	35	0	PB Y OUT2
4	1	CLAMP C	20	1	TRAP	36	1	DEVIATION
5	1	BURST PULSE	21	0	REC RF	37	1	R/P Y IN
6	1	CONT2	22	- 1	SYNC AGC TC	38	1	PB LEVEL
7	T	DOCTC	23	1	PG	39	0	REC VIDEO
8	- 1	PB C	24	- 1	MOD R	40	1	PBYIN
9	0	DO PULSE	25		LDE TC1	41	1	CONT1
10	- 1	DEMOD R	26	1	LDE TC2	42	1	IN1
11	1	PB 5V	27	-	CARRIER	43	-	GND1
12	0	PB Y OUT1	28	1	LE TC2	44	_	IN2
13	-	Vcc2	29	1	LE TC1	45	1	RF AGC TC
14	1	INV IN	30	1	W/D CLIP	46		IN3
15	-	Vcc1	31	1	NLE TC3	47	1.	SYNC SEP IN
16	0	VIDEO OUT	32	1	NLE TC2	48	- 1	PB RF IN



AMP1 OUT

FM OU

AMP1 DC 3 EMP OUT 25 AMP2 OUT 5

LIM OUT

AMP1 IN

#### CXA1179N (SONY)

VIDEO Y/C REC FM MODULATOR FOR BETACAM - TOP VIEW -


INPUT
BURST PULSE
CARRIER
CLAMP C
CONT 1
EXTERNAL CARCITOR FOR CLAMPING INPUT
CONT 2
INTERNAL SWITCH CONTROL INPUT
CONT 2
DEMOD R
DEVIATION
DOC TC
EXTERNAL RESISTOR FOR FM DEMODULATOR INPUT
DOC TC
EXTERNAL CAPACITOR FOR DEMODULATOR INPUT
IN 1 - IN 3
INV IN
LOE TCI.TC2
EXTERNAL RESISTOR FOR FM
INV IN
LOE TCI.TC2
EXTERNAL RESISTOR FOR FM
INV IN
LOE TCI.TC2
EXTERNAL RESISTOR FOR LINEAR DE-EMPHASIS INPUTS
LE TCI.TC2
EXTERNAL RESISTOR FOR LINEAR DE-EMPHASIS INPUTS
LE TCI.TC2
EXTERNAL RESISTOR FOR INPUT
NOD R
EXTERNAL RESISTOR FOR FM MODULATOR INPUT
SEXTERNAL RESISTOR FOR FM MODULATOR INPUT
CEXTERNAL RESISTOR FOR FM MODULATOR INPUT
NLE TCI.TC2
EXTERNAL RESISTOR FOR FM MODULATOR INPUT
CEXTERNAL RESISTOR FOR FM MODULATOR INPUT
SEXTERNAL RESISTOR FOR FM MODULATOR INPUT
CEXTERNAL RESISTOR FOR FM MODULATOR INPUT
CEXTERNAL RESISTOR FOR NONLINEAR EMPHASIS INPUT PB 5V POWER FOR PLAYBAUN PB 5V POWER FOR PLAYBAUN PB C PB CHROMA INPUT AND M/C CURTITUDE PB FE IN PB FE (FM) INPUT FOR PEAK AGC PG (30 Hz) SIGNAL INPUT FOR PEAK AGC PG (20 Hz) SIGNAL INPUT FOR PEAK AGC PG (20 Hz) SIGNAL INPUT FOR PA FA FOR FE AGC INPUT FOR PY IN PY SIGNAL FOR CLAMPING INPUT SYNC AGC SYNC SEP IN SYNC SEPARATION SIGNAL INPUT SYNC SEP IN SYNC SEPARATION SIGNAL INPUT FOR SYNC SEPARATION SIGNAL STREAM SEPARATION STREAM SEPARATION SIGNAL STREAM SEPARATION SIGNAL STREAM SEPARATIO TRAP INPUT LINEAR EMPHASIS AND W/D CLIP CONTROL INPUT

OUTPUT
COMP SYNC
DO PULSE
PB Y OUT1
PB Y OUT2
REC RF
REC VIDEO
VIDEO OUT COMPOSITE SYNC OUTPUT
DROPOUT PULSE OUTPUT
FREQUENCY DEMODULATOR OUTPUT
FB Y OUTPUT
Y-FM SIGNAL OUTPUT
AMPLIFIED Y SIGNAL OUTPUT
VIDEO OUTPUT

#### Vcc (+5V) 30 AMP1 IN 0 28 HOLD CAP AMP1 OUT 2 29 CLAMP IN EMP IN AMP2 IN V REF FM IN 26 4 AMPI DC 3 28 HOLD CAP 21 GND 27 19 BAL 2 20 BLL 1 26 EMP IN AMP2 OUT 5 LIM DC 6 25 DECOUP 12 LIM IN 7 24 D.C 13 8 GND 23 7 LIM OUT 9 22 FM IN LIM IN 10 21 23 24 DECOUP 11 D.C 20 BAL 1 12 19 13 GND 18 AM IN 14 (+5V) 17 FM OUT 15 NC NC 16


#### CXA1098Q (SONY) FLAT PACKAGE

2 CHANNELS DOLBY TYPE-B/C NOISE REDUCTION-



ANTI-SATURATION
CALIBRATION INPUT
CALIBRATION INPUT
CALIBRATION/REC/PB SELECT
HPF FOR HIGH-LEVEL-STAGE
HPF FOR LOW-LEVEL-STAGE
REFERENT CURRENT SOURCE
DOLBY OFF/DOLBY
TYPE-B-C/ SELECT
PB FEEDBACK INPUT
REC FEEDBACK INPUT
SPECTRAL SKEWING SWITCH ANT S CAL IN CAL/REC/PB HPF H IREF OFF/B/C PB FB REC FB SSK


TCH 1; TIME CONSTANT-1
TCH 2; TIME CONSTANT-2
TCL 1; TIME CONSTANT-1
TCL 2; TIME CONSTANT-2
TCL 2; TIME CONSTANT-2
TF IN; ENCODER INPUT
WT H; WEIGHTING FOR LI
\*1: HIGH-LEVEL-STAGE \*2: LOW-LEVEL-STAGE



AMP2 IN CLAMP EMP IN FM IN LIM IN V REF ; VIDEO SIGNAL AMP2 IN
; CLAMP PULSE IN
; EMPHASIS AMP IN
; FM MODULATOR IN
; LIMITER IN
; VOLTAGE REFERENCE IN OUTPUT AMP1 OUT AMP2 OUT EMP OUT ; VIDEO SIGNAL AMP1 OUT ; VIDEO SIGNAL AMP2 OUT ; EMPHASIS AMP OUT ; FM MODULATOR OUT FM OUT LIM OUT LIMITER OUT OTHER BAL1, BAL2 D. C DECOUP MODULATOR BALANCE ADJUSTMENT; DARK CLIP ADJUSTMENT; DECOUPLING CAPACITOR HOLD CAP HOLD CAPACITOR LIM DE LIMITER DECOUPLING CAPACITOR : TEMPERATURE COMPENSATION : WHITE CLIP ADJUSTMENT : AMP1 CLAMP DC TEMP COMP W. C AMP1 DC


PVV-3 (J) PVV-3 (UC) PVV-3P (EK)

#### CXA1480Q (SONY) THROUGH RATE LIMITER - TOP VIEW -



PIN No.	1/0	SIGNAL	PIN No.	1/0	SIGNAL
1		TH IN	17	0	SRL OUT
2	T	SRL CONT	18	.1	SRL IN
3		SRL C	19	1	SR R IN
4	1	SRL RFF	20	0	SR R OUT
5	1	LIM H	21	0	VCA OUT
6	1	LIM L	22		RG1 IN
.7	ī	SW IN2	23	0	RG1 OUT
8	1	SH IN	24	0	AMP OUT
9	0	SH C	25	-	GND1
10	0	SH OUT	26		AMP IN
11	1	SH PLS	27	1	AMP REF
12	T	SW PLS	28	-	Vcc1
13	-	Vcc2	29		RG2 IN
14	.0	SW OUT	30	1	VCA CONT
15	-	GND2	31	0	COMP OUT
16	1	SW IN1	32	0	COMP SIG

CXA8004M (SONY) FLAT PACKAGE 3DD MOTOR DRIVER TOP VIEW -



-	NPU'	т		
-	VF C	_	FRC	FUNCTION
U	V	W		
н	н	L	0	W→V PHASE
"	п	_	ï	V→W PHASE
н	L	Γ,	0	W→U PHASE
"	-	١.	1	U→W PHASE
L		н	0	V→W PHASE
-	-	"	1	W→V PHASE
,	н		0	U→V PHASE
L	H	-	1	V→U PHASE
н	,	н	0	V→U PHASE
"	١-	-	1	U→V PHASE
Γ.	н	н	0	U→W PHASE
L	"		1	W→U PHASE

H: HIGH LEVEL




MOTOR BRAKE (H: STOP, L: PLAY)
FWD/REV CONTROL (H: FWD, L: REV)
STAND-BY (GND: POWER OFF)
U PHASE INPUTS
V PHASE INPUTS
MOTOR INPUT VOLTAGE (Vs < Vcc)
W PHASE INPUTS BR FRC STBY U IN1, 2 V IN1, 2 Vs W IN1, 2


OUTPUT U OUT UR OUT V OUT VR OUT VH+, VH-W OUT WR OUT : U PHASE OUTPUT : U PHASE 2Ω RESISTOR OUTPUT : V PHASE OUTPUT : V PHASE 2Ω RESISTOR OUTPUT : HALL BIAS CURRENT : W PHASE OUTPUT : W PHASE OUTPUT : W PHASE 2Ω RESISTOR OUTPUT

; GND FOR OUTPUT TRANSISTOR


0 : LOW LEVEL 1 : HIGH LEVEL REFERENCE VOLTAGE SUPPLY




CXD1175AM (SONY) FLAT PACKAGE C-MOS 8-BIT 20MSPS VIDEO A/D CONVERTER - TOP VIEW -




STEP	INPUT SIGNAL		DATA OUTPUTS						
OIET	VOLTAGE	D7	D6	D5	D4	D3	D2	D1	DO
0	OV (VRT)	1	1	1	1	1	1	1	1
1	0.01V	1	1	1	1	. 1	1	1	0
		1	-				-		1
	:	:	:	1	:	1	:	:	:
127	1.34V	1	0	0	0	0	0	0	0
128	1.35V	0	1	1	1	1	.1	1	1
: :			1	:	1	1	1	- :	-
- ;	:	1	1 :	1	1	1	1	1	1
255	2.7V (VRB)	0	0	0	0	0	0	0	0



CXD1132Q (SONY) FLAT PACKAGE CMOS TIME CODE GENERATOR/READER - TOP VIEW -



PIN NO.	1/0	SYMBOL	PIN NO.	1/0	SYMBOL	PIN NO.	1/0	SYMBOL	PIN NO,	1/0	SYMBOL	PIN NO.	1/0	SYMBOL
1	1/0	D85	17	T-	CCS	33	-	VDD	49	1	C1MI	65	. 1	TCIN
2	1/0	DB4	18	1	CWR	34	1/0	DA1	50	0	C1M0	66	0	DCLK
3	1/0	DB3	19	1	CRD	35	1/0	DAG	51	0	C2MO	67	0	DATA
4	1/0	DB2	20	0	INT	36	1	DSP	52	_	GND	68	0	RFLD
5	1/0	OB1	21	1	STBY	37	0	DTSE	53	0	CKO	69	0	RDSY
6	1/0	DB0	22	T	TST1	38	0	VRCK	54	1	CKIN	70	0	LRP
7	0	STOP	23	1	TST2	39	1	SLLM	55		SLCK	71	0	BUSY
8	1/0	D7	24	1	TST3	40	0	RVDO	56	-1	GCSI	72		BA2
9	1/0	D6	25	T	PON	41	1	RCSI	57	1	S1	73	_	VDD
10	1/0	D5	26	1	FLD1	42	T	VITC	58	0	VTGO	74	1	BA1
11	1/0	D4	27	1	RTIM	43	1	FRMI	59	0	VTO	75	1	BA0
12	-	GND	28	T	CDIR	44	0	FRMO	60	0	LTCO	76	1	BWR
13	1/0	D3	29	1	CTLI	45	0	GLSY	61	1	LRES	77	1	BRD
14	1/0	D2	30	1/0	DWR	46		HDI	62	1	VCEI	78	1	BCS
15	1/0	D1	31	1/0	DA3	47	0	HDO	63	0	LSHO	79	1/0	BD7
16	1/0	D0	32	1/0	DAZ	48	0	VDO	64	1	C2MI	80	1/0	BD6



PVV-3 (UC) PVV-3P (EK) BAO-BA2

B ADDRESS INPUTS

BCS B CHIP ENABLE INPUT ("L":ENABLE)

BDO-BD7

B DATA I/O

BRD B READ INPUT ("L":READ)

BUSY B BUSY OUTPUT

CLM SYSTEM CLOCK INPUT

CLMO CLOCK 1 OUTPUT (CKIN X 1/16)

CZMO CLOCK 1 OUTPUT (CKIN X 1/16)

CZMO CLOCK 1 OUTPUT (CKIN X 1/16)

CCM C CCIP ENABLE INPUT ("L":ENABLE) (when DSP is low)

ADDRESS LATTE ENABLE INPUT ("L":ENABLE) (when DSP is high)

CDIR CTL DIRECTION INPUT

CKIN SYSTEM CLOCK INPUT

VIDEO SIGNAL FORMAT CKIN

SMPTE 29.978E 525LINE 14.3188HEZ

EXED 25DE 25LINE 14.500MHZ

CKO CLOCK OUTPUT

CKN C READ INPUT ("L":ENEAD)

CTLI CTL SIGNAL INPUT

CWR C WRITE INPUT ("L":WRITE)

DO-D7 DATA 1/O (when DSP is low)

ADDRESS INPUTS (when DSP is low)

DATA DEMODULATED SERIAL DATA OUTPUT

DSF DISPLAY BUS SELECT INPUT

DSF DISPLAY BUS SELECT INPUT

DSF CONT-OIS CCS, DAO-DA3 and DVR.

DYSE VITC DATA SEARCH FLAG OUTPUT

DDM WAITE ENABLE OUTPUT ("L":RABABLE) (when DSP is low)

E ADDRESS INPUTS (when DSP is high)

DATA DEMOSIS INPUT ("L":RABABLE) (when DSP is low)

E ADDRESS 4 INPUT (when DSP is high)

DF ONLY OIS CCS, DAO-DA3 and DVR.

DYSE VITC DATA SEARCH FLAG OUTPUT

DF DISPLAY BUS SELECT INPUT

FLDI FIELD REFERENCE INPUT ("L":RABABLE) (when DSP is low)

E ADDRESS 4 INPUT ("L":RABABLE) (when DSP is low)

E ADDRESS 4 INPUT ("L":RABABLE) (when DSP is low)

E ADDRESS 5 INPUT ("L":RABABLE) (when DSP is low)

E ADDRESS 5 INPUT ("L":READ)

CCS INPUT ("L":READ)

CCS INPUT ("L":RESET)

LESS ONCHRONOUS SIGNAL OUTPUT

DO HORIZONTAL SYNC INPUT

HOU HORIZONTAL SYNC OUTPUT

LER LT C COUNTER RESET INPUT ("L":RESET)

LESS ONCHRONOUS SIGNAL OUTPUT

PON SYSTEM RESET INPUT ("L":RESET)

LESS ONCHRONOUS SIGNAL OUTPUT

PON SYSTEM RESET INPUT ("L":RESET)

RESS RESET INPUT ("L":RTIM)

RELD FELLD DATA OUTPUT

RESS RESET INPUT ("L":RTIM)

TIME ADDRESS RESET INPUT ("L":RESET)

RYNO VITC READ DATA OUTPUT

S1 SIGNAL FORMAT SELECT INPUT
""": "HTSC/PAL-M 29.94MZ 525LINE
"L": PAL/SECAM 25HZ 625LINE
SLCK SELECT CLOCK INPUT

SLCK "L" | "H"

CKIN | 4.318MHZ | 14.5MHZ | /.159MHZ | /.25MHZ


SPEC SMPTE EBU SMPTE EBU
STOP STOP OUTPUT ("L":STOP)
TCIN LONGITUDINAL TIME AND CONTROL CODE INPUT
TST1-TST3

TEST INPUT
VCBI LTC CLOCK INPUT
VDO HORIZONTAL SYNC DRIVE OUTPUT
VTCV VITC SIGNAL INPUT
VTCV VITC SIGNAL INPUT
VTCO VTC GATE SIGNAL OUTPUT
VTO VITC GATE SIGNAL OUTPUT ("H":VITC)


15-7


CXD1151Q (SONY)

C-MOS VIDEO SIGNAL PROCESSOR FOR BETACAM - TOP VIEW -




Pin NO.	1/0	SIGNAL	Pin NO.	1/0	SIGNAL	Pin NO.	1/0	SIGNAL	Pin NO.	1/0	SIGNAL
1		RDO	21	1	BD8	41		N C	61		N.C.
2		RDI	22	_	Vss (GND)	42	_	Vss (GND)	62	1	COFF
3		RD2	23	0	TMO	43	0	CTDO	63	1	FP1
4	1	RD3	24	0	TM1	44	0	CTD1	64	1	FP2
5		RD4	25	0	TM2	45	0	CTD2	65	1	CFFD
6	1	RD5	26	0	TM3	46	0	CTD3	66	1	CFID
7	1	RD6	27	0	TM4	47	0	CTD4	67	1	VO
8	1	RD7	28	0	TM5	.48	0	CTD5	68	1	BLK2
9	1	RD8	29	0	TM6	49	0	CTD6	69	1	SH
10	1	TSL2	30	0	TM7	50	0	CTD7	70	1	CLPI
11	1	TSL3	31	0	TM8	51	0	CTD8	71	0	CLPO
12	-	Vss (GND)	32	0	TM9	52	-	Vss (GND)	72	1	XRST
13	1	BDO	33	1	Vpp (+5V)	53		NC	73	1	V00 (+5V
14	1	BD1	34	1	TMOD	54		NC	74	1	TST1
15	1	BD2	35	1	TMEN	55		NC	75	1	TST2
16	1	BD3	36	1	TSL 1	56	F	NC	76	1	ZSHT
17	ti	BD4	37	1	BLK1	57		NC	77	1	RCK
18	1	BD5	38	1	MODE1	58		NC	78	1	WCK
19	1	BD6	39	1	MODE 2	59		NC	79	- 1	RZERO
20	+	B07	40	1	MODE3	60		NC	80	1	WZERO






CXD1171M (SONY) FLAT PACKAGE C-MOS 8-BIT D/A CONVERTER - TOP VIEW -




PVV-3 (J) PVV-3 (UC) PVV-3P (EK)


# CXD1357Q (FUJITSU) C:MOS VIDEO RF TIMING DECODER -- TOP VIEW--




LA7205M (SANYO)
AGC AMP, INPUT SELECT, AGC DET, COMPARATOR
- SIDE VIEW -




LM1881M (NS) FLAT PACKAGE VIDEO SYNC SEPARATOR - TOP VIEW -




MB88347PFV-G-BND (FUJITSU) FLAT PACKAGE C-MOS 8-BIT D/A CONVERTER - TOP VIEW -




AOI - AOI2 : 8-BIT D/A OUTPUTS
CK : CLOCK INPUT
DI : SERIAL DATA INPUT
DO : DATA OUTPUT
LD : DATA LOAD CONTROL INPUT (H; LOAD)




MC14013BF (MOTOROLA) FLAT PACKAGE C-MOS DUAL D-TYPE FLIP-FLOPS WITH DIRECT SET/RESET - TOP VIEW -




MC14046BF (MOTOROLA) FLAT PACKAGE C-MOS PHASE LOCKED LOOP - TOP VIEW -




HD14053BFP (HITACHI) FLAT PACKAGE
TC4053BFS (TOSHIBA) FLAT PACKAGE
C-MOS TRIPLE 2-CHANNEL ANALOG MULTIPLEXERS/DEMULTIPLEXERS
- TOP VIEW -




MC14066BF (MOTOROLA) FLAT PACKAGE TC4066BFS (TOSHIBA) FLAT PACKAGE C-MOS QUAD BILATERAL ANALOG SWITCH - TOP VIEW -




MC14070BF (MOTOROLA) FLAT PACKAGE C-MOS QUAD EXCLUSIVE OR GATES - TOP VIEW. -




MC14071BF.(MOTOROLA) FLAT PACKAGE C-MOS 2-INPUT OR GATE -- TOP VIEW --



MC14538BF (MOTOROLA) FLAT PACKAGE C-MOS DUAL RETRIGGERABLE MONOSTABLE MULTIVIBRATORS - TOP VIEW --




RETRIGGERABLE M.M.V NON-RETRIGGERABLE M.M.V



MC34182M (MOTOROLA) FLAT PACKAGE OPERATIONAL AMPLIFIER (J FET INPUT) - TOP VIEW -



LM2901M (MOTOROLA) FLAT PACKAGE SINGLE SUPPLY COMPARATOR — TOP VIEW —




LM2903M (RAYTHEON) FLAT PACKAGE NJM2903M (JRC) FLAT PACKAGE DUAL VOLTAGE COMPARATORS — TOP VIEW —



PVV-3 (J) PVV-3 (UC) PVV-3P (EK)

NJM386M (JRC) FLAT PACKAGE AUDIO POWER AMPLIFIER - TOP VIEW -




NJM4556M (JRC) FLAT PACKAGE OPERATIONAL AMPLIFIER (WIDE BAND, DECOMPENSATED) - TOP VIEW -



NJM4558M (JRC) FLAT PACKAGE NJM4560MD (JRC) FLAT PACKAGE DUAL OPERATIONAL AMPLIFIER - TOP VIEW -



NJM78L05UA (JRC) +5 V (100 mA) POSITIVE VOLTAGE REGULATOR - SIDE VIEW -




RH5RE50AA (RICOH) +5.0V THREE TERMINAL POSITIVE VOLTAGE REGULATOR – TOP VIEW –






S-8054ALR (SEIKO | AND E) 4.30V - 4.60V S-8054HN (SEIKO | AND E) 3.80V - 4.20V C-MOS VOLTAGE DETECTOR





SN74HC04ANS (TI) FLAT PACKAGE C-MOS HEX INVERTERS — TOP VIEW —




TYPE	Voo
TC74AC00 TYPE TC74VHC00	+2 to +5.5V
MC74HCT00N	+5V
74ACTOO TYPE	+4.5 to +5.5V
OTHER TYPES	+2 to +6V

TA7291F (TOSHIBA) FLAT PACKAGE DC MOTOR FULLBRIDGE DRIVER - TOP VIEW -






TC4052BFHB (TOSHIBA) FLAT PACKAGE C-MOS DUAL 4-CHANNEL ANALOG MULTIPLEXERS/DEMULTIPLEXERS - TOP VIEW -




TC4SU69F (TOSHIBA) CHIP PACKAGE TC7S04F (TOSHIBA) CHIP PACKAGE C-MOS INVERTER




TYPE	Voo
7504F 75U04F	+ 2 to + 6V.
4S59F 4SU69F	+3 to +18V


TC4S71F (TOSHIBA) CHIP PACKAGE C-MOS 2-INPUT OR GATE



TC4S81F (TOSHIBA) CHIP PACKAGE CMOS 2-INPUT AND GATE




TC4W53F (TOSHIBA) FLAT PACKAGE C-MOS 2-CHANNEL MULTIPLEXER/DEMULTIPLEXER - TOP VIEW -




	CONT.	INPUT	ON
	INH	Α	CHANNEL
	0	0	0
0 : LOW LEVEL 1 : HIGH LEVEL	0	1	1
X : DON'T CARE	1	Х	OPEN


TC74HC221AF (TOSHIBA) FLAT PACKAGE
C-MOS MONOSTABLE MULTIVIBRATOR WITH SCHMITT TRIGGER INPUT
- TOP VIEW --



TC74HC4066AFS (TOSHIBA) FLAT PACKAGE C-MOS BILATERAL ANALOG SWITCH - TOP VIEW -





PVV-3 (J) PVV-3 (UC) PVV-3P (EK) TC74HC4053AF (TOSHIBA) FLAT PACKAGE
C-MOS TRIPLE 2-CHANNEL ANALOG MULTIPLEXER/DEMULTIPLEXER
- TOP VIEW -




CO	NTRO	LINP	JTS						
EN	S	ELEC	Ť	ON CHANNEL					
EN	С	В	Α						
0	0	0	0	20	YO	X0			
0	0	0	1	Z0	YO	X1			
0	0	1	0	ZO	Y1	X0			
0	0	1	1	20	Y1	X1			
0	1	0	0	Z1	YO	XO			
0	1	0	1	Z1	YO	X1			
0	1	1	0	Z1	Y1	XO	0:	LOW LEVEL	
0	1	1	1	Z1	Y1	X1	1:	HIGH LEVEL	
1.	×	X	X	OPEN			X;	DON'T CARE	

TL1453CNS (TI) FLAT PACKAGE
DUAL SWITCHING REGULATOR CONTROLLER
- TOP VIEW -






UPD78064GF-3BA (NEC)
UPD78P064GF-3BA (NEC)
C-MOS 8BIT SINGLE CHIP MICROCOMPUTER
— TOP VIEW —




SIGNAL	1/0	PIN No.	SIGNAL	VO	PIN No.	SIGNAL	vo	PIN No.	SIGNAL	1/0	PIN No.
S16	0	76	COMO	0	51	P117	1/0	26	P26/SO0/SB1	1/0	1
S17	0	77	COM1	0	52	AGND	-	27	P27/SCKO	1/0	2
S18	0	78	COM2	0	53	P10/ANI0	VO	28	P70/SI2/RXD	1/0	3
S19	0	79	COM3	0	54	P11/ANI1	VO	29	P71/S02/TXD	0	4
S20	0	80	BIAS	-	55	P12/ANI2	VO	30	P72/SCK2/ASCK	1/0	5
S21	0	81	V LCo	-	56	P13/ANI3	VO	31	IC	-	6
S22	0	82	V LC1	~	57	P14/ANI4	VO	32	X2	-	7
S23	0	83	V LC2	-	58	P15/AN15	1/0	33	· X1	1	8
P97/S24	1/0	84	GND	-	59	P16/ANI6	1/0	34	Voo	_	9
P96/S25	1/0	85	SO	0	60	P17/AN17	VO	35	P07/XT1	ī	10
P95/S26	1/0	86	S1	0	61	AVoo	-	36	XT2	_	11
P94/S27	1/0	87	S2	0	62	AVREF	1	37	RESET	T	12
P93/S28	1/0	88	S3	0	63	P100	10	38	POO/INTPO/TIO0	1	13
P92/S29	1/0	89	S4	0	64	P101	1/0	39	PO1/INTP1/TIO1	1/0	14
P91/S30	1/0	90	S5	0	65	GND	-	40	PO2/INTP2	1/0	15
P90/S31	1/0	91	S6	0	68	P102	VO	41	PO3/INTP3	1/0	16
P87/S32	1/0	92	S7	0	67	P103	10	42	PO4/INTP4	1/0	17
P86/S33	1/0	93	\$8	0	68	P30/T00	VO	43	PO5/INTP5	1/0	18
P85/S34	1/0	94	S9	0	69	P31/T01	VO	44	P110	1/0	19
P84/S35	1/0	95	S10	0	70	P32/T02	VO	45	P111	1/0	20
P83/S36	1/0	96	S11	0	71	P33/TI1	VO	46	P112	1/0	21
P82/S37	1/0	97	S12	0	72	P34/TI2	ИО	47	P113	1/0	22
P81/S38	1/0	98	S13	0	73	P35/PCL	VO	48	P114	1/0	23
P80/S39	1/0	99	S14	0	74	P36/BUZ	VO	49	P115	1/0	24
P25/SIO/SBO	1/0	100	S15	0	75	P37	VO	50	P116	1/0	25


13			lз	INPUT	
14	POWINTPO/FIOO	P70/SI2/RXD	1		
15	POMINTPINION	P71/SO2/TXD	5	ANIO-ANI7	; ANALOG 0-7 (A/D CONVERTER)
16	POZ/INTP2	P72SCK2/ASCK	۳	ASCK	; ASYNCHRONOUS SERIAL CLOCK
17	PO3/INTP3		99	AVREF	; ANALOG REFERENCE VOLTAGE (A/D CONVERTER)
18	PO4/INTP4	P80/S39			: INTERRUPT FROM PERIPHERALS 0-5
10	POS/INTPS	P81/S38	98	PO0, PO7	; PORT 0
		P82/S37	97	RESET	RESET
10	P07/XT1	P83/S36	96	RXD	; RECEIVE DATA
		P84/S35	95	Sto, St2	; SERIAL DATA 0, 2
11	XT2	P85/S34	94	TIOO	: EXTERNAL COUNT CLOCK 0
	n'-	P86/S33	93	TIO1	CAPTURE TRIGGER
28	P10/ANIO		92	TI1, TI2	; EXTERNAL COUNT CLOCK 1, 2
29	P11/ANI1	P87/S32		X1, X2	; CRYSTAL1, 2 (MAIN SYSTEM CLOCK)
30			91	XT1, XT2	
31	P12/ANI2	P90/S31	90	A11, A12	; CRYSTAL1, 2 (SUB SYSTEM CLOCK)
32	P13/ANI3	P91/S30	89	OUTPUT	
33	P14/ANI4	P92/S29	88		
34	P15/ANI5	P93/S28		BUZ	; BUZZER CLOCK
	P16/ANI6	P94/S27	87	COM0-COM3	COMMON DATA
35	P17/ANI7	P95/S26	86	PCL	; PROGRAMMABLE CLOCK
		P96/S25	85	80-S39	; SEGMENT DATA
100	P25/SI0/SB0	P97/S24	84	SO0, SO2	; SERIAL DATA 0, 2
1	P26/S00/SB1	1011024		TO0-TO2	; TIMER 0-2
2	P27/SCKO	Con	83	TXD	TRANSMIT DATA
_	PENOCKO	\$23	82		Tributanti Bythi
43	Describe.	S22	81	INPUT/OUT	DIT
44	P30/T00	821	80	PO1-PO5	
45	P31/TO1	S20	79		; PORT o
46	P32/TO2	819	78	P10-P17	; PORT 1
47	P33/TI1	S18	77	P25-P27	; PORT 2
48	P34/T12	\$17	76	P30-P37	; PORT 3
	P35/PCL	S16		P70-P72	; PORT 7
49	P36/BUZ		75	P80-P87	; PORT 8
50	P37		74	P90-P97	; PORT 9
		\$13	73	P100-P103	; PORT 10
37	AV REF	\$12	72	P110-P117	PORT 11
	WA VEL	S11	71	SBo, SB1	; SERIAL DATA BUS 0, 1
6	1C		70		; SERIAL CLOCK 0, 2
	10	S10	69	55115, 55112	, our interest of a
12		29	68	OTHER	
8	RESET	58	67	BIAS	-1.00 POWER GURRI VINIA GOVERNO
7	X1	87	66	IC C	; LCD POWER SUPPLY BIAS CONTROL
-	X2	36	65		; INTERNALLY CONNECTED
		50	64	A rco -A rcs	; LCD POWER SUPPLY
		S4			
		S3	63		
			62		
			61		
		So	60		
		P100	38		
			39		
		P101 P102	41		
- 1		P102	42		
- 1		P103	_		
			19		
- 1		/ P110	20		
- 1					
			21		
- 1		P113	22		
- 1		D144	23		
		D115	24		
		P116	25		
		P1 16	26		
-		P117			
1			51		
- 1		COMO	52		
ı		COM1	53		
- 1		COM2	54		
J		сомз			
٠.			88		
- 1		BIAS	55		
- 1					



UPC1663G (NEC) FLAT PACKAGE WIDEBAND VIDEO AMPLIFIER - TOP VIEW -



UPC324G2 (NEC) FLAT PACKAGE QUAD OPERATIOAL AMPLIFIERS - TOP VIEW -



UPC358G2 (NEC) FLAT PACKAGE DUAL OPERATIONAL AMPLIFIERS - TOP VIEW -




UPC4572G2 (NEC) FLAT PACKAGE

OPERATIONAL AMPLIFIER (WIDE BAND, LOW NOISE)

TOP VIEW —



UPD75P516GF (NEC)
C-MOS 4-BIT MICROCOMPUTER
-- TOP VIEW --



		(Vpo = + 5V,V++ = FOR PROGRAMMING						ROGRAMMING			
PIN NO.	1/0	SIGNAL	PIN NO.	1/0	SIGNAL	PIN NO.	VО	SIGNAL	PIN NO.	vo	SIGNAL
1	1	ANO	21	I/O	P73/KR7	41	I/O	P30/MD0	61	I/O	P143
2	1	A VREF	22	1/0	P72/KR6	42	10	P23/BUZ	62	1/O	P142
3	- 1	Voo	23	VO	P71/KR5	43	1/0	P22/PCL	63	NO.	P141
4	-	VPP	24	1/0	P70/KR4	44	VO.	P21	64	10	P140
5	1/0	P113	25	1/0	P63/KR3	45	VO	P20/P00	65	NO.	P133
6	1/0	P112	26	1/0	P62/KR2	46	1	P13/TI0	66	1/0	P132
7	1/0	P111	27	1/0	P61/KR1	47	1	P12/INT2	67	1/0	P131
8	1/0	P110	28	1/0	P60/KR0	48		P11/INT1	68	I/O	P130
9	1/0	P103	29	1/0	P53 .	49	1	P10/INTO	69	1/0	P123
10	VO !	P102	30	1/0	P52	50	1/0	PO3/SI0/SB1	70	I/O	P122
11	1/0	P101	31	1/0	P51	51	1/0	PO2/SO0/SB0	71	1/0	P121
12	1/0	P100	32	1/0	P50	52	1/0	PO1/SCK0	72	1/0	P120
13	1/0	P93	33	-	GND	53	1	POO/INT4	73	-	AGND
14	1/0	P92	34	10	P43	54	-	GND	74	1	P153/AN7
15	1/0	P91	35	1/0	P42	55	1	XT1	75	1	P152/AN6
15	1/0	P90	36	1/0	P41	56	-	XT2	76	1	P151/AN5
17	1	P83/SI1	37	1/0	P40	57	-	IC(GND)	77	1	P150/AN4
18	1/0	P82/SO1	38	VO	P33/MD3	58	1	X1	78	1	AN3
19	1/0	P81/SCK1	39	1/0	P32/MD2	59	1	X2	79	1	AN2
20	VO	P80/PP0	40	1/0	P31/M01	60	1	RESET	80	1	AN1

# SECTION 16 SPARE PARTS AND OPTIONAL FIXTURES

#### 16-1. NOTES ON REPAIR PARTS

#### (1) Safety Related Components Warning

Components marked with  $\triangle$  on the schematic diagrams, exploded views and electrical spare parts list are critical to safe operation.

Replace these components with Sony parts whose part numbers appear in this manual or in service bulletins and service manual supplements published by Sony.

#### (2) Standardization of Parts

Repair parts supplied from Sony Parts Center may not be always identical with the parts which actually in use due to "accommodating the improved parts and/or engineering changes" or "standarzation of genuine parts".

This manual's exploded views and electrical spare parts list are indicating the part numbers of "the standardized genuine parts at present".

#### (3) Stock of Parts

Parts marked with "o" SP (Supply Code) column of the spare parts list are not normally required for routine service work. Orders for parts marked with "o" will be processed, but allow for additional delivery time.

#### (4) Units for Capacitors, Inductors and Resistors

The following units are assumed in schematic diagrams, electrical parts list and exploded views unless otherwise specified.

Capacitors :  $\mu$ F Inductors :  $\mu$ H Resistors :  $\Omega$ 

#### (5) Tension Spring

 $(\times \times T)$  after a tension spring is shown on the parts list in order to indicate the number of spring turns required for the use.

(Example) TENSION, SPRING (20T):

This spring must be cut at its 20th turn for actual use.

#### 16-2. EXPLODED VIEW

(1) Reel Chassis	16-2
(2) Slant	16-4
(3) Drum	16-6
(4) Loading Gear/Pinch Arm	
(5) Cam Gear	6-10
(6) Pinch Press Mechanism	6-12
(7) CTL Head Base	
(8) A/T Head Base	

#### 16-1. 補修用部品注意事項

#### (1) 安全重要部品

回路図、分解図、電気部品表中、△印の部品は安全性を維持するために重要な部品です。従ってこれらの部品を交換するときには必ず指定の部品と交換して下さい。

#### (2) 部品の共通化

ソニーから供給される部品は、セットに実装されているものと異なることがあります。これは部品の共通化、改良等によるものです。

分解図や電気部品表には現時点での共通化された部品が 記載されています。

#### (3) 部品の在庫

部品表のSP (Supply code) 欄に o で示される部品は交換 頻度が低い部品ですので在庫していないことがあり、納 期が長くなることがあります。

#### (4) コンデンサー、インダクター、抵抗の単位

回路図、分解図、電気部品表中、特に明記したものを除 き、下記の単位は省略されています。

コンデンサー: μF インダクター: μH 抵抗 : Ω

#### (5) 引張コイルバネ

部品表中の引張コイルバネの名称のあとの(××T)は、 使用時の巻数を示しています。

(例) TENSION、SPRING(20T)

巻数が20になるように切断し、使用する。


(9) Cassette-Up Compartment	16-18
(10) Top Frame/Front Frame	
(11) Bottom Frame/Rear Frame	16-22
(12) Left Side Plate	16-24
(13) Right Side Plate	16-26
(14) Battery Case	16-28


## REEL CHASSIS

#### REEL CHASSIS

No.	Part No. SP Description
101 102 103 104 105	:A-6740-091-D s IDLER ASSY, T A-6740-092-D s IDLER ASSY, S A-6742-067-K s TENSION REGULATOR ASSY A-6771-030-G s CHASSIS ASSY, REEL X-3722-321-3 s TABLE ASSY, REEL
107	X-3722-322-2 s ROLLER ASSY, POM X-3722-323-2 s BRAKE ASSY, T SOFT X-3722-324-3 s BRAKE ASSY, S SOFT X-3722-325-2 s BAND ASSY, TENSION REGULATOR X-3722-326-3 o LEVER (A) ASSY, SUPPORT LEVER
111 112 113 114 115	X-3722-327-3 o SUPPORT (B) ASSY, BAND X-3722-328-1 o ARM ASSY, S JOINT GEAR X-3722-329-1 o ARM ASSY, T JOINT GEAR X-3722-330-1 o HOOK ASSY, SPRING X-3722-331-1 o DRIVING ASSY, TENSION REGULATOR
117 118	X-3722-332-1 o HOLDER (A) ASSY X-3722-333-3 o HOLDER (B) ASSY X-3722-334-1 o HOLDER (C) ASSY X-3722-335-2 o LEVER ASSY, PINCH ARM LOCK X-3722-351-8 o ARM ASSY, TENSION REGULATOR
122	X-3722-410-1 s BRAKE ASSY, T SUB SOFT X-3722-421-1 o SLIDER ASSY, BRAKE X-3722-423-1 o PLATE (B) ASSY, BLIND 3-489-310-XX s SPRING, TENSION (18T) 3-514-127-01 s SPRING, TENSION
126 127 128 129	3-527-025-00 s SPRING, TENSION 3-527-189-11 s SPRING, TENSION 3-559-408-11 s WASHER, POLYETHYLENE, DIA.1.2 3-564-935-00 s SPRING, TENSION 3-567-028-11 s SPRING, TENSION
131 132 133 134 135	3-570-590-00 s SPRING, TENSION 3-570-951-00 s SPRING, TENSION 3-573-150-00 s SPRING, COMPRESSION 3-669-443-01 s BEARING, BALL (NO FLANGE) 3-667-309-00 s SPRING, TENSION
138 139	3-701-437-21 s WASHER 3-703-502-71 s SCREW 3-722-325-02 o BOSS, ARM BEARING 3-722-344-01 s GEAR, JOINT 3-722-354-01 o RUBBER, BRAKE
141 142 143 144 145	3-722-357-01 s LEVER (A), REC, MISTAKE 3-722-360-01 s LEVER (B), REC, MISTAKE 3-722-363-01 s LEVER, METAL DETECTION 3-722-367-01 o HOLDER, DETECTION PIN 3-722-368-01 o PIN, CASSETTE DETECTION
146 147 148 149 150	3-722-458-03 o LINK (A), JOINT GEAR 3-723-007-01 s ROLLER, LS 3-723-011-03 s HOLDER (RIGHT), SLIDE PIN 3-723-012-01 s HOLDER (LEFT), SLIDE PIN 3-729-011-01 s SPRING, COMPRESSION
151 152 153 154	3-729-026-04 o FLANGE (B), LOWER








SLANT	
No.	Part No. SP Description
201	X-3722-313-5 s BASE ASSY, S
202	X-3722-314-3 s BASE ASSY, S SUB
203	X-3722-315-2 s IR-2 ASSY
204	X-3722-319-1 s ROLLER ASSY
205	X-3722-355-5 s BASE ASSY, T
206	X-3722-382-1 o PULL ASSY, S
207	X-3722-383-2 o LINK ASSY, T SUB FIXED
208	X-3722-384-3 o LINK ASSY, T SUB ROTARY
209	X-3722-385-5 s BASE ASSY, T SUB
210	X-3722-386-2 o PLATE ASSY, PULL, T
211	X-3722-388-5 o RING (T) ASSY, LOATING
212	X-3722-389-3 o RING (S) ASSY, LOATING :
213	X-3722-390-2 o TABLE ASSY, ROTARY, T SUB
214	X-3722-409-1 o SHAFT ASSY, MAIN, T SUB ROTARY
215	3-321-813-01 s WASHER, COTTER POLYETHYLENE
218 220 221	3-557-565-00 s WASHER, 1.4 DAI, SMALL 3-559-408-11 s WASHER, POLYETHYLENE, DIA.1.2 3-657-842-01 s SPACER (3X4) 3-695-567-01 s WASHER, M SLIDER 3-701-436-01 s WASHER, 1.6
222	3-722-400-02 s FLANGE (C), UPPER
223	3-722-401-02 s FLANGE (A), LOWER
224	3-722-402-02 o NUT, IR
225	3-724-770-01 o SPRING
226	3-724-772-02 o ARM, T,S FIXED
227	3-724-775-02 o PLATE, OPEN, S
229	3-724-789-02 s SPRING
230	3-724-792-02 o REINFORCEMENT, GEAR
231	3-724-793-02 s FLANGE (A), ROLLER
232	3-724-794-01 s FLANGE (B), ROLLER
233	3-724-799-01 s FLANGE, RING
234	3-725-201-01 s ROLLER, RING
235	3-725-202-02 o ROLLER, SUB
236	3-725-203-01 o GEAR, S DRIVING MIDWAY
237	3-725-204-01 o GEAR, S DRIVING
238	3-725-205-01 o PLATE, ADJUSTMENT, T SUB
239	3-725-214-02 s RAIL (0), S
240	3-725-215-02 s RAIL (I), S
241	3-725-217-04 s RAIL (0), T
242	3-725-218-02 s RAIL (I), T
243	3-729-011-01 s SPRING, COMPRESSION
244	3-729-013-21 s SCREW(M1.4X2.5), WASHERHEAD(+P)
245	3-729-020-01 o PLATE, FIXED, T SUB
251	4-879-762-02 s SPRING, COMPRESSION
252	3-179-393-01 s RETAINER, GUIDE
253	3-179-394-01 s GUIDE, H


## DRUM

DRUM	
No.	Part No. SP Description
301 302 303	A-8263-080-A s HEAD DRUM ASSY DBH-45A-R (J,UC) A-6050-648-A s BRUSH ASSY, RP (N) A-8263-621-A s SLIP RING ASSY (RP)
304	
308	A-8263-083-A s UPPER DRUM ASSY DBR-46-R (EK) 3-717-148-01 o COVER, BRUSH 3-184-005-01 o SPACER, FRANGE (0.01T) 3-184-005-11 o SPACER, FRANGE (0.03T) 3-184-005-21 o SPACER, FRANGE (0.05T)
311 312 313 314	3-689-039-11 s SCREW (M2x6), SMALL

DRUM



#### LOADING GEAR/PINCH ARM




#### LOADING GEAR/PINCH ARM

No.	Part No. SP Description
401	A-6747-262-K s ARM ASSY, PINCH
402	A-6750-231-B s GEAR BLOCK ASSY
403	A-6750-231-B s GEAR BLOCK ASSY A-8278-012-D s MOTOR ASSY, LOADING X-3678-048-1 o BRACKET ASSY, MO (B)
404	X-3678-048-1 o BRACKET ASSY MO (R)
405	X-3722-304-1 o BASE ASSY
200	in other out I o blank hook
406	X-3722-306-4 s GEAR ASSY
407	X-3722-307-1 s PULLEY ASSY, MIDWAY X-3722-319-1 s ROLLER ASSY X-3722-363-4 s PINCH ASSY, SUB MO (B) 1-698-346-11 s MOTOR, DC (LOADING)
408	X-3722-319-1 s ROLLER ASSY
. 409	X-3722-363-4 s PINCH ASSY SUB MO (B)
410	1-698-346-11 s MOTOR DC (LOADING)
	2 555 535 12 6 Motoli, 25 (25)2011(d)
411	1-948-710-11 s HARNESS (TAPE TOP)
412	2-279-715-01 o RIVET, NYLON
413	3-321-813-01 s WASHER, COTTER POLYETHYLENE
414	2-279-715-01 o RIVET, NYLON 3-321-813-01 s WASHER, COTTER POLYETHYLENE 3-559-408-11 s WASHER, POLYETHYLENE, DIA. 1. 2 3-668-508-00 s SPRING, TENSION
415	3-668-508-00 s SPRING TENSION
416	3-679-067-04 o BRACKET, SENSER (TT)
417	3-701-438-01 s WASHER
418	3-722-382-01 s ROLLER, PINCH ARM 3-722-390-01 o HOOK, SPRING, SHUTTER 3-184-594-01 s FLANGE (P), UPPER
419	3-722-390-01 o HOOK, SPRING, SHUTTER
420	3-184-594-01 s FLANGE (P), UPPER
421	3-722-401-02 s FLANGE (A), LOWER
422	3-722-460-01 o SHUTTER CASSETTE DETECTION
423	3-723-064-01 s GEAR (M1)
424	3-723-065-01 s GEAR (M2)
425	3-723-064-01 s GEAR (M1) 3-723-065-01 s GEAR (M2) 3-729-011-01 s SPRING, COMPRESSION
426	3-729-013-21 s SCREW(M1.4x2.5), WASHERHEAD(+P)
427	3-729-046-03 o GUARD, PINCH TAPE
428	3-729-046-03 o GUARD, PINCH TAPE 3-729-081-01 o RETAINER (A), SCREW 3-729-082-01 o RETAINER (B), SCREW 3-729-084-21 s BOLT (M2x5), HEXAGON HOLE
429	3-729-082-01 o RETAINER (B), SCREW
430	3-729-084-21 s BOLT (M2x5), HEXAGON HOLE
431	3-729-098-01 s WASHER, SPRING
432	3-732-988-01 s SCREW (M2x2.5)


## CAM GEAR

#### CAM GEAR

No.	Part No. SP Description
502 503	A-6750-233-B s GEAR SUB ASSY, CAM A-8275-594-A o MOUNTED CIRCUIT BOARD, SR-55 A-8275-595-A o MOUNTED CIRCUIT BOARD, DR-254 X-3722-308-1 o LEVER ASSY, RELEASE, ST X-3722-316-1 o ARM ASSY, DRIVING
507 508	X-3722-357-1 o LINK ASSY, EJECT X-3722-369-2 s CAM ASSY, FUNCTION 1-765-130-11 s CABLE, FLAT 8P 1-765-133-11 s CABLE, FLAT 16P 3-531-794-00 s SPRING, TENSION
512 513 514	3-559-408-11 s WASHER, POLYETHYLENE, DIA. 1. 2 3-669-595-00 s WASHER (2), STOPPER 3-679-541-02 o BRACKET, DR 3-679-542-02 o PLATE, SHIELD 3-679-575-01 o COVER, CAPSTAN
517 518 519	3-701-436-11 s WASHER, 1.6 POLYETHYLENE 3-701-438-21 s WASHER 3-722-369-01 s PULLEY, IDLER 3-722-430-01 o GEAR, JOINT 3-723-010-01 o GEAR, REEL SLIDER DRIVING
523 524	3-723-080-02 o GEAR, CLUB 3-723-081-01 o GEAR (T) 3-723-082-02 o GEAR, T DRIVING MIDWAY 3-723-083-02 o GEAR, ST DRIVING 3-725-206-01 o BRACKET, T GEAR
526 527	3-725-207-02 o GEAR, T DRIVING 3-729-013-21 s SCREW(M1.4x2.5), WASHERHEAD(+P)



### PINCH PRESS MECHANISM



#### PINCH PRESS MECHANISM


No.	Part No. SP Description
609	X-3722-345-1 o JOINT ASSY, PINCH X-3722-346-2 o LEVER ASSY, PRESS 3-559-408-00 s POLY-WASHER, 1.2 DIA 3-559-408-11 s WASHER, POLYETHYLENE, DIA.1.2 3-701-439-21 s WASHER
614	3-701-788-XX s SPRING, TENSION (15T) 3-722-452-01 s BELT, TIMING 3-723-008-01 o RETAINER, ROLLER 3-723-009-01 s ROLLER, SLIDER PLATE 3-729-012-01 s SCREW (M2x5)
	3-729-013-21 s SCREW(M1.4x2.5), WASHERHEAD(+P) 3-729-025-01 s WASHER 1-698-345-11 s MOTOR, DC (CAPSTAN)

## CTL HEAD BASE


#### CTL HEAD BASE

No.	Part No. SP Description
704	
708 709 710	1-810-462-11 s SENSER, DEW CONDENSATION 3-557-565-00 s WASHER, 1.4 DIA, SMALL 3-698-829-01 s NUT (M2) 3-722-400-02 s FLANGE (C), UPPER 3-722-402-02 o NUT, IR
714 715	3-679-090-01 o BRACKET, FE 3-722-420-01 s SPACER, FE-4 HOLDER 3-723-092-02 s SPRING 3-729-011-01 s SPRING, COMPRESSION 3-729-012-01 s SCREW (M2x5)
719	3-729-013-21 s SCREW(M1.4x2.5), WASHERHEAD(+P) 3-742-003-01 s FLANGE (S), LOWER 8-825-560-41 s HEAD, CTL RS-253-21 8-825-772-62 s HEAD, ERASE EF291-21A





PVV-3 (J) PVV-3 (UC) PVV-3P (EK)




#### A/T HEAD BASE

No.	Part No. SP Description
801	1-651-202-11 o WIRE FLEXIBLE CARD, FL-160
803	A-8310-259-A o HEAD ASSY. A/T
804	
	X-3678-054-1 o A/T ASSY, UPPER
806	X-3722-339-5 o PLATE (LOWER) ASSY, A/T
000	R-0122-003-0 0 TERTE (LOWER, ROST, R/T
807	X-3678-049-2 s IR-11 ASSY
808	X-3678-055-2 o BASE ASSY, A/T
809	
	3-557-565-00 s WASHER, 1.4 DAI, SMALL
811	3-669-316-00 s SPRING, COMPRESSION
011	o doo did do a dikind, com nadajon
812	3-695-567-01 s WASHER, M SLIDER
813	
	3-703-502-31 s SCREW
	3-722-400-02 s FLANGE (C), UPPER
816	3-722-401-02 s FLANGE (A), LOWER
010	O THE TOT OF O THERIOD (II), DOUBLE
817	3-679-097-01 o DAMPER, A/T
818	
819	
820	3-679-076-01 o CASE, SHIELD, A/T
	3-722-402-02 o NUT. IR
824	8-825-779-51 s HEAD, AU PS-244-2103K
	3-729-012-21 s SCREW (M2X4)
826	3-686-560-01 o SCREW (2X5), HOLE, HEXAGON
	(310), 10110011


## CASSETTE-UP COMPARTMENT

#### CASSETTE-UP COMPARTMENT

No.	Part No. SP Description
902 903 904	A-8310-258-A s CASSETTE COMPARTMENT ASSY, (RP) X-3722-358-3 s STOPPER ASSY X-3678-044-1 o BRACKET ASSY, DAMPER X-3678-046-2 o PLATE ASSY, LOCK (B) X-3722-412-1 o LEVER ASSY, RELEASE
908 909	3-315-384-11 s WASHER, STOPPER 3-321-813-01 s WASHER, COTTER POLYETHYLENE 3-674-402-00 s SPRING, TENSION 4-614-428-01 s DAMPER 3-695-515-02 o SPRING
912	3-701-436-21 s WASHER, POLYEHTHYLENE 3-723-016-01 o LEVER (RIGHT), LID OPEN 3-723-017-01 o LEVER (LEFT), LID OPEN 3-723-042-01 o SHAFT, LINK 3-723-043-01 o SHAFT, CASSETTE HOLDER
917 918 919	3-723-044-01 o RETAINER, BEARING 3-723-044-11 o RETAINER, BEARING 3-723-045-02 o ROLLER, HOLDER SLIDE 3-723-052-01 s SPRING (A), TORSION 3-723-053-01 o SPRING (A), TENSION
924	3-723-054-01 o SPRING (L), CASSETTE RETAINER 3-723-055-01 o SPRING (R), CASSETTE RETAINER 3-723-067-01 o RETAINER (LEFT), CASSETTE 3-723-068-01 o RETAINER (RIGHT), CASSETTE 3-678-597-01 o DRIVING GEAR, DAMPER
927 928 929	3-723-087-01 s SHAFT (A), BLIND PLATE 3-723-088-02 s GUIDE (RIGHT), CASSETTE 3-723-089-02 s GUIDE (LEFT), CASSETTE 3-723-090-03 s PLATE (A), BLIND 3-725-298-01 o PLATE, INDICATION, BLIND
931 932 933	3-729-013-21 s SCREW (M1.4x2.5), WASHERHEAD (P) 3-703-502-81 s SCREW (M1.4x6), WASHERHEAD (P) 3-729-012-01 s SCREW (PS2x5)



PVV-3 (J) PVV-3 (UC) PVV-3P (EK)



# TOP FRAME/FRONT FRAME


## TOP FRAME/FRONT FRAME

No.	Part No. SP Description
1001 1002 1003 1004 1005	
1006 1007 1008 1009 1010	
1011 1012 1013 1014 1015	3-685-561-02 o HANDLE 3-685-563-01 o LID, HANDLE
1016	3-729-701-21 s RUBBER (CARBON), CONDUCTIVE

# BOTTOM FRAME/REAR FRAME


## BOTTOM FRAME/REAR FRAME

No.	Part No. SP Description
1100	A-8310-451-A o MOUNTED CIRCUIT BOARD, MB-552 A-8310-452-A o MOUNTED CIRCUIT BOARD, DC-67 A-8310-454-A o MOUNTED CIRCUIT BOARD, CN-1123 X-3678-261-1 o SHEET, INSULATING(U) ASSY 1-507-980-41 o JACK, MINI
1106 1107 1108 1109 1110	1-509-184-51 s CONNECTOR, XLR 3P, FEMALE 1-562-261-41 o CONNECTOR, COAXIAL (BNC), FEMALE 1-564-603-11 s CONNECTOR, XLR (WITH DC SW) 4P, MALE 1-569-422-11 o CONNECTOR, CIRCULAR 20P, FEMALE 1-571-367-11 s SWITCH, TOGGLE
	1-650-138-12 o PRINTED CIRCUIT BOARD, CN-935 1-651-988-11 o PRINTED CIRCUIT BOARD, LED-214 1-769-447-11 s CABLE, FLAT 25P 1-953-152-11 o HARNESS (SS-CN) 1-953-154-12 o HARNESS (TC-SW)
1117 1118	1-953-163-11 o HARNESS (VO-CN) 2-279-715-11 s RIVET, NYLON 3-679-027-02 o HOLDER, FLEXIBLE HARNESS 3-679-061-01 o PIN, STANDARD 3-679-064-01 o BRACKET, CONNECTOR
1122 1123 1124	3-679-068-02 o COVER, E R 3-679-505-01 o SPACER 3-685-548-01 o PANEL, BOTTOM 3-685-555-01 o CASE, SHIELD(B) 3-685-557-01 o SHEET, INSULATING
1127 1128 1129 1130	3-685-564-02 o STRAP 3-685-687-01 o COVER, MB-CN 3-686-145-01 o GUIDE, CASSETTE COMPARTMENT 3-717-996-04 s TERMINAL BOARD 3-718-028-01 o HOLDER, TERMINAL
1131 1132	3-718-032-01 s SHEET, RUBBER, DROP PROTECTION 3-744-355-01 o SHAFT, GUIDE



PVV-3 (J) PVV-3 (UC) PVV-3P (EK)

## LEFT SIDE PLATE



## LEFT SIDE PLATE


No.	Part No.	SP	Description
1201 1202 1203 1204 1205	A-8275-695-A A-8278-013-A A-8310-455-A	0	MOUNTED CIRCUIT BOARD, AU-185 (J,UC) MOUNTED CIRCUIT BOARD, AU-185P (EK) PANEL ASSY, TOP MOUNTED CIRCUIT BOARD, SS-57C (EK) MOUNDED CIRCUIT BOARD, SS-57B (J,UC)
1206 1207 1208 1209 1210	3-669-596-01 3-679-059-01	ls lo	PANEL, CASSETTE SUB ASSY WASHER (2.3), STOPPER SUPPORT, TAPE STOPPER, CASSETTE L, COVER

# RIGHT SIDE PLATE

## RIGHT SIDE PLATE


No.	Part No. SP	Description	
1301	A-8310-456-A o	MOUNTED CIRCUIT BOARD, TC-86	C (EK)
1302	A-8310-457-A o	MOUNTED CIRCUIT BOARD, VO-46	C (EK)
1303	A-8310-708-A o	MOUNTED CIRCUIT BOARD, TC-86	B (J, UC)
1304	A-8310-709-A o	MOUNTED CIRCUIT BOARD, VO-46	B(J,UC)
1305	X-3678-240-1 o	MOUNTED CIRCUIT BOARD, VO-46 PAD ASSY, R	
1306	X-3678-241-1 o	DOOR ASSY, TC	
1307	X-3678-243-1 o	PANEL ASSY, R SUB	
1308	1-503-854-11 s	SPEAKER	
1309	1-550-104-32 s	HOLDER, BATTERY	
1310	1-810-463-11 s	PANEL ASSY, R SUB SPEAKER HOLDER, BATTERY DISPLAY, LCD	
1311	1-953-161-12	HARNESS, SUB (ANT ON) RUBBER, LEVER, TC LEVER, TC KNOB (R), VR SUPPORT, HINGE	
1312	3-171-671-03 s	RUBBER, LEVER, TC	
1313	3-171-672-01 s	LEVER, TC	
1314	3-171-996-03 s	KNOB (R), VR	
1315	3-175-616-01 s	SUPPORT, HINGE	*
1316	3-175-621-01 s	PLATE, LOCK	
1317	3-178-098-11 s	SHEET (VR), INSULATING	
1318	3-178-213-31	s SCREW (M3X12), +B	
1319	3-669-596-01	WASHER (2.3), STOPPER	
1320	3-676-244-00	s COVER, SWITCH	
1321	3-679-077-01	s KNOB(S), SW	
1322	3-679-078-01	s KNOB(L), SW	
1323	3-679-081-01	COVER, BATTERY	
1324	3-679-088-02	s KNOB SHEET, SW	
1325	3-682-080-00	HINGE (A), PCB	
1326	3-685-560-01	BRAKET, R PANEL	
1327	3-685-569-01	O INSULATOR, TC	
1328	3-685-683-01	s KNOB. VR	
1329	3-724-726-01	O HOLDER, SPEAKER	
1330	7-627-552-37	s SCREW, PRECISION (P1.7x3)	





PVV-3 (J) PVV-3 (UC) PVV-3P (EK)

## BATTERY CASE



## BATTERY CASE

No.	Part No. SP Description
1401	A-6703-651-C s CASE ASSY, BATTERY
1402	X-3717-701-3 o COVER ASSY, TOP, BATTERY
1403	X-3717-742-5 o CASE SUB ASSY, BATTERY
1404	3-669-596-01 s WASHER (2.3), STOPPER
1405	3-703-075-00 s CAP 2, SHAFT
1406	3-717-702-01 s PUSH BUTTON
1407	3-717-703-03 s HOOK
1408	3-717-707-02 o CUSHION (2)
1409	3-717-708-01 o RETAINER, CASE
1410	3-717-709-01 o SHAFT, LID
1411	3-718-040-01 o COVER (1), BATTERY CASE
1412	3-718-172-01 o RETAINER, HOOK
1413	3-729-720-01 o CUSHION (LEFT)
1414	3-729-721-01 o CUSHION (RIGHT)

# 16-3. ELECTRICAL PARTS LIST

ALLISP ROARD (AU-185P BOARD)				
AU-185P	BOARD .		BOARD)	
Ref. No. or Q'ty	Part No. SP Description	Ref. No. or Q'ty	Part No. SP Description	
· lpc	A-8275-695-A o MOUNTED CIRCUIT BOARD, AU-185P	C409 C909	1-128-020-11 s ELECT, CHIP 10uF 6.3V 1-163-038-91 s CERAMIC, CHIP 0.1uF 25V	
C1 . C2 C5	1-135-149-21 s TANTALUM, CHIP 2.2uF 10% 10V 1-135-091-91 s TANTALUM, CHIP 1uF 20% 16V 1-128-029-11 s ELECT, CHIP 4.7uF 16V	C910	1-163-038-91 s CERAMIC, CHIP 0. luF 25V 1-163-038-91 s CERAMIC, CHIP 0. luF 25V	
C7 C8	1-128-020-11 s ELECT, CHIP 10uF 6.3V 1-128-020-11 s ELECT, CHIP 10uF 6.3V	CN1 CN2	1-568-801-11 s CONNECTOR, FPC (ZIF) 24P 1-566-526-11 s CONNECTOR, FPC (ZIF) 10P	
C12 C20 C21	1-124-779-00 s ELECT 10uF 20% 16V 1-163-275-11 s CERAMIC, CHIP 0.001uF 5% 50V 1-164-232-11 s CERAMIC, CHIP 0.01uF 10% 100V	CV131 CV231	1-141-393-11 s CAP, TRIMMER 100pF 1-141-393-11 s CAP, TRIMMER 100pF	
C22 C30	1-164-232-11 s CERAMIC, CHIP 0.01uF 10% 100V 1-163-139-00 s CERAMIC, CHIP 820pF 5% 50V	D1 D301 D401	8-719-123-82 s DIODE 1SS303-T1 8-719-820-41 s DIODE 1SS302 8-719-820-41 s DIODE 1SS302	
C31 C32	1-163-139-00 s CERAMIC, CHIP 820pF 5% 50V 1-163-263-11 s CERAMIC, CHIP 330pF 5% 50V	IC110	8-759-710-77 s IC NJM4560MD	
C34	1-136-439-11 s FILM 330pF 5% 630V	IC111 IC112	8-759-710-77 s IC NJM4560MD 8-759-710-77 s IC NJM4560MD	
C58 C59	1-128-020-11 s ELECT, CHIP 10uF 6.3V 1-135-149-21 s TANTALUM, CHIP 2.2uF 10% 10V	IC112 IC113 IC301	8-759-710-77 s IC NJM4560MD 8-759-144-75 s IC UPC4572G2-E2	
C60 C107	1-126-391-11 s ELECT, CHIP 47uF 20% 6.3V 1-135-091-91 s TANTALUM, CHIP 1uF 20% 16V	IC302	8-759-066-61 s IC TC4053BFS	
C111 C112 C113	1-163-227-11 s CERAMIC, CHIP 10pF 5% 50V 1-164-182-11 s CERAMIC, CHIP 3300pF 10% 100V 1-163-011-11 s CERAMIC, CHIP 0.0015uF 10% 50V	IC303 IC304	8-759-710-77 s IC NJM4560MD 8-759-075-68 s IC TC4066BFS	
C114	1-163-143-00 s CERAMIC, CHIP 0.0012uF 5% 50V	L1 L2	1-408-429-00 s INDUCTOR 470uH 1-408-429-00 s INDUCTOR 470uH	
C130 C134	1-164-489-11 s CERAMIC, CHIP 0.22uF 10% 16V 1-128-029-11 s ELECT, CHIP 4.7uF 16V	LV111	1-410-854-21 s COIL, VAR 18mH	
C135 C136	1-164-232-11 s CERAMIC, CHIP 0.01uF 10% 100V 1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V	LV131 LV211 LV231	1-410-853-21 s COIL, VAR 4.5uH 1-410-854-21 s COIL, VAR 18mH 1-410-853-21 s COIL, VAR 4.5uH	
C138 C140	1-136-439-11 s FILM 330pF 5% 630V 1-164-489-11 s CERAMIC, CHIP 0.22uF 10% 16V	Q1	8-729-117-16 s TRANSISTOR 2SA1611-M6	
C142 C143	1-164-232-11 s CERAMIC, CHIP 0.01uF 10% 100V 1-162-587-11 s CERAMIC, CHIP 0.039uF 10% 25V	Q2 Q3	8-729-905-18 s TRANSISTOR DTC144EU 8-729-105-08 s TRANSISTOR 2SA1330	
C207	1-135-091-91 s TANTALUM, CHIP 1uF 20% 16V	Q4 Q6	8-729-105-08 s TRANSISTOR 2SA1330 8-729-907-00 s TRANSISTOR DTC114EU	
C211 C212	1-163-227-11 s CERAMIC, CHIP 10pF 5% 50V 1-164-182-11 s CERAMIC, CHIP 3300pF 10% 100V	Q7	8-729-905-18 s TRANSISTOR DTC144EU	
C213 C214	1-163-011-11 s CERAMIC, CHIP 0.0015uF 10% 50V 1-163-143-00 s CERAMIC, CHIP 0.0012uF 5% 50V	Q14 Q15	8-729-231-74 s TRANSISTOR 2SC4116-GL 8-729-231-74 s TRANSISTOR 2SC4116-GL	
C230	1-164-489-11 s CERAMIC, CHIP 0.22uF 10% 16V	Q16 Q17	8-729-905-12 s TRANSISTOR DTA144EU 8-729-905-18 s TRANSISTOR DTC144EU	
C234 C235	1-128-029-11 s ELECT, CHIP 4.7uF 16V 1-164-232-11 s CERAMIC, CHIP 0.01uF 10% 100V	Q54	8-729-117-16 s TRANSISTOR 2SA1611-M6	
C236	1-163-251-11 s CERAMIC, CHIP 100pF 5% 50V 1-136-439-11 s FILM 330pF 5% 630V	Q55 Q56	8-729-905-12 s TRANSISTOR DTA144EU 8-729-117-32 s TRANSISTOR 2SC4177	
C238 C240	1-150-150-11 s TIZM 500pt 6W 5050 1-164-489-11 s CERAMIC, CHIP 0.22uF 10% 16V	Q59 Q60	8-729-920-XX s TRANSISTOR DTA114EU 8-729-905-18 s TRANSISTOR DTC144EU	
C242	1-164-232-11 s CERAMIC, CHIP 0.01uF 10% 100V	Q61	8-729-905-12 s TRANSISTOR DTA144EU	
C243 C301	1-162-587-11 s CERAMIC, CHIP 0.039uF 10% 25V 1-163-263-11 s CERAMIC, CHIP 330pF 5% 50V	Q131	8-729-209-07 s TRANSISTOR 2SC4213-B	
C302 C304	1-163-121-00 s CERAMIC, CHIP 150pF 5% 50V 1-128-017-21 s ELECT, CHIP 47uF 4V	Q132 Q231	8-729-209-07 s TRANSISTOR 2SC4213-B 8-729-209-07 s TRANSISTOR 2SC4213-B	
C305	1-164-232-11 s CERAMIC, CHIP 0.01uF 10% 100V	Q232	8-729-209-07 s TRANSISTOR 2SC4213-B	
C306 C307	1-128-020-11 s ELECT, CHIP 10uF 6.3V 1-163-125-00 s CERAMIC, CHIP 220pF 5% 50V	Q302 Q305	8-729-209-07 s TRANSISTOR 2SC4213-B 8-729-105-37 s TRANSISTOR 2SC3360	
. C308 C309	1-135-149-21 s TANTALUM, CHIP 2.2uF 10% 10V 1-128-020-11 s ELECT, CHIP 10uF 6.3V	Q306 Q307	8-729-105-37 s TRANSISTOR 2SC3360 8-729-209-07 s TRANSISTOR 2SC4213-B	
C401	1-163-263-11 s CERAMIC, CHIP 330pF 5% 50V	Q402	8-729-209-07 s TRANSISTOR 2SC4213-B	
C402	1-163-121-00 s CERAMIC, CHIP 150pF 5% 50V 1-1638-017-21 s ELECT, CHIP 47uF 4V	Q405 Q406	8-729-105-37 s TRANSISTOR 2SC3360 8-729-105-37 s TRANSISTOR 2SC3360	
C404 C405	1-128-017-21 S ELECT, CHIP 47th 47 1-164-232-11 S CERAMIC, CHIP 0.01uF 10% 100V 1-128-020-11 S ELECT, CHIP 10uF 6.3V	Q407	8-729-209-07 s TRANSISTOR 2SC4213-B	
C406	1-128-020-11 s EEECH, CHIP 1048 0.57 1-163-125-00 s CERAMIC, CHIP 220pF 5% 50V	R5 R6	1-216-097-00 s METAL, CHIP 100k 5% 1/10W 1-216-089-00 s METAL, CHIP 47k 5% 1/10W	
C407 C408	1-135-149-21 s TANTALUM, CHIP 2.2uF 10% 10V	R7	1-216-089-00 s METAL, CHIP 47k 5% 1/10W	

16-30

PVV-3P

		•	
Ref. No. or Q'ty	Part No. SP Description	Ref. No. or Q'ty	Part No.
R8 R9 R10 R11 R12	1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W	R304 R305 R306 R307 R308	1-216-109-0 1-216-049-0 1-216-659-1 1-216-085-0 1-208-774-1
R26 R30 R31 R60 R63	1-216-081-00 s METAL, CHIP 22k 5% 1/10W 1-216-083-00 s METAL, CHIP 27k 5% 1/10W 1-216-083-00 s METAL, CHIP 27k 5% 1/10W 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W 1-216-295-91 s RES, CHIP 0	R309 R310 R311 R312 R313	1-216-667-1 1-216-685-1 1-216-656-1 1-216-679-1 1-216-089-0
R66 R68 R69 R70 R71	1-216-667-11 s METAL, CHIP 4.7k 0.5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-295-91 s RES, CHIP 0	R319 R320 R321 R322 R401	1-216-025-0 1-216-073-0 1-216-073-0 1-216-682-1 1-216-603-1
R72 R73 R77 R78 R79	1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-097-00 s METAL, CHIP 100k 5% 1/10W	R402 R403 R404 R405 R406	1-216-067-0 1-216-025-0 1-216-109-0 1-216-049-0 1-216-659-1
R111 R112 R113 R114 R115	1-210-037 31 8 mb1mb, OH1 OHN 0.0% 1710"	R407 R408 R409 R410 R411	1-216-085-0 1-208-774-1 1-216-667-1 1-216-685-1 1-216-656-1
R116 R117 R118 R119 R132	1-218-760-11 s METAL, CHIP 220k 0.5% 1/10W 1-216-115-00 s METAL, CHIP 560k 5% 1/10W 1-216-033-00 s METAL, CHIP 220 5% 1/10W 1-216-685-11 s METAL, CHIP 27k 0.5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W	R412 R413 R419 R420 R421	1-216-679-1 1-216-089-0 1-216-025-0 1-216-073-0 1-216-073-0
R138 R139 R141 R142 R145	1-216-033-00 s METAL, CHIP 220 5% 1/10W 1-216-089-00 s METAL, CHIP 47k 5% 1/10W 1-216-077-00 s METAL, CHIP 15k 5% 1/10W 1-216-661-11 s METAL, CHIP 2.7k 0.5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W	R422 RV111 RV112 RV113	1-216-682-1 1-238-090-1 1-238-090-1 1-238-090-1
R211	1-218-760-11 s METAL, CHIP 220k 0.5% 1/10W 1-216-699-11 s METAL, CHIP 100k 0.5% 1/10W 1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W 1-216-683-11 s METAL, CHIP 22k 0.5% 1/10W 1-216-697-91 s METAL, CHIP 82k 0.5% 1/10W	RV211 RV212 RV302 RV303 RV402	1-238-090-1 1-238-090-1 1-238-089-1 1-238-090-1 1-238-089-1
R213 R214 R215 R216 R217	1-208-784-11 s METAL, CHIP 1.2k 0.5% 1/10W 1-218-753-11 s METAL, CHIP 110k 0.5% 1/10W 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W 1-218-760-11 s METAL, CHIP 220k 0.5% 1/10W 1-216-115-00 s METAL, CHIP 560k 5% 1/10W	RV403 T1	1-238-090-1 1-459-865-1
R218 R219 R232 R238 R239	1-216-033-00 s METAL, CHIP 220 5% 1/10W 1-216-685-11 s METAL, CHIP 27k 0.5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-033-00 s METAL, CHIP 220 5% 1/10W 1-216-089-00 s METAL, CHIP 47k 5% 1/10W		
R241 R242 R245 R246 R247	1-216-077-00 s METAL, CHIP 15k 5% 1/10W 1-216-661-11 s METAL, CHIP 2.7k 0.5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-218-760-11 s METAL, CHIP 220k 0.5% 1/10W 1-216-699-11 s METAL, CHIP 100k 0.5% 1/10W		
R248-255 R301 R302 R303	1-216-675-11 s METAL, CHIP 10k 0.5% 1/10W 1-216-603-11 s METAL, CHIP 10 0.5% 1/10W 1-216-067-00 s METAL, CHIP 5.6k 5% 1/10W 1-216-025-00 s METAL, CHIP 100 5% 1/10W		

		•	
R304	1-216-109-00	s METAL	CHIP 330k 5% 1/10W
R305	1-216-049-00		CHIP 1k 5% 1/10W
			CHIP 2. 2k 0.5% 1/10W
R306	1-216-659-11		CUIT 201 50 1/10W
R307	1-216-085-00		CHIP 33k 5% 1/10W
R308	1-208-774-11	s METAL,	CHIP 470 0.5% 1/10W
R309	1-216-667-11	e METAT	CHIP 4.7k 0.5% 1/10W
R310	1-216-685-11		CHIP 27k 0.5% 1/10W
R311	1-216-656-11	s METAL,	CHIP 1.6k 0.5% 1/10W
R312	1-216-679-11		CHIP 15k 0.5% 1/10W
R313	1-216-089-00	s METAL,	CHIP 47k 5% 1/10W
R319	1-216-025-00	s METAL.	CHIP 100 5% 1/10W
R320	1-216-073-00		CHIP 10k 5% 1/10W
R321	1-216-073-00	s METAL,	CHIP 10k 5% 1/10W
R322	1-216-682-11		CHIP 20k 0.5% 1/10W
R401	1-216-603-11	s METAL,	CHIP 10 0.5% 1/10W
R402	1-216-067-00	s METAL.	CHIP 5.6k 5% 1/10W
R403	1-216-025-00		CHIP 100 5% 1/10W
R404	1-216-109-00		CHIP 330k 5% 1/10W
R405	1-216-049-00	s METAL,	CHIP 1k 5% 1/10W
R406	1-216-659-11	s METAL,	CHIP 2.2k 0.5% 1/10W
D407	1 916 005 00	- METAT	CUITD 221- EW 1 /10W
R407			CHIP 33k 5% 1/10W
R408	1-208-774-11	s METAL,	CHIP 470 0.5% 1/10W
R409	1-216-667-11		CHIP 4.7k 0.5% 1/10W
R410	1-216-685-11	s METAL,	CHIP 27k 0.5% 1/10W
R411	1-216-656-11	s METAL,	CHIP 1.6k 0.5% 1/10W
D410	1 016 670 11	- MEMAT	OUTD 451 0 50/ 1/10W
R412	1-216-679-11		CHIP 15k 0.5% 1/10W
R413	1-216-089-00		CHIP 47k 5% 1/10W
R419	1-216-025-00	s METAL,	CHIP 100 5% 1/10W
R420	1-216-073-00	s METAL.	CHIP 10k 5% 1/10W
R421	1-216-073-00		CHIP 10k 5% 1/10W
	2 220 010 00	o morras,	01111 1011 010 17 1011
R422	1-216-682-11	s METAL,	CHIP 20k 0.5% 1/10W
RV111	1-238-090-11	s RES. AI	J METAL 10k
RV112	1-238-090-11		J METAL 10k
RV113	1-238-090-11		) METAL 10k
RV211	1-238-090-11		
RV212	1-238-090-11	S KES, AL	)J METAL 10k
RV302	1-238-089-11	s RES. AT	J METAL 4.7k
RV303	1-238-090-11		J METAL 10k
RV402	1-238-089-11		J METAL 4.7k
RV403	1-238-090-11		
KV403	1-230-090-11	S RES, AL	J METAL 10k
T1	1-459-865-11	s COIL, V	/AR 3.4mH

SP Description

#### CN-935 BOARD Ref. No. SP Description or Q'ty Part No. 1-650-138-12 o PRINTED CIRCUIT BOARD, CN-935 3-679-064-01 o BRACKET, CONNECTOR 1pc 1pc 1-690-107-11 o CONNECTOR, BB 12P, FEMALE 1-506-486-11 s CONNECTOR 7P, MALE 1-506-484-11 s CONNECTOR 5P, MALE 1-562-261-41 s CONNECTOR, COAXIAL (BNC), FEMALE 1-562-261-41 s CONNECTOR, COAXIAL (BNC), FEMALE CN1 CN2 CN3 CN4 CN5 $1\mbox{-}562\mbox{-}261\mbox{-}41$ s CONNECTOR, COAXIAL (BNC), FEMALE $1\mbox{-}562\mbox{-}261\mbox{-}41$ s CONNECTOR, COAXIAL (BNC), FEMALE $1\mbox{-}569\mbox{-}422\mbox{-}11$ s CONNECTOR, CIRCULAR 20P, FEMALE CN6 CN7 CN8

CN-1123 I	BOARD
Ref. No. or Q'ty	Part No. SP Description
1pc	$\mbox{A-8310-454-A}$ o MOUNTED CIRCUIT BOARD, CN-1123
This boar	rd includes the LED-214 board.
C1	1-162-600-11 s CERAMIC 0.0047uF 10% 16V
C2 C4 C5	1-162-600-11 s CERAMIC 0.0047uF 10% 16V 1-161-051-00 s CERAMIC 0.01uF 10% 50V 1-161-051-00 s CERAMIC 0.01uF 10% 50V
CN1 CN2 CN3	1-565-880-11 s CONNECTOR 8P, MALE 1-507-980-41 s JACK, MINI 1-507-980-41 s JACK, MINI
R1 R2	1-215-377-00 s METAL 15 1% 1/6W 1-215-377-00 s METAL 15 1% 1/6W

#### CN-983 BOARD

Ref. No. or Q'ty	Part No. SP Description
1pc	A-8310-467-A o MOUNTED CIRCUIT BOARD, CN-983
1pc	3-685-558-01 o BRACKET, CN
1pc	7-621-775-20 s SCREW +B 2.6x5
2pcs	3-683-631-01 o CLAMP
C2	1-163-133-00 s CERAMIC, CHIP 470pF 5% 50V
C3	1-163-133-00 s CERAMIC, CHIP 470pF 5% 50V
C4	1-163-038-91 s CERAMIC, CHIP 0.1uF 25V
CN2	1-691-551-11 s CONNECTOR 8P, MALE
CN3	1-580-056-21 o CONNECTOR 3P, MALE
CN6	1-560-364-00 o CONNECTOR, ILG 2P, MALE
	1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W 1-216-651-11 s METAL, CHIP 1k 0.5% 1/10W

16-32

PVV-3P

DC-67 BOARD	(DC-67 BOARD)
Ref. No. or Q'ty Part No. SP Description	Ref. No. or Q'ty Part No. SP Description
<pre>Ipc A-8310-452-A o MOUNTED CIRCUIT BOARD, DC-67 This board includes the DC-68 board.</pre>	Q34 8-729-927-83 s TRANSISTOR IRFU9020 Q51 8-729-920-53 s TRANSISTOR FMY1
1pc 3-685-555-01 o CASE, SHILD(B) 1pc 3-685-557-01 o SHEET, INSULATING	Q52 8-729-927-83 s TRANSISTOR IRFU9020  R11 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R12 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
C11 1-128-376-11 s ELECT 220uF 20% 25V C12 1-163-125-00 s CERAMIC, CHIP 220pF 5% 50V C13 1-104-484-11 s ELECT 82uF 20% 10V C14 1-164-232-11 s CERAMIC, CHIP 0.01uF 10% 100V	R13 1-216-001-00 s METAL, CHIP 10 5% 1/10W R14 1-216-682-11 s METAL, CHIP 20k 0.5% 1/10W R15 1-216-671-11 s METAL, CHIP 6.8k 0.5% 1/10W
C15 1-127-531-11 s ALUMN SOLID 33uF 20% 20V  C16 1-163-125-00 s CERAMIC, CHIP 220pF 5% 50V	R16 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R17 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R18 1-216-001-00 s METAL, CHIP 10 5% 1/10W
C17 1-104-484-11 s ELECT 82uF 20% 10V C18 1-164-232-11 s CERAMIC, CHIP 0.01uF 10% 100V C19 1-127-558-11 s ALUMN SOLID 10uF 20% 10V	R19 1-216-683-11 s METAL, CHIP 22k 0.5% 1/10W R21 1-208-789-11 s METAL, CHIP 2k 0.5% 1/10W
C31 1-128-376-11 s ELECT 220uF 20% 25V C32 1-163-125-00 s CERAMIC, CHIP 220pF 5% 50V	R22 1-216-635-11 s METAL, CHIP 220 0.5% 1/10W R23 1-216-085-00 s METAL, CHIP 33k 5% 1/10W R24 1-216-085-00 s METAL, CHIP 33k 5% 1/10W
C33 1-128-125-11 s ELECT 180uF 20% 16V C34 1-164-232-11 s CERAMIC, CHIP 0.01uF 10% 100V C35 1-163-125-00 s CERAMIC, CHIP 220pF 5% 50V	R31 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W R32 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
C36 1-127-512-00 s ALUMN SOLID 10uF 20% 16V C37 1-104-484-11 s ELECT 82uF 20% 10V C38 1-164-232-11 s CERAMIC, CHIP 0.01uF 10% 100V	R33 1-216-001-00 s METAL, CHIP 10 5% 1/10W R34 1-216-689-11 s METAL, CHIP 39k 0.5% 1/10W R35 1-216-671-11 s METAL, CHIP 6.8k 0.5% 1/10W R36 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W
C39 1-127-558-11 s ALUMN SOLID 10uF 20% 10V C51 1-128-376-11 s ELECT 220uF 20% 25V C52 1-163-125-00 s CERAMIC, CHIP 220pF 5% 50V	R37 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R38 1-216-001-00 s METAL, CHIP 10 5% 1/10W
C53 1-127-531-11 s ALUMN SOLID 33uF 20% 20V C54 1-127-496-00 s ALUMN SOLID 6.8uF 20% 16V C60 1-107-519-11 s ELECT 47uF 20% 50V	R39 1-216-685-11 s METAL, CHIP 27k 0.5% 1/10W R40 1-216-671-11 s METAL, CHIP 6.8k 0.5% 1/10W R41 1-216-665-11 s METAL, CHIP 3.9k 0.5% 1/10W R42 1-216-085-00 s METAL, CHIP 33k 5% 1/10W
C61 1-107-519-11 s ELECT 47uF 20% 50V C62 1-163-035-00 s CERAMIC, CHIP 0.047uF 50V	R42 1-216-085-00 s METAL, CHIP 33k 5% 1/10W R43 1-216-085-00 s METAL, CHIP 33k 5% 1/10W R51 1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W
C63 1-164-232-11 s CERAMIC, CHIP 0.01uF 10% 100V CN1 1-564-011-11 o CONNECTOR 12P, MALE	R52 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R53 1-216-001-00 s METAL, CHIP 10 5% 1/10W R54 1-216-689-11 s METAL, CHIP 39k 0.5% 1/10W
CN2 1-564-011-11 o CONNECTOR 12P, MALE  D11 8-719-980-78 s DIODE ERA81-004	R56 1-216-603-11 s METAL, CHIP 10 0.5% 1/10W R57 1-216-089-00 s METAL, CHIP 47k 5% 1/10W
D12 8-719-980-78 s DIODE ERA81-004 D31 8-719-980-78 s DIODE ERA81-004 D32 8-719-980-78 s DIODE ERA81-004 D51 8-719-938-75 s DIODE SB05-05CP	R58 1-216-085-00 s METAL, CHIP 33k 5% 1/10W T51 1-426-660-11 s TRANSFORMER, DC/DC CONVERTER
D54 8-719-938-75 s DIODE SB05-05CP D55 8-719-938-75 s DIODE SB05-05CP	
L1 1-410-283-11 s COIL, CHOKE 48uH L11 1-410-283-11 s COIL, CHOKE 48uH L12 1-410-625-11 s COIL, CHOKE 33uH L13 1-410-627-11 s COIL, CHOKE 100uH L14 1-410-625-11 s COIL, CHOKE 33uH	
L31 1-410-627-11 s COIL, CHOKE 100uH L32 1-410-625-11 s COIL, CHOKE 33uH L33 1-410-626-11 s COIL, CHOKE 47uH L34 1-410-625-11 s COIL, CHOKE 33uH L51 1-424-298-11 s COIL, CHOKE 82uH	
Q11 8-729-920-53 s TRANSISTOR FMY1 Q12 8-729-927-83 s TRANSISTOR IRFU9020 Q13 8-729-920-53 s TRANSISTOR FMY1 Q14 8-729-927-83 s TRANSISTOR IRFU9020 Q31 8-729-920-53 s TRANSISTOR FMY1	
Q32 8-729-120-53 s TRANSISTOR 2SJ132-Z Q33 8-729-920-53 s TRANSISTOR FMY1	

#### DC-68 BOARD

R132

R134

Ref. No. SP Description or Q'ty Part No.

All of the component parts on the DC-68 board are supplied

```
together when you order the DC-67 board.
                1-135-138-11 s TANTALUM 10uF 20% 25V
1-135-138-11 s TANTALUM 10uF 20% 25V
C101
C102
                1-128-376-11 s ELECT 220uF 20% 25V
1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V
C104
C105
                1-135-179-21 s TANTALUM 2.2uF 10% 16V
C111
                1-135-177-21 s TANTALUM, CHIP 1uF 10% 25V
C113
                1-153-177-21 s TANYALOM, CHIP 107 107 25V

1-163-125-00 s CERAMIC, CHIP 220pF 5% 50V

1-163-033-91 s CERAMIC, CHIP 0.022uF 50V

1-163-133-00 s CERAMIC, CHIP 470pF 5% 50V

1-163-133-00 s CERAMIC, CHIP 470pF 5% 50V
C115
C116
C117
C118
                1-163-033-91 s CERAMIC, CHIP 0.022uF 50V
1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V
1-135-177-21 s TANTALUM, CHIP 1uF 10% 25V
C119
C120
C133
                1-163-033-91 s CERAMIC, CHIP 0.022uF 50V
1-163-133-00 s CERAMIC, CHIP 470pF 5% 50V
 C134
C135
                1-163-133-00 s CERAMIC, CHIP 470pF 5% 50V
1-163-033-91 s CERAMIC, CHIP 0.022uF 50V
1-135-072-21 s TANTALUM, CHIP 0.22uF 10% 35V
1-135-177-21 s TANTALUM, CHIP 1uF 10% 25V
1-135-177-21 s TANTALUM, CHIP 1uF 10% 25V
C136
C137
C138
C151
 C152
                1-163-033-91 s CERAMIC, CHIP 0.022uF 50V 1-163-133-00 s CERAMIC, CHIP 470pF 5% 50V
C153
C154
D101
                8-719-911-55 s DIODE U05G
D102
                8-719-021-31 s DIODE UZM5.1B
                8-759-981-65 s IC LM2903M
8-759-972-78 s IC TL1453CNS-T2
8-759-972-78 s IC TL1453CNS-T2
8-759-972-78 s IC TL1453CNS-T2
 IC101
 TC102
 TC103
IC104
PS101 1-532-847-21 s LINK, IC 6.3A
Q101
                8-729-927-83 s TRANSISTOR IRFU9020
                8-729-901-01 s TRANSISTOR DTC144EK
0103
                8-729-901-01 s TRANSISTOR DTC144EK
Q104
Q105
                8-729-900-53 s TRANSISTOR DTC114EK
Q106
                8-729-901-06 s TRANSISTOR DTA144EK
                R101
R102
R103
                1-216-041-00 s METAL, CHIP 470 5% 1/10W
R104
R105
                1-216-065-00 s METAL, CHIP 4.7k 5% 1/10W
                1-216-073-00 s METAL, CHIP 10k 5% 1/10W
R109
                1-216-073-00 S MBTAL, CHIP 10K 5% 1/10W
1-216-077-00 S METAL, CHIP 15K 5% 1/10W
1-216-667-11 S METAL, CHIP 4.7K 0.5% 1/10W
1-216-085-00 S METAL, CHIP 33K 5% 1/10W
1-216-667-11 S METAL, CHIP 4.7K 0.5% 1/10W
R110
R111
R113
R114
                1-216-685-11 s METAL, CHIP 27k 0.5% 1/10W
1-216-666-11 s METAL, CHIP 4.3k 0.5% 1/10W
1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W
1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W
1-216-079-00 s METAL, CHIP 18k 5% 1/10W
R115
R116
R117
R118
R119
R120
                1-216-093-00 s METAL, CHIP 68k 5% 1/10W
               1-216-667-11 s METAL, CHIP 4.7k 0.5% 1/10W
1-216-667-11 s METAL, CHIP 4.7k 0.5% 1/10W
1-216-089-00 s METAL, CHIP 4.7k 0.5% 1/10W
R123
R131
```

1-216-667-11 s METAL, CHIP 4.7k 0.5% 1/10W

#### (DC-68 BOARD)

or Q ty	Part No. SP Description
R135 R136 R151 R152	1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-079-00 s METAL, CHIP 18k 5% 1/10W 1-216-085-00 s METAL, CHIP 33k 5% 1/10W
R153	1-216-667-11 s METAL, CHIP 4.7k 0.5% 1/10W
R154 R155 R156 R157	1-216-667-11 s METAL, CHIP 4.7k 0.5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-667-11 s METAL, CHIP 4.7k 0.5% 1/10W 1-216-089-00 s METAL, CHIP 47k 5% 1/10W

16-34

PVV-3P

DR-254 BOARD		FE-18 BOARD		
Ref. No. or Q'ty	Part No. SP Description	Ref. No. or Q'ty	Part No. SP Description	
1pc	A-8275-595-A o MOUNTED CIRCUIT BOARD, DR-254	lpc	A-8275-593-A o MOUNTED CIRCUIT BOARD, FE-18	
C1 C2 . C3 . C4 . C5	1-163-038-91 s CERAMIC, CHIP 0.1uF 25V 1-163-038-91 s CERAMIC, CHIP 0.1uF 25V 1-163-038-91 s CERAMIC, CHIP 0.1uF 25V 1-163-038-91 s CERAMIC, CHIP 0.1uF 25V 1-163-037-11 s CERAMIC, CHIP 0.022uF 10% 25V	C1 C2 C3 C4 C5	1-163-017-00 s CERAMIC, CHIP 0.0047uF 5% 50V 1-163-017-00 s CERAMIC, CHIP 0.0047uF 5% 50V 1-164-232-11 s CERAMIC, CHIP 0.01uF 10% 100V 1-164-232-11 s CERAMIC, CHIP 0.01uF 10% 100V 1-136-562-11 s FILM 0.0082uF 5% 630V	
C6 C7 C8 C9 C10	1-163-239-11 s CERAMIC, CHIP 33pF 5% 50V 1-163-239-11 s CERAMIC, CHIP 33pF 5% 50V 1-163-135-00 s CERAMIC, CHIP 560pF 5% 50V 1-163-135-00 s CERAMIC, CHIP 560pF 5% 50V 1-163-037-11 s CERAMIC, CHIP 0.022uF 10% 25V	C6 C7 C10 CN320	1-163-125-00 s CERAMIC, CHIP 220pF 5% 50V 1-164-756-11 s CERAMIC, CHIP 0.0033uF 5% 50V 1-126-157-11 s ELECT 10uF 20% 16V 1-506-488-11 s CONNECTOR 9P, MALE	
C11 C12	1-163-038-91 s CERAMIC, CHIP 0.1uF 25V 1-163-038-91 s CERAMIC, CHIP 0.1uF 25V	L1 L2 L3	1-464-909-11 s COIL, SENSOR 1-408-429-00 s INDUCTOR 470uH 1-408-429-00 s INDUCTOR 470uH	
CN303 CN320 CN601 CN650	1-765-133-11 s CABLE, FLAT 16P 1-569-335-11 s CONNECTOR, BB 9P, MALE 1-564-011-11 o CONNECTOR 12P, MALE 1-562-772-11 o CONNECTOR 12P, FEMALE	Q1 Q2	8-729-141-75 s TRANSISTOR 2SD596DV345 8-729-141-75 s TRANSISTOR 2SD596DV345	
IC1 IC2	1-562-772-11 o CONNECTOR 12P, FEMALE 8-759-821-88 s IC CXA8004M-TP1 8-759-144-75 s IC UPC4572G2-E2	R1 R2 R3	1-216-085-00 s METAL, CHIP 33k 5% 1/10W 1-216-085-00 s METAL, CHIP 33k 5% 1/10W 1-217-671-11 s METAL, CHIP 1 5% 1/10W	
R1 R2 R3 R4 R5	1-216-089-00 s METAL, CHIP 47k 5% 1/10W 1-216-097-00 s METAL, CHIP 100k 5% 1/10W 1-216-097-00 s METAL, CHIP 100k 5% 1/10W 1-216-067-00 s METAL, CHIP 5.6k 5% 1/10W 1-216-067-00 s METAL, CHIP 5.6k 5% 1/10W	T1	1-424-511-11 s TRANSFORMER, FE	
R6 R7 R8 R9 R10	1-216-105-91 s METAL, CHIP 220k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-105-91 s METAL, CHIP 220k 5% 1/10W 1-216-041-00 s METAL, CHIP 470 5% 1/10W	KY-285 B Ref. No. or Q'ty	OARD Part No. SP Description	
R11	1-216-041-00 s METAL, CHIP 470 5% 1/10W	lpc	A-8275-589-A o MOUNTED CIRCUIT BOARD, KY-285	
. ·		CN1 D1 D2 D3 R1 R2 R3	1-566-526-11 s CONNECTOR, FPC (ZIF) 10P  8-719-989-97 s LED CL-150SD-CD, RED  8-719-989-97 s LED CL-150SD-CD, RED  8-719-989-97 s LED CL-150SD-CD, RED  1-216-045-00 s METAL, CHIP 680 5% 1/10W  1-216-045-00 s METAL, CHIP 680 5% 1/10W	
		S1 S2 S3 S4 S5	1-570-910-21 s SWITCH, PUSH 1-570-910-21 s SWITCH, PUSH 1-570-910-21 s SWITCH, PUSH 1-570-910-21 s SWITCH, PUSH 1-570-910-21 s SWITCH, PUSH	

#### LED-214 BOARD

Ref. No.

or Q'ty Part No.

SP Description

All of the component parts on the LED-214 board are supplied together when you order the CN-1123 board.

1-651-988-11 o PRINTED CIRCUIT BOARD, LED-214 1pc

8-719-902-27 s LED EBR3402S, RED D1

#### MB-552 BOARD

or Q'ty Part No. SP Description 1pc

A-8310-451-A o MOUNTED CIRCUIT BOARD. MB-552 3-685-687-01 o COVER, MB-CN 1pc C21 1-163-037-11 s CERAMIC, CHIP 0.022uF 10% 25V 1-123-037-11 s CERAMIC, CHIP 0.022uF 10% 25V 1-126-396-11 s ELECT, CHIP 47uF 20% 16V 1-126-396-11 s ELECT, CHIP 47uF 20% 16V 1-163-037-11 s CERAMIC, CHIP 0.022uF 10% 25V 1-163-038-91 s CERAMIC, CHIP 0.1uF 25V C22 C23 C24 C31 CN11 1-764-875-21 s CONNECTOR, FPC 25P 1-765-135-11 s CABLE, FLAT 24P 1-765-132-11 s CABLE, FLAT 10P CN14 CN15 1-765-134-11 s CABLE, FLAT 24P 1-765-138-11 s CABLE, FLAT 30P CN16 CN17 CN18 CN19 CN20 1-506-491-11 s CONNECTOR 12P, MALE CN21 1-566-763-11 o CONNECTOR 8P, MALE CN22 1-560-356-00 o CONNECTOR, ILG 2P, MALE 1-506-703-11 o CONNECTOR, ILG 4P, MALE 1-560-365-00 o CONNECTOR, ILG 3P, MALE 1-690-107-11 o CONNECTOR, BB 12P, FEMALE 1-690-107-11 o CONNECTOR, BB 12P, FEMALE CN23 CN24 CN25 CN26 CN27 1-566-521-11 s CONNECTOR, FPC (ZIF) 5P CN28 1-560-364-00 o CONNECTOR, ILG 2P, MALE CN29 PS60 1-533-348-11 s LINK, IC, CHIP 4A PS90 ⚠ 1-533-400-11 s LINK, IC, CHIP 1A PS91 ⚠ 1-533-400-11 s LINK, IC, CHIP 1A

PS120 △ 1-533-348-11 s LINK, IC, CHIP 4A 8-729-106-60 s TRANSISTOR 2SB1115A 021 Q22 8-729-901-01 s TRANSISTOR DTC144EK Q23 8-729-106-60 s TRANSISTOR 2SB1115A Q24 8-729-216-22 s TRANSISTOR 2SA1162 1-216-045-00 s METAL, CHIP 680 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1/1 R21 R22 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-089-00 s METAL, CHIP 47k 5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-045-00 s METAL, CHIP 680 5% 1/10W R23 R24 R25 R26 R27 R31 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R32 R40 1-216-023-00 s METAL, CHIP 82 5% 1/10W

PVV-3P 16-36

SR-55 BO	ARD
Ref. No.	Part No. SP Description
1pc	A-8275-594-A o MOUNTED CIRCUIT BOARD, SR-55
C1 C2	1-163-038-91 s CERAMIC, CHIP 0.1uF 25V 1-163-038-91 s CERAMIC, CHIP 0.1uF 25V
CN309	1-765-130-11 s CABLE, FLAT 8P
PH2 PH3	8-719-948-58 s DIODE GP2S07B 8-719-948-58 s DIODE GP2S07B 8-719-948-58 s DIODE GP2S07B 8-719-948-58 s DIODE GP2S07B
Q1 Q2 Q3 Q4	8-729-120-28 s TRANSISTOR 2SC1623-L5L6 8-729-120-28 s TRANSISTOR 2SC1623-L5L6 8-729-120-28 s TRANSISTOR 2SC1623-L5L6 8-729-120-28 s TRANSISTOR 2SC1623-L5L6
R2 R3 R4	1-216-025-00 s METAL, CHIP 100 5% 1/10W 1-216-109-00 s METAL, CHIP 330k 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-109-00 s METAL, CHIP 330k 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W
R7	1-216-109-00 s METAL, CHIP 330k 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-109-00 s METAL, CHIP 330k 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W

SS-57C BOARD					
Ref. No. or Q'ty	Part No. SP Description				
1pc	A-8310-455-A o MOUNTED CIRCUIT BOARD, SS-57C				
C1 C2 C3 C4 C5	1-126-603-11 s ELECT 4.7uF 20% 35V				
C6 C7 C8 C9 C10	1-164-227-11 s CERAMIC, CHIP 0.022uF 10% 25V 1-162-964-11 s CERAMIC, CHIP 0.001uF 10% 50V 1-164-227-11 s CERAMIC, CHIP 0.022uF 10% 25V 1-126-205-11 s ELECT 47uF 20% 6.3V 1-124-778-00 s ELECT 22uF 20% 6.3V				
C12 C13 C14 C15 C16	1-124-778-00 s ELECT 22uF 20% 6.3V 1-126-397-11 s ELECT, CHIP 33uF 20% 25V 1-164-227-11 s CERAMIC, CHIP 0.022uF 10% 25V 1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V 1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V				
C17 C19 C21 C22 C23	1-165-176-11 s CERAMIC, CHIP 0.047uF 10% 16V 1-162-957-11 s CERAMIC, CHIP 220pF 5% 50V				
C24 C25 C201 C202 C204	1-165-176-11 s CERAMIC, CHIP 0.047uF 10% 16V				
C205 C206 C207 C208 C209	1-124-778-00 s ELECT 22uF 20% 6.3V 1-164-227-11 s CERAMIC, CHIP 0.022uF 10% 25V 1-165-176-11 s CERAMIC, CHIP 0.047uF 10% 16V 1-162-927-11 s CERAMIC, CHIP 100pF 5% 50V 1-164-227-11 s CERAMIC, CHIP 0.022uF 10% 25V				
C211 C212 C213 C214 C215	1-163-038-91 s CERAMIC, CHIP 0.1uF 25V 1-164-677-11 s CERAMIC, CHIP 0.033uF 10% 16V 1-162-967-11 s CERAMIC, CHIP 3300pF 10% 50V 1-135-211-11 s TANTALUM, CHIP 6.8uF 20% 6.3V 1-135-211-11 s TANTALUM, CHIP 6.8uF 20% 6.3V				
C216 C217 C218 C219 C220	1-162-963-11 s CERAMIC, CHIP 680pF 10% 50V 1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V 1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V 1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V 1-162-964-11 s CERAMIC, CHIP 0.001uF 10% 50V				
C221 C222 C223 C224 C225	1-163-099-00 s CERAMIC, CHIP 18pF 5% 50V 1-163-237-11 s CERAMIC, CHIP 27pF 5% 50V 1-164-677-11 s CERAMIC, CHIP 0.033uF 10% 16V 1-162-927-11 s CERAMIC, CHIP 100pF 5% 50V 1-162-969-11 s CERAMIC, CHIP 0.0068uF 10% 25V				
C226 C227 C228 C229 C230	1-162-965-11 s CERAMIC, CHIP 0.0015uF 10% 50V 1-164-227-11 s CERAMIC, CHIP 0.022uF 10% 25V 1-126-941-11 s ELECT 470uF 20% 25V 1-162-968-11 s CERAMIC, CHIP 0.0047uF 10% 50V 1-126-630-11 s ELECT 82uF 20% 25V				
C231 C236 C237 C238 C239	1-163-038-91 s CERAMIC, CHIP 0.1uF 25V 1-162-964-11 s CERAMIC, CHIP 0.001uF 10% 50V 1-163-038-91 s CERAMIC, CHIP 0.1uF 25V 1-162-964-11 s CERAMIC, CHIP 0.001uF 10% 50V 1-164-227-11 s CERAMIC, CHIP 0.022uF 10% 25V				
C240 C241	1-162-964-11 s CERAMIC, CHIP 0.001uF 10% 50V 1-164-677-11 s CERAMIC, CHIP 0.033uF 10% 16V				

(SS-57C )	BOARD)	(SS-57C	BOARD)
Ref. No. or Q'ty	Part No. SP Description	Ref. No. or Q'ty	Part No. SP Description
C242 C243 C244 C245 C246	1-164-227-11 s CERAMIC, CHIP 0.022uF 10% 25V 1-164-227-11 s CERAMIC, CHIP 0.022uF 10% 25V 1-165-176-11 s CERAMIC, CHIP 0.047uF 10% 16V 1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V 1-163-038-91 s CERAMIC, CHIP 0.1uF 25V	D206 D401 D403 D404 D405	8-719-210-56 s DIODE EC10QS10 8-719-404-35 s DIODE MA141WK 8-719-028-74 s DIODE NSQ03A04 8-719-106-88 s DIODE RD15M-B1 8-719-210-56 s DIODE EC10QS10
C247 C248 C249–257 C258 C259	1-163-038-91 s CERAMIC, CHIP 0.1uF 25V 1-163-038-91 s CERAMIC, CHIP 0.1uF 25V 1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V 1-164-227-11 s CERAMIC, CHIP 0.022uF 10% 25V 1-124-779-00 s ELECT 10uF 20% 16V	D406 IC2 IC3 IC4	8-719-800-76 s DIODE 1SS226 8-759-940-45 s IC S-8054HN-CB 8-759-009-51 s IC MC14538BF 8-759-925-74 s IC TC74HC04ANS
C260 C261 C262 C401 C402	1-124-779-00 s ELECT 10uF 20% 16V 1-163-038-91 s CERAMIC, CHIP 0. 1uF 25V 1-126-943-11 s ELECT 2200uF 20% 25V 1-162-967-11 s CERAMIC, CHIP 3300pF 10% 50V 1-162-970-11 s CERAMIC, CHIP 0. 01uF 10% 25V	IC6 IC202 IC203 IC204 IC205 IC206	8-759-805-32 s IC LA7205M 8-759-700-43 s IC NJM4558M 8-759-700-43 s IC NJM4558M 8-759-700-07 s IC NJM2903M 8-759-009-11 s IC MC14070BF 8-759-008-82 s IC MC14013BF
C405 C406 C407 C408 C409	1-162-967-11 s CERAMIC, CHIP 3300pF 10% 50V 1-162-964-11 s CERAMIC, CHIP 0.001uF 10% 50V 1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V 1-163-038-91 s CERAMIC, CHIP 0.1uF 25V 1-164-677-11 s CERAMIC, CHIP 0.033uF 10% 16V	IC207 IC208 IC209 IC210 IC211	8-759-300-71 s IC HD14053BFP 8-759-111-56 s IC UPC4572G2 8-759-700-07 s IC NJM2903M 8-759-100-95 s IC UPC324G2 8-759-981-61 s IC LM2901M
C410 C411 C412 C413 C414	1-164-677-11 s CERAMIC, CHIP 0.033uF 10% 16V 1-162-969-11 s CERAMIC, CHIP 0.0068uF 10% 25V 1-162-965-11 s CERAMIC, CHIP 0.0015uF 10% 50V 1-164-227-11 s CERAMIC, CHIP 0.022uF 10% 25V 1-126-630-11 s ELECT 82uF 20% 25V	IC213 IC214 IC216 IC217 IC218	8-759-300-71 s IC HD14053BFP 8-759-159-70 s IC BR9021BF 8-759-009-12 s IC MC14071BF 8-759-245-52 s IC TA7291F 8-759-067-52 s IC MB88347PFV-G-BND-ER
C415 C416 C417 C421 C422	1-162-968-11 s CERAMIC, CHIP 0.0047uF 10% 50V 1-126-630-11 s ELECT 82uF 20% 25V 1-163-038-91 s CERAMIC, CHIP 0.1uF 25V 1-124-778-00 s ELECT 22uF 20% 6.3V 1-124-779-00 s ELECT 10uF 20% 16V	IC219 IC220 IC500 IC501	8-759-821-88 s IC CXA8004M-TP1 8-759-700-07 s IC NJM2903M 8-759-111-56 s IC UPC4572G2 8-759-300-71 s IC HD14053BFP
C423 C424 C500 C501 C502	1-124-779-00 s ELECT 10uF 20% 16V 1-163-038-91 s CERAMIC, CHIP 0.1uF 25V 1-163-038-91 s CERAMIC, CHIP 0.1uF 25V 1-162-957-11 s CERAMIC, CHIP 220pF 5% 50V 1-135-166-21 s TANTALUM, CHIP 47uF 10% 10V	L1 L2 L201 L202 L203	1-410-626-11 s COIL, CHOKE 47uH 1-410-390-11 s INDUCTOR, CHIP 56uH 1-424-517-11 s COIL, CHOKE 200uH 1-408-777-00 s INDUCTOR, CHIP 10uH 1-408-777-00 s INDUCTOR, CHIP 10uH
C506	1-162-963-11 s CERAMIC, CHIP 680pF 10% 50V 1-162-957-11 s CERAMIC, CHIP 220pF 5% 50V 1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V 1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V	L204 L205	1-408-777-00 s INDUCTOR, CHIP 10uH 1-408-777-00 s INDUCTOR, CHIP 10uH 1-410-390-11 s INDUCTOR, CHIP 56uH 1-424-517-11 s COIL, CHOKE 200uH 1-424-517-11 s COIL, CHOKE 200uH
CN301 CN302 CN303 CN304 CN305	1-569-035-11 o CONNECTOR, FPC 30P 1-565-212-11 s CONNECTOR, FPC (ZIF) 26P 1-566-532-11 s CONNECTOR, FPC 16P 1-566-531-11 s CONNECTOR, FPC (ZIF) 15P 1-506-481-11 s CONNECTOR 2P, MALE	L402 PH1 PH2	1-410-626-11 s COIL, CHOKE 47uH 8-719-939-05 s PHOTOINTERRUPTER GP-1S54 8-719-939-05 s PHOTOINTERRUPTER GP-1S54
CN306 CN307 CN308 CN309	1-566-521-11 s CONNECTOR, FPC (ZIF) 5P 1-566-526-11 s CONNECTOR, FPC (ZIF) 10P 1-506-481-11 s CONNECTOR 2P, MALE 1-566-524-11 s CONNECTOR, FPC (ZIF) 8P	PH3 PH5 PH6	8-719-939-05 s PHOTOINTERRUPTER GP-1S54 8-719-939-11 s PHOTOINTERRUPTER GP-2S09-B 8-719-939-11 s PHOTOINTERRUPTER GP-2S09-B 8-729-120-28 s TRANSISTOR 2SC1623-L5L6
CN311 CN312 CN350	1-506-484-11 s CONNECTOR 5P, MALE 1-691-551-11 s CONNECTOR 8P, MALE 1-506-485-11 s CONNECTOR 6P, MALE	Q2 Q3 Q5 Q6	8-729-120-28 s TRANSISTOR 2SC1623-L5L6 8-729-120-28 s TRANSISTOR 2SC1623-L5L6 8-729-920-48 s TRANSISTOR IMH2 8-729-920-48 s TRANSISTOR IMH2
D1 D2 D201 D202 D203	8-719-404-35 s DIODE MA141WK 8-719-157-42 s DIODE RD8.2M-B 8-719-404-35 s DIODE MA141WK 8-719-404-35 s DIODE MA141WK 8-719-404-35 s DIODE MA141WK	Q8 Q9 Q10 Q11 Q12	8-729-920-48 s TRANSISTOR IMH2 8-729-920-48 s TRANSISTOR IMH2 8-729-925-47 s TRANSISTOR IMB2 8-729-141-48 s TRANSISTOR 2SB624-BV345 8-729-141-48 s TRANSISTOR 2SB624-BV345
D204 D205	8-719-028-74 s DIODE NSQ03A04 8-719-106-88 s DIODE RD15M-B1	Q13 Q14	8-729-920-48 s TRANSISTOR IMH2 8-729-925-47 s TRANSISTOR IMB2

PVV-3P

(SS-57C BOARD)

Ref. No.	Part No. SP Description	Ref. No. or Q'ty	Part No. SP Description
Q201	8-729-209-07 s TRANSISTOR 2SC4213-B	R46	1-216-829-11 s METAL, CHIP 4.7k 5% 1/16W
Q203	8-729-120-28 s TRANSISTOR 2SC1623-L5L6	R47	1-216-829-11 s METAL, CHIP 4.7k 5% 1/16W
Q204	8-729-120-28 s TRANSISTOR 2SC1623-L5L6	R48	1-216-820-11 s METAL, CHIP 820 5% 1/16W
Q207	8-729-120-53 s TRANSISTOR 2SJ132-Z	R49	1-216-815-11 s METAL, CHIP 330 5% 1/16W
Q208	8-729-120-28 s TRANSISTOR 2SC1623-L5L6	R50	1-216-815-11 s METAL, CHIP 330 5% 1/16W
Q209	8-729-220-93 s TRANSISTOR 2SK209-G	R51	1-216-815-11 s METAL, CHIP 330 5% 1/16W 1-216-812-11 s METAL, CHIP 180 5% 1/16W 1-216-820-11 s METAL, CHIP 820 5% 1/16W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W 1-216-097-00 s METAL, CHIP 100k 5% 1/10W
Q210	8-729-106-68 s TRANSISTOR 2SC1615A-GP	R52	
Q211	8-729-905-23 s TRANSISTOR 2SA1576-R	R55	
Q212	8-729-807-51 s TRANSISTOR 2SD1623-S	R56	
Q213	8-729-120-28 s TRANSISTOR 2SC1623-L5L6	R57	
Q214	8-729-120-28 s TRANSISTOR 2SC1623-L5L6	R58	1-216-097-00 s METAL, CHIP 100k 5% 1/10W 1-216-097-00 s METAL, CHIP 100k 5% 1/10W 1-216-097-00 s METAL, CHIP 100k 5% 1/10W 1-216-025-00 s METAL, CHIP 100 5% 1/10W 1-216-833-11 s METAL, CHIP 10k 5% 1/16W
Q215	8-729-905-23 s TRANSISTOR 2SA1576-R	R59	
Q216	8-729-141-75 s TRANSISTOR 2SD596DV345	R60	
Q217	8-729-141-75 s TRANSISTOR 2SD596DV345	R61–65	
Q402	8-729-923-99 s TRANSISTOR DTA114YU	R68	
Q404	8-729-120-53 s TRANSISTOR 2SJ132-Z	R69	1-216-816-11 s METAL, CHIP 390 5% 1/16W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-841-11 s METAL, CHIP 47k 5% 1/16W 1-216-041-00 s METAL, CHIP 470 5% 1/10W 1-216-851-11 s METAL, CHIP 330k 5% 1/16W
Q405	8-729-905-23 s TRANSISTOR 2SA1576-R	R70	
Q406	8-729-807-51 s TRANSISTOR 2SD1623-S	R71	
Q407	8-729-220-93 s TRANSISTOR 2SK209-G	R74	
Q408	8-729-106-68 s TRANSISTOR 2SC1615A-GP	R76	
Q409	8-729-120-28 s TRANSISTOR 2SC1623-L5L6	R77	1-216-821-11 s METAL, CHIP 1k 5% 1/16W
Q410	8-729-905-23 s TRANSISTOR 2SA1576-R	R78	1-216-845-11 s METAL, CHIP 100k 5% 1/16W
Q411	8-729-141-75 s TRANSISTOR 2SD596DV345	R79	1-216-845-11 s METAL, CHIP 100k 5% 1/16W
Q412	8-729-120-28 s TRANSISTOR 2SC1623-L5L6	R81	1-216-821-11 s METAL, CHIP 1k 5% 1/16W
Q500	8-729-209-07 s TRANSISTOR 2SC4213-B	R82	1-216-821-11 s METAL, CHIP 1k 5% 1/16W
Q501 Q502 R1-6	8-729-120-28 s TRANSISTOR 2SC1623-L5L6 8-729-905-23 s TRANSISTOR 2SA1576-R 1-216-845-11 s METAL, CHIP 100k 5% 1/16W	R83 R84 R85 R86	1-216-864-11 s METAL, CHIP 0 5% 1/16W 1-216-821-11 s METAL, CHIP 1k 5% 1/16W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W 1-216-815-11 s METAL, CHIP 330 5% 1/16W
R7-12	1-216-821-11 s METAL, CHIP lk 5% 1/16W	R87	1-216-817-11 s METAL, CHIP 470 5% 1/16W
R13	1-216-845-11 s METAL, CHIP 100k 5% 1/16W	R89	1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R14	1-216-821-11 s METAL, CHIP lk 5% 1/16W	R90	1-216-833-11 s METAL, CHIP 10k 5% 1/16W
R15	1-216-818-11 s METAL, CHIP 560 5% 1/16W	R91	1-216-833-11 s METAL, CHIP 10k 5% 1/16W
R16 R17 R18 R19	1-216-851-11 s METAL, CHIP 330k 5% 1/16W 1-216-833-11 s METAL, CHIP 10k 5% 1/16W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W 1-216-821-11 s METAL, CHIP 1k 5% 1/16W	R92 R93 R94	1-216-833-11 s METAL, CHIP 10k 5% 1/16W 1-218-727-11 s METAL, CHIP 30k 0.50% 1/16W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R20	1-216-851-11 s METAL, CHIP 330k 5% 1/16W	R95	1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R21	1-216-833-11 s METAL, CHIP 10k 5% 1/16W	R96	1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R22	1-216-845-11 s METAL, CHIP 100k 5% 1/16W	R97	1-216-097-00 s METAL, CHIP 100k 5% 1/10W
R23	1-216-821-11 s METAL, CHIP 1k 5% 1/16W	R98	1-216-097-00 s METAL, CHIP 100k 5% 1/10W
R24 R25 R26 R27	1-216-820-11 s METAL, CHIP 820 5% 1/16W 1-216-851-11 s METAL, CHIP 330k 5% 1/16W 1-216-833-11 s METAL, CHIP 10k 5% 1/16W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W	R99 R100 R101 R102-106 R107	1-216-097-00 s METAL, CHIP 100k 5% 1/10W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W 1-216-841-11 s METAL, CHIP 47k 5% 1/16W 5 1-216-821-11 s METAL, CHIP 1k 5% 1/16W 1-216-841-11 s METAL, CHIP 47k 5% 1/16W
R28	1-216-821-11 s METAL, CHIP 1k 5% 1/16W	R108	1-216-817-11 s METAL, CHIP 470 5% 1/16W
R29	1-218-706-11 s METAL, CHIP 3.9k 0.50% 1/16W	R109	1-216-817-11 s METAL, CHIP 470 5% 1/16W
R30	1-218-844-11 s METAL, CHIP 750 0.5% 1/16W	R110	1-216-817-11 s METAL, CHIP 470 5% 1/16W
R31 R32 R33 R34 R35	1-218-730-11 s METAL, CHIP 39k 0.5% 1/16W 1-218-881-11 s METAL, CHIP 27k 0.5% 1/16W 1-216-821-11 s METAL, CHIP 1k 5% 1/16W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W 1-216-833-11 s METAL, CHIP 10k 5% 1/16W	R111 R113 R120 R121	1-216-817-11 s METAL, CHIP 470 5% 1/16W 1-216-864-11 s METAL, CHIP 0 5% 1/16W 1-216-841-11 s METAL, CHIP 47k 5% 1/16W 1-216-841-11 s METAL, CHIP 47k 5% 1/16W
R36	1-216-845-11 s METAL, CHIP 100k 5% 1/16W	R122	1-216-841-11 s METAL, CHIP 47k 5% 1/16W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W 1-216-081-00 s METAL, CHIP 22k 5% 1/10W
R37	1-216-833-11 s METAL, CHIP 10k 5% 1/16W	R201	
R38	1-216-841-11 s METAL, CHIP 47k 5% 1/16W	R202	
R39 R40 R41	1-216-813-11 s METAL, CHIP 220 5% 1/16W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W 1-216-821-11 s METAL, CHIP 1k 5% 1/16W	R203 R205 R206 R207	1-216-851-11 s METAL, CHIP 330k 5% 1/16W 1-216-833-11 s METAL, CHIP 10k 5% 1/16W 1-216-855-11 s METAL, CHIP 680k 5% 1/16W 1-216-829-11 s METAL, CHIP 4.7k 5% 1/16W

(SS-57C BOARD)

Ref. No. or Q'ty	Part No. SP Description	Ref. No. or Q'ty	Part No. SP Description
R208	1-216-841-11 s METAL, CHIP 47k 5% 1/16W	R278	1-216-097-00 s METAL, CHIP 100k 5% 1/10W
R209	1-216-841-11 s METAL, CHIP 47k 5% 1/16W	R279	1-216-049-00 s METAL, CHIP 1k 5% 1/10W
R210	1-216-841-11 s METAL, CHIP 47k 5% 1/16W	R281	1-216-061-00 s METAL, CHIP 3.3k 5% 1/10W
R211	1-216-841-11 s METAL, CHIP 47k 5% 1/16W	R282	1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W
R212	1-216-831-11 s METAL, CHIP 6.8k 5% 1/16W	R283	1-216-071-00 s METAL, CHIP 8.2k 5% 1/10W
R213	1-216-841-11 s METAL, CHIP 47k 5% 1/16W	R284	1-216-085-00 s METAL, CHIP 33k 5% 1/10W
R215	1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W	R285	1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W
R216	1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W	R286	1-216-853-11 s METAL, CHIP 470k 5% 1/16W
R218	1-218-708-11 s METAL, CHIP 4.7k 0.50% 1/16W	R287	1-216-853-11 s METAL, CHIP 470k 5% 1/16W
R219	1-218-708-11 s METAL, CHIP 4.7k 0.50% 1/16W	R288	1-216-854-11 s METAL, CHIP 560k 5% 1/16W
R220- R221 R222 R223 R224	1-218-708-11 s METAL, CHIP 4.7k 0.50% 1/16W 1-218-708-11 s METAL, CHIP 4.7k 0.50% 1/16W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W 1-216-081-00 s METAL, CHIP 22k 5% 1/10W 1-216-851-11 s METAL, CHIP 330k 5% 1/16W	R289 R290 R291 R292 R293	1-216-829-11 s METAL, CHIP 4.7k 5% 1/16W 1-216-841-11 s METAL, CHIP 47k 5% 1/16W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-304-11 s METAL, CHIP 3.3 5% 1/10W
R225	1-216-833-11 s METAL, CHIP 10k 5% 1/16W	R294	1-216-304-11 s METAL, CHIP 3.3 5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-081-00 s METAL, CHIP 22k 5% 1/10W 1-216-841-11 s METAL, CHIP 47k 5% 1/16W 1-216-841-11 s METAL, CHIP 47k 5% 1/16W
R226	1-216-855-11 s METAL, CHIP 680k 5% 1/16W	R295	
R227	1-216-829-11 s METAL, CHIP 4.7k 5% 1/16W	R296	
R228	1-216-841-11 s METAL, CHIP 47k 5% 1/16W	R297	
R229	1-216-845-11 s METAL, CHIP 100k 5% 1/16W	R298	
R230	1-216-841-11 s METAL, CHIP 47k 5% 1/16W	R299	1-216-841-11 s METAL, CHIP 47k 5% 1/16W 1-216-041-00 s METAL, CHIP 470 5% 1/10W
R231	1-216-797-11 s METAL, CHIP 10 5% 1/16W	R300	
R232	1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W	R301	
R233	1-216-821-11 s METAL, CHIP 1k 5% 1/16W	R302	
R234	1-216-821-11 s METAL, CHIP 1k 5% 1/16W	R303	
R235	1-216-061-00 s METAL, CHIP 3.3k 5% 1/10W	R304	1-216-849-11 s METAL, CHIP 220k 5% 1/16W 1-216-849-11 s METAL, CHIP 220k 5% 1/16W 1-216-849-11 s METAL, CHIP 220k 5% 1/16W 1-216-821-11 s METAL, CHIP 1k 5% 1/16W 1-216-821-11 s METAL, CHIP 1k 5% 1/16W
R236	1-216-053-00 s METAL, CHIP 1.5k 5% 1/10W	R305	
R237	1-216-081-00 s METAL, CHIP 22k 5% 1/10W	R306	
R238	1-216-853-11 s METAL, CHIP 470k 5% 1/16W	R307	
R239	1-216-833-11 s METAL, CHIP 10k 5% 1/16W	R308	
R240	1-216-855-11 s METAL, CHIP 680k 5% 1/16W	R309	1-216-821-11 s METAL, CHIP 1k 5% 1/16W
R241	1-216-855-11 s METAL, CHIP 680k 5% 1/16W	R310	1-216-081-00 s METAL, CHIP 22k 5% 1/10W
R242	1-216-829-11 s METAL, CHIP 4.7k 5% 1/16W	R311	1-216-081-00 s METAL, CHIP 22k 5% 1/10W
R243	1-216-833-11 s METAL, CHIP 10k 5% 1/16W	R312	1-216-089-00 s METAL, CHIP 47k 5% 1/10W
R244	1-216-845-11 s METAL, CHIP 100k 5% 1/16W	R313	1-216-085-00 s METAL, CHIP 33k 5% 1/10W
R245	1-216-829-11 s METAL, CHIP 4.7k 5% 1/16W	R314	1-216-089-00 s METAL, CHIP 47k 5% 1/10W
R246	1-216-829-11 s METAL, CHIP 4.7k 5% 1/16W	R315	1-216-085-00 s METAL, CHIP 33k 5% 1/10W
R247	1-216-041-00 s METAL, CHIP 470 5% 1/10W	R316	1-216-841-11 s METAL, CHIP 47k 5% 1/16W
R248	1-216-818-11 s METAL, CHIP 560 5% 1/16W	R318	1-216-812-11 s METAL, CHIP 180 5% 1/16W
R249	1-216-852-11 s METAL, CHIP 390k 5% 1/16W	R319	1-216-821-11 s METAL, CHIP 1k 5% 1/16W
R250	1-216-833-11 s METAL, CHIP 10k 5% 1/16W	R320	1-216-089-00 s METAL, CHIP 47k 5% 1/10W
R251	1-216-845-11 s METAL, CHIP 100k 5% 1/16W	R321	1-216-821-11 s METAL, CHIP 1k 5% 1/16W
R252	1-216-852-11 s METAL, CHIP 390k 5% 1/16W	R322	1-216-821-11 s METAL, CHIP 1k 5% 1/16W
R253	1-216-833-11 s METAL, CHIP 10k 5% 1/16W	R323	1-216-845-11 s METAL, CHIP 100k 5% 1/16W
R254-256	3 1-216-845-11 s METAL, CHIP 100k 5% 1/16W	R324	1-216-845-11 s METAL, CHIP 100k 5% 1/16W
R259-263	3 1-216-049-00 s METAL, CHIP 1k 5% 1/10W	R325	1-218-881-11 s METAL, CHIP 27k 0.5% 1/16W 1-218-881-11 s METAL, CHIP 27k 0.5% 1/16W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W
R265	1-216-097-00 s METAL, CHIP 100k 5% 1/10W	R326	
R266	1-216-097-00 s METAL, CHIP 100k 5% 1/10W	R327	
R267	1-216-089-00 s METAL, CHIP 47k 5% 1/10W	R328	
R268	1-216-085-00 s METAL, CHIP 33k 5% 1/10W	R329	
R269	1-216-840-11 s METAL, CHIP 39k 5% 1/16W	R331	1-216-841-11 s METAL, CHIP 47k 5% 1/16W
R270	1-216-081-00 s METAL, CHIP 22k 5% 1/10W	R332	1-216-833-11 s METAL, CHIP 10k 5% 1/16W
R271	1-216-840-11 s METAL, CHIP 39k 5% 1/16W	R333	1-216-833-11 s METAL, CHIP 10k 5% 1/16W
R272	1-216-843-11 s METAL, CHIP 68k 5% 1/16W	R334	1-216-306-11 s METAL, CHIP 3.9 5% 1/10W
R273	1-216-836-11 s METAL, CHIP 18k 5% 1/16W	R335	1-216-089-00 s METAL, CHIP 47k 5% 1/10W
R274	1-216-073-00 s METAL, CHIP 10k 5% 1/10W	R336	1-216-085-00 s METAL, CHIP 33k 5% 1/10W 1-216-089-00 s METAL, CHIP 47k 5% 1/10W 1-216-085-00 s METAL, CHIP 33k 5% 1/10W 1-216-826-11 s METAL, CHIP 2.7k 5% 1/16W
R275	1-216-073-00 s METAL, CHIP 10k 5% 1/10W	R337	
R276	1-216-049-00 s METAL, CHIP 1k 5% 1/10W	R338	
R277	1-216-049-00 s METAL, CHIP 1k 5% 1/10W	R401	

16-40 PVV-3P

#### (SS-57C BOARD)

#### Ref. No. or Q'ty Part No. SP Description 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R402 1-216-843-11 s METAL, CHIP 100k 5% 1/16W 1-216-857-11 s METAL, CHIP 10k 5% 1/16W 1-216-829-11 s METAL, CHIP 1M 5% 1/16W 1-216-829-11 s METAL, CHIP 4.7k 5% 1/16W R403 R404 R405 1-216-830-11 s METAL, CHIP 5.6k 5% 1/16W R409 1-218-740-11 s METAL, CHIP 100k 0.5% 1/16W 1-218-740-11 s METAL, CHIP 100k 0.5% 1/16W 1-216-849-11 s METAL, CHIP 220k 5% 1/16W 1-216-855-11 s METAL, CHIP 4.7k 5% 1/16W 1-216-855-11 s METAL, CHIP 680k 5% 1/16W R411 R412 R414 R415 1-216-829-11 s METAL, CHIP 4.7k 5% 1/16W R416 R417 1-216-821-11 s METAL, CHIP 1k 5% 1/16W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R418 1-216-833-11 s METAL, CHIP 10k 5% 1/16W R419 1-216-853-11 s METAL, CHIP 470k 5% 1/16W R420 1--216--053--00 s METAL, CHIP 1.5k 5% 1/10W 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R421 R422 1-216-083-00 s METAL, CHIP 27k 5% 1/10W 1-216-089-00 s METAL, CHIP 47k 5% 1/10W 1-216-081-00 s METAL, CHIP 22k 5% 1/10W R423 R424 R425 1-216-840-11 s METAL, CHIP 39k 5% 1/16W R426 1-216-843-11 s METAL, CHIP 68k 5% 1/16W 1-216-836-11 s METAL, CHIP 18k 5% 1/16W R427 R428 1-216-073-00 s METAL, CHIP 10k 5% 1/10W 1-216-073-00 s METAL, CHIP 10k 5% 1/10W R429 R430 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-061-00 s METAL, CHIP 3. 3k 5% 1/10W 1-216-057-00 s METAL, CHIP 2. 2k 5% 1/10W R431 R432 R433 R434 1-216-071-00 s METAL, CHIP 8.2k 5% 1/10W R435 1-216-085-00 s METAL, CHIP 33k 5% 1/10W 1-216-057-00 s METAL, CHIP 2.2k 5% 1/10W 1-216-817-11 s METAL, CHIP 470 5% 1/16W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W R436 R437 R438 R439 R440 R441 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W 1-216-841-11 s METAL, CHIP 47k 5% 1/16W 1-216-089-00 s METAL, CHIP 47k 5% 1/10W 1-216-085-00 s METAL, CHIP 33k 5% 1/10W R443 R444 R446 R447 1--216--049--00 s METAL, CHIP 1k 5% 1/10W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R448 R449 1-216-821-11 s METAL, CHIP 1k 5% 1/16W 1-216-833-11 s METAL, CHIP 10k 5% 1/16W 1-218-844-11 s METAL, CHIP 750 0.5% 1/16W R450 R452 R453 1-218-706-11 s METAL, CHIP 3.9k 0.50% 1/16W 1-216-089-00 s METAL, CHIP 47k 5% 1/10W 1-216-049-00 s METAL, CHIP 1k 5% 1/10W 1-216-097-00 s METAL, CHIP 100k 5% 1/10W R454 R455 R456 R457 1-216-821-11 s METAL, CHIP 1k 5% 1/16W R458 1-216-821-11 s METAL, CHIP 1k 5% 1/16W 1-216-797-11 s METAL, CHIP 10 5% 1/16W 1-216-833-11 s METAL, CHIP 10k 5% 1/16W 1-216-824-11 s METAL, CHIP 1.8k 5% 1/16W R459 R500 R501 R502 1-216-833-11 s METAL, CHIP 10k 5% 1/16W R503 1-216-811-11 s METAL, CHIP 150 5% 1/16W 1-216-853-11 s METAL, CHIP 470k 5% 1/16W 1-216-826-11 s METAL, CHIP 2.7k 5% 1/16W R504 R505 R506 1-216-833-11 s METAL, CHIP 10k 5% 1/16W R507

#### (SS-57C BOARD)

Ref. No. or Q'ty	Part No. SP Description
R508 R509 R510 R511 R512	1-216-833-11 s METAL, CHIP 10k 5% 1/16W 1-216-853-11 s METAL, CHIP 470k 5% 1/16W 1-216-821-11 s METAL, CHIP 1k 5% 1/16W 1-216-829-11 s METAL, CHIP 4.7k 5% 1/16W 1-216-829-11 s METAL, CHIP 4.7k 5% 1/16W
R513 R514	1-216-853-11 s METAL, CHIP 470k 5% 1/16W 1-216-821-11 s METAL, CHIP 1k 5% 1/16W
S1	1-572-719-11 s SWITCH, PUSH
X1 X201	1-760-337-21 s CRYSTAL 12.00MHz 1-760-337-21 s CRYSTAL 12.00MHz

TC-86C E	DOARD	(TC-86C	BOARD)
Ref. No.	Part No. SP Description	Ref. No	Part No. SP Description
1pc	A-8310-456-A o MOUNTED CIRCUIT BOARD, TC-86C	C304	1-128-020-11 s ELECT, CHIP 10uF 6.3V
· BT911	1-550-104-32 s HOLDER, BATTERY	C403 C404 C501	1-124-779-00 s ELECT 10uF 20% 16V 1-128-020-11 s ELECT, CHIP 10uF 6.3V 1-164-360-11 s CERAMIC, CHIP 0.1uF 16V
C10 C11	1-164-360-11 s CERAMIC, CHIP 0.1uF 16V 1-124-779-00 s ELECT 10uF 20% 16V	C502	1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V
C12 C13 C14	1-164-360-11 s CERAMIC, CHIP 0.1uF 16V 1-124-779-00 s ELECT 10uF 20% 16V 1-164-360-11 s CERAMIC, CHIP 0.1uF 16V	C503 C504 C505	1-164-360-11 s CERAMIC, CHIP 0.1uF 16V 1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V 1-164-360-11 s CERAMIC, CHIP 0.1uF 16V
C15 C16	1-162-917-11 s CERAMIC, CHIP 15pF 5% 50V 1-126-397-11 s ELECT, CHIP 33uF 20% 25V	C506 C507	1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V 1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V
C17 · C18	1-164-360-11 s CERAMIC, CHIP 0.1uF 16V 1-128-020-11 s ELECT, CHIP 10uF 6.3V	C508 C509	1-164-360-11 s CERAMIC, CHIP 0.1uF 16V 1-164-360-11 s CERAMIC, CHIP 0.1uF 16V
C19 C20	1-128-020-11 s ELECT, CHIP 10uF 6.3V 1-162-918-11 s CERAMIC, CHIP 18pF 5% 50V	C510 C511 C512	1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V 1-164-360-11 s CERAMIC, CHIP 0.1uF 16V
C21 C22	1-162-917-11 s CERAMIC, CHIP 15pF 5% 50V 1-162-917-11 s CERAMIC, CHIP 15pF 5% 50V	C512	1-124-779-00 s ELECT 10uF 20% 16V 1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V
C23 C24	1-162-920-11 s CERAMIC, CHIP 27pF 5% 50V 1-126-390-11 s ELECT, CHIP 22uF 20% 6.3V	C550 C551	1-164-360-11 s CERAMIC, CHIP 0.1uF 16V 1-163-215-00 s CERAMIC, CHIP 0.0027uF 5% 50V
C25 C101	1-164-360-11's CERAMIC, CHIP 0.1uF 16V 1-164-315-11 s CERAMIC, CHIP 470pF 5% 50V	C552 C553	1-163-141-00 s CERAMIC, CHIP 0.001uF 5% 50V 1-162-959-11 s CERAMIC, CHIP 330pF 5% 50V
C102 C103 C104	1-126-193-11 s ELECT 1uF 20% 50V 1-128-049-11 s ELECT, CHIP 1uF 50V 1-164-315-11 s CERAMIC, CHIP 470pF 5% 50V	C554 C556	1-107-498-11 s FILM, CHIP 0.0022uF 2% 50V 1-163-809-11 s CERAMIC, CHIP 0.047uF 10% 25V
C104	1-126-193-11 s ELECT 1uF 20% 50V	C557 C559 C560	1-107-498-11 s FILM, CHIP 0.0022uF 2% 50V 1-107-499-11 s FILM, CHIP 0.0039uF 2% 16V 1-163-135-00 s CERAMIC, CHIP 560pF 5% 50V
C106 C107 C108	1-162-915-11 s CERAMIC, CHIP 10pF 50V 1-162-915-11 s CERAMIC, CHIP 10pF 50V 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V	C561 C562	1-135-145-11 s TANTALUM, CHIP 0.47uF 10% 35V
C109	1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V	C562 C563 C564	1-164-492-11 s CERAMIC, CHIP 0.15uF 10% 16V 1-164-695-11 s CERAMIC 0.0022uF 5% 50V 1-107-828-11 s FILM, CHIP 0.015uF 2% 16V
C110 C111 C112	1-163-145-00 s CERAMIC, CHIP 0.0015uF 5% 50V 1-163-137-00 s CERAMIC, CHIP 680pF 5% 50V 1-128-020-11 s ELECT, CHIP 10uF 6.3V	C565 C566	1-164-346-11 s CERAMIC 1uF 16V
C113 C114	1-126-390-11 s ELECT, CHIP 22uF 20% 6.3V 1-124-779-00 s ELECT 10uF 20% 16V	C567 C568	1-164-489-11 s CERAMIC, CHIP 0.22uF 10% 16V 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V 1-107-829-11 s FILM, CHIP 0.056uF 2% 16V
C115 C116	1-162-923-11 s CERAMIC, CHIP 47pF 5% 50V 1-124-779-00 s ELECT 10uF 20% 16V	C570 C571	1-163-020-00 s CERAMIC, CHIP 0.0082uF 10% 50V 1-164-346-11 s CERAMIC 1uF 16V
C117 C118	1-126-398-11 s ELECT, CHIP 4.7uF 20% 35V 1-124-779-00 s ELECT 10uF 20% 16V	C572 C573	1-107-553-11 s FILM, CHIP 0.0056uF 2% 16V 1-163-139-00 s CERAMIC, CHIP 820pF 5% 50V
C119 C201	1-126-391-11 s ELECT, CHIP 47uF 20% 6.3V 1-164-315-11 s CERAMIC, CHIP 470pF 5% 50V	C574 C575 C576	1-107-827-11 s FILM, CHIP 0.01uF 2% 16V 1-164-695-11 s CERAMIC 0.0022uF 5% 50V 1-128-020-11 s ELECT, CHIP 10uF 6.3V
C202 C203	1-126-193-11 s ELECT 1uF 20% 50V 1-128-049-11 s ELECT, CHIP 1uF 50V	C601	1-164-360-11 s CERAMIC, CHIP 0.1uF 16V
C204 C205	1-164-315-11 s CERAMIC, CHIP 470pF 5% 50V 1-126-193-11 s ELECT 1uF 20% 50V	C602 C603 C604	1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V 1-164-360-11 s CERAMIC, CHIP 0.1uF 16V 1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V
C206 C207	1-162-915-11 s CERAMIC, CHIP 10pF 50V 1-162-915-11 s CERAMIC, CHIP 10pF 50V	C605	1-164-360-11 s CERAMIC, CHIP 0.1uF 16V
C208 C209 C210	1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V 1-163-145-00 s CERAMIC, CHIP 0.0015uF 5% 50V	C606 C607 C608	1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V 1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V 1-164-360-11 s CERAMIC, CHIP 0.1uF 16V
C211	1-163-137-00 s CERAMIC, CHIP 680pF 5% 50V 1-126-390-11 s ELECT, CHIP 22uF 20% 6.3V	C609 C610	1-164-360-11 s CERAMIC, CHIP 0.1uF 16V 1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V
C213 C214 C215	1-120-390-11 S ELECT, CHIP 22UF 20% 6.5V 1-124-779-00 S ELECT 10uF 20% 16V 1-162-923-11 S CERAMIC, CHIP 47pF 5% 50V	C611 C612	1-164-360-11 s CERAMIC, CHIP 0.1uF 16V 1-124-779-00 s ELECT 10uF 20% 16V
C216 C217	1-124-779-00 s ELECT 10uF 20% 16V 1-126-398-11 s ELECT, CHIP 4.7uF 20% 35V	C613 C650 C651	1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V 1-164-360-11 s CERAMIC, CHIP 0.1uF 16V
C218 C219	1-124-779-00 s ELECT 10uF 20% 16V 1-126-391-11 s ELECT, CHIP 47uF 20% 6.3V	C652	1-163-215-00 s CERAMIC, CHIP 0.0027uF 5% 50V 1-163-141-00 s CERAMIC, CHIP 0.001uF 5% 50V
C220 C303	1-126-390-11 s ELECT, CHIP 22uF 20% 6.3V 1-124-779-00 s ELECT 10uF 20% 16V	C653 C654 C656	1-162-959-11 s CERAMIC, CHIP 330pF 5% 50V 1-107-498-11 s FILM, CHIP 0.0022uF 2% 50V 1-163-809-11 s CERAMIC, CHIP 0.047uF 10% 25V
		0000	1-100-009-11 S CERAMIC, CHIP 0.04/UF 10% 25V

16-42

PVV-3P

(TC-86C	BOARD)	(TC-86C	BOARD)
Ref. No. or Q'ty	Part No. SP Description	Ref. No. or Q'ty	Part No. SP Description
IC502	8-759-700-43 s IC NJM4558M	Q211	8-729-907-00 s TRANSISTOR DTC114EU
IC503	8-759-700-43 s IC NJM4558M	Q213	8-729-117-16 s TRANSISTOR 2SA1611-M6
IC504	8-759-700-43 s IC NJM4558M	Q214	8-729-905-18 s TRANSISTOR DTC144EU
IC550	8-752-031-28 s IC CXA1098Q	Q215	8-729-905-12 s TRANSISTOR DTA144EU
IC602	8-759-700-43 s IC NJM4558M	Q216	8-729-905-18 s TRANSISTOR DTC144EU
IC603	8-759-700-43 s IC NJM4558M	Q217	8-729-117-32 s TRANSISTOR 2SC4177
IC701	8-759-144-75 s IC UPC4572G2-E2	Q218	8-729-905-18 s TRANSISTOR DTC144EU
IC702	8-759-710-77 s IC NJM4560MD	Q301	8-729-117-32 s TRANSISTOR 2SC4177
IC703	8-759-711-58 s IC NJM78L05UA	Q302	8-729-117-32 s TRANSISTOR 2SC4177
IC705	8-759-075-68 s IC TC4066BFS	Q401	8-729-117-32 s TRANSISTOR 2SC4177
IC708	8-759-700-50 s IC NJM386M	Q402	8-729-117-32 s TRANSISTOR 2SC4177
IC801	8-759-944-79 s IC CXD1132Q	Q550	8-729-905-12 s TRANSISTOR DTA144EU
IC802	8-759-925-74 s IC TC74HC04ANS	Q704	8-729-141-75 s TRANSISTOR 2SD596DV345
IC803	8-759-300-71 s IC HD14053BFP	Q705	8-729-117-32 s TRANSISTOR 2SC4177
IC804	8-759-300-71 s IC HD14053BFP	Q706	8-729-141-48 s TRANSISTOR 2SB624-BV345
IC805 IC806 IC807 IC911	8-759-700-45 s IC NJM4556M-A 8-759-100-94 s IC UPC358G2 8-759-009-02 s IC MC14046BF 8-759-946-03 s IC S-8054ALR-LN-S	Q707 Q708 Q709 Q711 Q712	8-729-905-18 s TRANSISTOR DTC144EU 8-729-141-48 s TRANSISTOR 2SB624-BV345 8-729-905-12 s TRANSISTOR DTA144EU 8-729-141-48 s TRANSISTOR 2SB624-BV345 8-729-905-18 s TRANSISTOR DTC144EU
L2	1-410-393-11 s INDUCTOR, CHIP 100uH	Q713	8-729-141-75 s TRANSISTOR 2SD596DV345
L3	1-410-393-11 s INDUCTOR, CHIP 100uH	Q714	8-729-905-12 s TRANSISTOR DTA144EU
L4	1-410-381-11 s INDUCTOR, CHIP 10uH	Q715	8-729-905-12 s TRANSISTOR DTA144EU
L101	1-410-380-31 s INDUCTOR, CHIP 8.2uH	Q801	8-729-905-18 s TRANSISTOR DTC144EU
L102	1-410-380-31 s INDUCTOR, CHIP 8.2uH	Q901	8-729-230-49 s TRANSISTOR 2SC2712-YG
L201 L202 L701 L702 L703	1-410-380-31 s INDUCTOR, CHIP 8.2uH 1-410-380-31 s INDUCTOR, CHIP 8.2uH 1-410-380-31 s INDUCTOR, CHIP 8.2uH 1-410-380-31 s INDUCTOR, CHIP 8.2uH 1-408-797-11 s INDUCTOR, CHIP 470uH	Q902 Q911 Q912 Q913 Q914	8-729-230-49 s TRANSISTOR 2SC2712-YG 8-729-905-23 s TRANSISTOR 2SA1576-R 8-729-920-39 s TRANSISTOR IMT1US 8-729-142-90 s TRANSISTOR 2SK853-K5 8-729-920-39 s TRANSISTOR IMT1US
L901	1-410-369-11 s INDUCTOR CHIP 1uH	Q915	8-729-905-18 s TRANSISTOR DTC144EU
L911	1-410-381-11 s INDUCTOR, CHIP 10uH	Q916	8-729-117-32 s TRANSISTOR 2SC4177
ND1	1-810-463-11 s LCD	Q917	8-729-907-26 s TRANSISTOR IMX1
Q1	8-729-905-18 s TRANSISTOR DTC144EU	R1	1-216-812-11 s METAL, CHIP 180 5% 1/16W
Q2	8-729-905-18 s TRANSISTOR DTC144EU	R2	1-216-845-11 s METAL, CHIP 100k 5% 1/16W
Q101	8-729-117-32 s TRANSISTOR 2SC4177	R3	1-216-845-11 s METAL, CHIP 100k 5% 1/16W
Q102	8-729-905-12 s TRANSISTOR DTA144EU	R4	1-216-845-11 s METAL, CHIP 100k 5% 1/16W
Q104	8-729-905-18 s TRANSISTOR DTC144EU	R5-10	1-216-821-11 s METAL, CHIP 100k 5% 1/16W
Q106	8-729-117-32 s TRANSISTOR 2SC4177	R11-21	1-216-845-11 s METAL, CHIP 100k 5% 1/16W 1-216-821-11 s METAL, CHIP 1k 5% 1/16W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W 1-216-821-11 s METAL, CHIP 1k 5% 1/16W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W
Q107	8-729-905-18 s TRANSISTOR DTC144EU	R22-32	
Q108	8-729-117-32 s TRANSISTOR 2SC4177	R33	
Q109	8-729-117-32 s TRANSISTOR 2SC4177	R34	
Q110	8-729-117-32 s TRANSISTOR 2SC4177	R35-39	
Q111	8-729-907-00 s TRANSISTOR DTC114EU	R40	1-216-833-11 s METAL, CHIP 10k 5% 1/16W 1-216-809-11 s METAL, CHIP 100 5% 1/16W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W 1-216-821-11 s METAL, CHIP 1k 5% 1/16W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W
Q113	8-729-117-16 s TRANSISTOR 2SA1611-M6	R42	
Q114	8-729-905-18 s TRANSISTOR DTC144EU	R43	
Q115	8-729-905-12 s TRANSISTOR DTA144EU	R44	
Q116	8-729-905-18 s TRANSISTOR DTC144EU	R45	
Q117	8-729-117-32 s TRANSISTOR 2SC4177	R46	1-216-821-11 s METAL, CHIP 1k 5% 1/16W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W 1-216-809-11 s METAL, CHIP 100 5% 1/16W 1-216-809-11 s METAL, CHIP 100 5% 1/16W
Q118	8-729-905-18 s TRANSISTOR DTC144EU	R47	
Q201	8-729-117-32 s TRANSISTOR 2SC4177	R48	
Q202	8-729-905-12 s TRANSISTOR DTA144EU	R49	
Q204	8-729-905-18 s TRANSISTOR DTC144EU	R50	
Q206	8-729-117-32 s TRANSISTOR 2SC4177	R51	1-216-809-11 s METAL, CHIP 100 5% 1/16W 1-216-833-11 s METAL, CHIP 10k 5% 1/16W 1-216-833-11 s METAL, CHIP 10k 5% 1/16W 1-216-837-11 s METAL, CHIP 22k 5% 1/16W 1-216-837-11 s METAL, CHIP 22k 5% 1/16W
Q207	8-729-905-18 s TRANSISTOR DTC144EU	R52	
Q208	8-729-117-32 s TRANSISTOR 2SC4177	R53	
Q209	8-729-117-32 s TRANSISTOR 2SC4177	R54	
Q210	8-729-117-32 s TRANSISTOR 2SC4177	R55	

16-44 PVV-3P

(TC-86C BOARD)

Ref. No. or Q'ty Part No. SP Description	Ref. No. or Q'ty Part No. SP Description
R56 1-216-837-11 s METAL, CHIP 22k 5% 1/16W R57 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R59 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R60 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R61 1-216-845-11 s METAL, CHIP 100k 5% 1/16W	R125 1-218-705-11 s METAL, CHIP 3.6k 0.5% 1/16W R126 1-216-809-11 s METAL, CHIP 100 5% 1/16W R127 1-218-699-11 s METAL, CHIP 2k 0.5% 1/16W R128 1-218-867-11 s METAL, CHIP 6.8k 0.5% 1/16W R129 1-218-692-11 s METAL, CHIP 1k 0.5% 1/16W
R62 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R63 1-216-809-11 s METAL, CHIP 100 5% 1/16W R64 1-216-809-11 s METAL, CHIP 100 5% 1/16W R65 1-216-809-11 s METAL, CHIP 100 5% 1/16W R66 1-216-845-11 s METAL, CHIP 100k 5% 1/16W	R130 1-218-746-11 s METAL, CHIP 180k 0.5% 1/16W R131 1-216-801-11 s METAL, CHIP 22 5% 1/16W R132 1-216-810-11 s METAL, CHIP 120 5% 1/16W R133 1-218-684-11 s METAL, CHIP 470 0.5% 1/16W R134 1-218-722-11 s METAL, CHIP 18k 0.5% 1/16W
R67 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R68 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R69 1-216-821-11 s METAL, CHIP 1k 5% 1/16W R70 1-216-821-11 s METAL, CHIP 1k 5% 1/16W R71 1-216-821-11 s METAL, CHIP 1k 5% 1/16W	R135 1-216-841-11 s METAL, CHIP 47k 5% 1/16W R136 1-218-716-11 s METAL, CHIP 10k 0.5% 1/16W R137 1-218-723-11 s METAL, CHIP 20k 0.50% 1/16W R138 1-216-833-11 s METAL, CHIP 10k 5% 1/16W R139 1-218-723-11 s METAL, CHIP 20k 0.50% 1/16W
R72 1-216-809-11 s METAL, CHIP 100 5% 1/16W R73 1-216-864-11 s METAL, CHIP 0 5% 1/16W R74 1-216-821-11 s METAL, CHIP 1k 5% 1/16W R75 1-216-821-11 s METAL, CHIP 1k 5% 1/16W R76 1-216-821-11 s METAL, CHIP 1k 5% 1/16W	R140 1-218-684-11 s METAL, CHIP 470 0.5% 1/16W R141 1-218-702-11 s METAL, CHIP 2.7k 0.5% 1/16W R142 1-216-833-11 s METAL, CHIP 10k 5% 1/16W R143 1-216-817-11 s METAL, CHIP 470 5% 1/16W R144 1-216-833-11 s METAL, CHIP 10k 5% 1/16W
R77 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R78 1-216-809-11 s METAL, CHIP 100 5% 1/16W R79 1-216-809-11 s METAL, CHIP 100 5% 1/16W R80 1-216-809-11 s METAL, CHIP 100 5% 1/16W R81 1-216-809-11 s METAL, CHIP 100 5% 1/16W	R145 1-216-849-11 s METAL, CHIP 220k 5% 1/16W R146 1-216-829-11 s METAL, CHIP 4.7k 5% 1/16W R147 1-216-809-11 s METAL, CHIP 100 5% 1/16W R149 1-216-864-11 s METAL, CHIP 0 5% 1/16W R150 1-218-688-11 s METAL, CHIP 680 0.50% 1/16W
R82 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R83 1-216-864-11 s METAL, CHIP 0 5% 1/16W R84 1-216-851-11 s METAL, CHIP 330k 5% 1/16W R85 1-216-821-11 s METAL, CHIP 1k 5% 1/16W R86 1-216-827-11 s METAL, CHIP 3.3k 5% 1/16W	R151 1-218-688-11 s METAL, CHIP 680 0.50% 1/16W R156-163 1-218-867-11 s METAL, CHIP 6.8k 0.5% 1/16W R165 1-218-874-11 s METAL, CHIP 13k 0.5% 1/16W R166 1-218-874-11 s METAL, CHIP 13k 0.5% 1/16W R167 1-218-874-11 s METAL, CHIP 13k 0.5% 1/16W
R87 1-216-838-11 s METAL, CHIP 27k 5% 1/16W R89 1-216-797-11 s METAL, CHIP 10 5% 1/16W R90 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R91 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R92 1-216-821-11 s METAL, CHIP 1k 5% 1/16W	R168 1-218-874-11 s METAL, CHIP 13k 0.5% 1/16W R171 1-216-853-11 s METAL, CHIP 470k 5% 1/16W R172 1-218-874-11 s METAL, CHIP 13k 0.5% 1/16W R173 1-218-874-11 s METAL, CHIP 13k 0.5% 1/16W R174 1-218-670-11 s METAL, CHIP 120 0.5% 1/16W
R93 1-216-809-11 s METAL, CHIP 100 5% 1/16W R95 1-216-833-11 s METAL, CHIP 10k 5% 1/16W R96 1-216-833-11 s METAL, CHIP 10k 5% 1/16W R97 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R98 1-216-837-11 s METAL, CHIP 22k 5% 1/16W	R175 1-216-841-11 s METAL, CHIP 47k 5% 1/16W R201 1-216-838-11 s METAL, CHIP 27k 5% 1/16W R202 1-216-833-11 s METAL, CHIP 10k 5% 1/16W R203 1-216-841-11 s METAL, CHIP 47k 5% 1/16W R204 1-218-695-11 s METAL, CHIP 1.3k 0.5% 1/16W
R99 1-216-837-11 s METAL, CHIP 22k 5% 1/16W R101 1-216-838-11 s METAL, CHIP 27k 5% 1/16W R102 1-216-833-11 s METAL, CHIP 10k 5% 1/16W R103 1-216-841-11 s METAL, CHIP 47k 5% 1/16W R104 1-218-695-11 s METAL, CHIP 1.3k 0.5% 1/16W	R205 1-218-697-11 s METAL, CHIP 1.6k 0.5% 1/16W R207 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R208 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R209 1-218-740-11 s METAL, CHIP 100k 0.5% 1/16W R210 1-218-740-11 s METAL, CHIP 100k 0.5% 1/16W
R105 1-218-697-11 s METAL, CHIP 1.6k 0.5% 1/16W R107 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R108 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R109 1-218-740-11 s METAL, CHIP 100k 0.5% 1/16W R110 1-218-740-11 s METAL, CHIP 100k 0.5% 1/16W	R211 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R212 1-218-702-11 s METAL, CHIP 2.7k 0.5% 1/16W R213 1-218-677-11 s METAL, CHIP 240 0.5% 1/16W R214 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R215-220 1-218-708-11 s METAL, CHIP 4.7k 0.5% 1/16W
R111 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R112 1-218-702-11 s METAL, CHIP 2.7k 0.5% 1/16W R113 1-218-677-11 s METAL, CHIP 240 0.5% 1/16W R114 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R115-120 1-218-708-11 s METAL, CHIP 4.7k 0.50% 1/16W	R221 1-218-736-11 s METAL, CHIP 68k 0.5% 1/16W R222 1-218-744-11 s METAL, CHIP 150k 0.5% 1/16W R223 1-216-809-11 s METAL, CHIP 100 5% 1/16W R224 1-218-705-11 s METAL, CHIP 3.6k 0.5% 1/16W R225 1-218-705-11 s METAL, CHIP 3.6k 0.5% 1/16W
R121 1-218-736-11 s METAL, CHIP 68k 0.5% 1/16W R122 1-218-744-11 s METAL, CHIP 150k 0.5% 1/16W R123 1-216-809-11 s METAL, CHIP 100 5% 1/16W R124 1-218-705-11 s METAL, CHIP 3.6k 0.5% 1/16W	R226 1-216-809-11 s METAL, CHIP 100 5% 1/16W R227 1-218-699-11 s METAL, CHIP 2k 0.5% 1/16W R228 1-218-867-11 s METAL, CHIP 6.8k 0.5% 1/16W R229 1-218-692-11 s METAL, CHIP 1k 0.5% 1/16W

16-46 PVV-3P

#### (TC-86C BOARD)

#### Ref. No. or Q'ty Part No. SP Description 1-216-849-11 s METAL, CHIP 220k 5% 1/16W 1-216-821-11 s METAL, CHIP 1k 5% 1/16W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W 1-216-849-11 s METAL, CHIP 220k 5% 1/16W R839 R840 R841 1-216-857-11 s METAL, CHIP 1M 5% 1/16W R842 R843 1-216-839-11 s METAL, CHIP 33k 5% 1/16W 1-216-841-11 s METAL, CHIP 47k 5% 1/16W 1-218-716-11 s METAL, CHIP 10k 0.5% 1/16W 1-216-829-11 s METAL, CHIP 4.7k 5% 1/16W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R844 R845 R846 R848 R849. 1-220-158-91 s METAL, CHIP 3.6k 5% 1/16W R851 1-216-837-11 s METAL, CHIP 22k 5% 1/16W R852 1-216-861-11 s METAL, CHIP 2.2M 5% 1/16W R853-864 1-216-809-11 s METAL, CHIP 100 5% 1/16W R865-875 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R876-880 1-216-821-11 s METAL, CHIP 1k 5% 1/16W R881 1-216-845-11 s METAL, CHIP 100k 5% 1/16W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W 1-216-821-11 s METAL, CHIP 1k 5% 1/16W R882 R883 R884 1-216-833-11 s METAL, CHIP 10k 5% 1/16W R885 R886-890 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R891 1-216-821-11 s METAL, CHIP 1k 5% 1/16W 1-216-864-11 s METAL, CHIP 0 5% 1/16W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R893 R897 1-216-845-11 s METAL, CHIP 100k 5% 1/16W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W 1-216-826-11 s METAL, CHIP 2.7k 5% 1/16W 1-216-826-11 s METAL, CHIP 2.7k 5% 1/16W R898 R899 R901 R902 1-216-826-11 s METAL, CHIP 2.7k 5% 1/16W R903 1-216-809-11 s METAL, CHIP 100 5% 1/16WR904 1-216-826-11 s METAL, CHIP 2.7k 5% 1/16W R905 1-216-809-11 s METAL, CHIP 100 5% 1/16W R906 1-216-821-11 s METAL, CHIP 1k 5% 1/16W R907 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R908 1-216-821-11 s METAL, CHIP 1k 5% 1/16W 1-216-841-11 s METAL, CHIP 47k 5% 1/16W R909 R911 1-216-841-11 s METAL, CHIP 47k 5% 1/16W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R912 R913 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R914 R915 1-216-857-11 s METAL, CHIP 1M 5% 1/16W 1-216-855-11 s METAL, CHIP 680k 5% 1/16W 1-216-839-11 s METAL, CHIP 33k 5% 1/16W R916 R917 1-216-852-11 s METAL, CHIP 390k 5% 1/16W R918 1-216-855-11 s METAL, CHIP 680k 5% 1/16W R919 1-216-809-11 s METAL, CHIP 100 5% 1/16W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R920 R921 1-216-861-11 s METAL, CHIP 2.2M 5% 1/16W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R922 R923 1-216-833-11 s METAL, CHIP 10k 5% 1/16W R924 1-216-821-11 s METAL, CHIP 1k 5% 1/16W 1-216-861-11 s METAL, CHIP 2.2M 5% 1/16W 1-216-843-11 s METAL, CHIP 68k 5% 1/16W 1-216-851-11 s METAL, CHIP 330k 5% 1/16W R925 R926 R927 R928 1-216-845-11 s METAL, CHIP 100k 5% 1/16W R929 R930 1-216-845-11 s METAL, CHIP 100k 5% 1/16W 1-216-857-11 s METAL, CHIP 1M 5% 1/16W 1-216-845-11 s METAL, CHIP 100k 5% 1/16W 1-216-838-11 s METAL, CHIP 27k 5% 1/16W R931 R932 R933

#### (TC-86C BOARD)

Ref. No. or Q'ty	Part No. SP Description
R934 R935 R991	1-216-809-11 s METAL, CHIP 100 5% 1/16W 1-216-809-11 s METAL, CHIP 100 5% 1/16W 1-216-809-11 s METAL, CHIP 100 5% 1/16W
RV101 RV102 RV201 RV202 RV302	1-238-087-11 s RES, ADJ METAL 1k 1-230-337-11 s RES, VAR CARBON 10k 1-238-087-11 s RES, ADJ METAL 1k
RV402 RV701 RV702 RV703	1-230-337-11 s RES. VAR CARBON 10k
S1 S2 S3 S4 S5	1-572-855-11 s SWITCH, SLIDE 1-572-855-11 s SWITCH, SLIDE 1-570-910-21 s SWITCH, PUSH 1-570-910-21 s SWITCH, PUSH 1-570-910-21 s SWITCH, PUSH
\$6 \$7 \$8 \$11 \$13	1-572-855-11 s SWITCH, SLIDE 1-570-910-21 s SWITCH, PUSH 1-572-272-11 s SWITCH, SLIDE 1-570-910-21 s SWITCH, PUSH 1-572-272-11 s SWITCH, SLIDE
\$101 \$102 \$103 \$201 \$202	1-572-272-11 s SWITCH, SLIDE 1-572-272-11 s SWITCH, SLIDE
S203 S550 S701	1-572-272-11 s SWITCH, SLIDE 1-571-506-41 s SWITCH, SLIDE 1-570-096-11 s SWITCH, SLIDE
X1 X2 X3 X802	1-579-843-11 s CRYSTAL 4.194304MHz 1-527-997-21 s CRYSTAL 32.768kHz 1-579-843-11 s CRYSTAL 4.194304MHz 1-760-429-11 s CRYSTAL 14.50MHz

16-48 PVV-3P

VO-46C BOARD		(VO-46C BOARD)		
Ref. No. or Q'ty	Part No. SP Description	Ref. No. or Q'ty Part	No.	SP Description
1pc	A-8310-457-A o MOUNTED CIRCUIT BOARD, VO-46C			s CERAMIC, CHIP 27pF 5% 50V
C100 C103 C104 C105	1-126-206-11 s ELECT 100uF 20% 6.3V 1-126-205-11 s ELECT 47uF 20% 6.3V 1-162-922-11 s CERAMIC, CHIP 39pF 5% 50V 1-162-919-11 s CERAMIC, CHIP 22pF 5% 50V	C258 1-16 C300 1-12 C301 1-12	64–156–11 66–205–11 66–205–11	s CERAMIC, CHIP 0.1uF 25V s CERAMIC, CHIP 0.1uF 25V s ELECT 47uF 20% 6.3V s ELECT 47uF 20% 6.3V
C106 C107	1-162-921-11 s CERAMIC, CHIP 33pF 5% 50V 1-162-921-11 s CERAMIC, CHIP 33pF 5% 50V	C303 1-16	4-227-11	s CERAMIC, CHIP 0.022uF 10% 25V s CERAMIC, CHIP 0.022uF 10% 25V s CERAMIC, CHIP 27pF 5% 50V
C108 C109 C110	1-126-206-11 s ELECT 100uF 20% 6.3V 1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V 1-164-227-11 s CERAMIC, CHIP 0.022uF 10% 25V	C305 1-16	2-919-11	s CERAMIC, CHIP 22pF 5% 50V s TANTALUM, CHIP 1uF 10% 25V
C111	1-162-967-11 s CERAMIC, CHIP 3300pF 10% 50V	C308 1-13		s ELECT 47uF 20% 6.3V s TANTALUM, CHIP 1uF 10% 25V
C112 C114 C115 C117	1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V 1-104-923-11 s MICA, CHIP 180pF 0.25% 50V 1-162-910-11 s CERAMIC, CHIP 5pF 50V 1-162-905-11 s CERAMIC, CHIP 1pF 50V	C313 1-13 C315 1-12	85–166–21 26–205–11	s CERAMIC, CHIP 12pF 5% 50V s TANTALUM, CHIP 47uF 10% 10V s ELECT 47uF 20% 6.3V
C118	1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V	C351 1-12	26-205-11	s ELECT 47uF 20% 6.3V s ELECT 47uF 20% 6.3V
C119 C120 C121 C122	1-135-167-21 s TANTALUM, CHIP 68uF 10% 6.3V 1-135-157-21 s TANTALUM, CHIP 10uF 10% 6.3V 1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V 1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V	C353 1-16	4-227-11	s CERAMIC, CHIP 0.022uF 10% 25V s CERAMIC, CHIP 0.022uF 10% 25V s CERAMIC, CHIP 27pF 5% 50V
C123 C124	1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V	C356 1-13	35-177-21	s CERAMIC, CHIP 22pF 5% 50V s TANTALUM, CHIP 1uF 10% 25V s ELECT 47uF 20% 6.3V
C125 C126 C127	1-126-206-11 s ELECT 100uF 20% 6.3V 1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V 1-164-456-11 s CERAMIC, CHIP 24pF 5% 50V	C358 1-13	35-177-21	s TANTALUM, CHIP 1uF 10% 25V s CERAMIC, CHIP 12pF 5% 50V
C127 C128	1-164-218-11 s CERAMIC, CHIP 180pF 5% 50V			s TANTALUM, CHIP 47uF 10% 10V s ELECT 47uF 20% 6.3V
C129 C130 C131	1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V 1-162-921-11 s CERAMIC, CHIP 33pF 5% 50V 1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V	C402 1-16	4-227-11	s ELECT 47uF 20% 6.3V s CERAMIC, CHIP 0.022uF 10% 25V s CERAMIC, CHIP 22pF 5% 50V
C132 C133	1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V 1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V			s CERAMIC, CHIP 22pF 5% 50V s CERAMIC, CHIP 47pF 5% 50V
C134 C135 C136	1-164-227-11 s CERAMIC, CHIP 0.022uF 10% 25V 1-126-205-11 s ELECT 47uF 20% 6.3V 1-164-227-11 s CERAMIC, CHIP 0.022uF 10% 25V	C406 1-16 C407 1-12	52-921-11 36-205-11	s CERAMIC, CHIP 33pF 5% 50V s ELECT 47uF 20% 6.3V s CERAMIC, CHIP 0.022uF 10% 25V
C137 C140	1-126-205-11 s ELECT 47uF 20% 6.3V 1-162-915-11 s CERAMIC, CHIP 10pF 50V			s TANTALUM, CHIP 10uF 10% 6.3V
C141 C142	1-162-921-11 s CERAMIC, CHIP 33pF 5% 50V 1-135-157-21 s TANTALUM, CHIP 10uF 10% 6.3V 1-126-205-11 s ELECT 47uF 20% 6.3V	C411 1-16 C412 1-16	52-927-11 54-004-11	s CERAMIC, CHIP 330pF 5% 50V s CERAMIC, CHIP 100pF 5% 50V s CERAMIC, CHIP 0.1uF 10% 25V s CERAMIC, CHIP 0.1uF 10% 25V
C144 C145 C146	1-126-205-11 s ELECT 47dr 20% 0.3V 1-126-205-11 s ELECT 47dF 20% 6.3V 1-162-919-11 s CERAMIC, CHIP 22pF 5% 50V			s CERAMIC, CHIP 470pF 5% 50V
C147	1-162-919-11 s CERAMIC, CHIP 22pF 5% 50V	C415 1-16 C416 1-16	52-917-11 54-227-11	s CERAMIC, CHIP 15pF 5% 50V s CERAMIC, CHIP 0.022uF 10% 25V
C200 C201 C202	1-164-005-11 s CERAMIC, CHIP 0.47uF 25V 1-162-923-11 s CERAMIC, CHIP 47pF 5% 50V 1-164-156-11 s CERAMIC, CHIP 0.1uF 25V	C418 1-16	2-919-11	s CERAMIC, CHIP 47pF 5% 50V s CERAMIC, CHIP 22pF 5% 50V
C203	1-164-156-11 s CERAMIC, CHIP 0.1uF 25V	C420 1-16	2-923-11	s CERAMIC, CHIP 22pF 5% 50V s CERAMIC, CHIP 47pF 5% 50V
C204 C205 C206 C208	1-164-156-11 s CERAMIC, CHIP 0.1uF 25V 1-164-156-11 s CERAMIC, CHIP 0.1uF 25V 1-164-005-11 s CERAMIC, CHIP 0.47uF 25V 1-164-005-11 s CERAMIC, CHIP 0.47uF 25V	C422 1-12	6-205-11	s CERAMIC, CHIP 47pF 5% 50V s ELECT 47uF 20% 6.3V s TANTALUM, CHIP 1uF 10% 25V
C209	1-164-156-11 s CERAMIC, CHIP 0.1uF 25V			s CERAMIC, CHIP 0.1uF 10% 25V s CERAMIC, CHIP 0.1uF 25V
C210 C211 C212	1-126-206-11 s ELECT 100uF 20% 6.3V 1-164-156-11 s CERAMIC, CHIP 0.1uF 25V 1-126-206-11 s ELECT 100uF 20% 6.3V	C427 1-126 C452 1-126	6-205-11 6-205-11	s ELECT 47uF 20% 6.3V s ELECT 47uF 20% 6.3V s ELECT 47uF 20% 6.3V
C251 C252	1-126-205-11 s ELECT 47uF 20% 6.3V 1-164-227-11 s CERAMIC, CHIP 0.022uF 10% 25V			s CERAMIC, CHIP 0.022uF 10% 25V s CERAMIC, CHIP 0.022uF 10% 25V
C253 C254	1-164-156-11 s CERAMIC, CHIP 0.1uF 25V 1-164-156-11 s CERAMIC, CHIP 0.1uF 25V	C456 1-120	6-205-11	s ELECT 47uF 20% 6.3V s CERAMIC, CHIP 0.022uF 10% 25V

```
(VO-46C BOARD)
                                                                                                                         (VO-46C BOARD)
Ref. No.
                                                                                                                         Ref. No.
or Q'ty Part No.
                                     SP Description
                                                                                                                         or Q'ty Part No.
                                                                                                                                                          SP Description
                                                                                                                                         1-164-315-11 s CERAMIC, CHIP 470pF 5% 50V
1-164-227-11 s CERAMIC, CHIP 0.022uF 10% 25V
1-162-927-11 s CERAMIC, CHIP 100pF 5% 50V
1-162-927-11 s CERAMIC, CHIP 100pF 5% 50V
1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V
                 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V
                                                                                                                         C657
C458
C459
                                                                                                                         C658
                 1-126-205-11 s ELECT 47uF 20% 6.3V
                                                                                                                         C659
C460
C460 1-120-203-11 s ELECT 47dF 20% 0.3V
C461-468 1-164-227-11 s CERAMIC, CHIP 0.022uF 10% 25V
C469 1-126-205-11 s ELECT 47uF 20% 6.3V
                                                                                                                         C660
                                                                                                                         C661
                                                                                                                                         1-164-217-11 s CERAMIC, CHIP 150pF 5% 50V
1-164-217-11 s CERAMIC, CHIP 150pF 5% 50V
1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V
                 1-162-927-11 s CERAMIC, CHIP 100pF 5% 50V
1-162-927-11 s CERAMIC, CHIP 100pF 5% 50V
C470
                                                                                                                         C662
C471
                                                                                                                         C663
                 1-126-206-11 s ELECT 100uF 20% 6.3V
1-126-206-11 s ELECT 100uF 20% 6.3V
C500
                                                                                                                         C664
                                                                                                                                         1-126-204-11 s ELECT 47uF 20% 16V
C501
                                                                                                                         C700
                 1-162-911-11 s CERAMIC, CHIP 6pF 50V
                                                                                                                                         1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V
C502
                                                                                                                         C701
                                                                                                                                         1-162-911-11 s CERAMIC, CHIP 6pF 50V
1-164-227-11 s CERAMIC, CHIP 0.022uF 10% 25V
1-164-227-11 s CERAMIC, CHIP 0.022uF 10% 25V
C503
                                                                                                                         C702
C504
                                                                                                                         C704
C505
                                                                                                                         C705
                 1-126-206-11 s ELECT 100uF 20% 6.3V
C506
                                                                                                                         C706
                 1-162-967-11 s CERAMIC, CHIP 3300pF 10% 50V
C507
                                                                                                                         C707
                                                                                                                                         1-162-916-11 s CERAMIC, CHIP 12pF 5% 50V
1-162-921-11 s CERAMIC, CHIP 33pF 5% 50V
1-164-227-11 s CERAMIC, CHIP 0.022uF 10% 25V
                 1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V 1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V 1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V
 C508
                                                                                                                         C708
C509
                                                                                                                         C709
 C510
                                                                                                                         C710
                 1-104-923-11 s MICA, CHIP 180pF 0.25% 50V
1-162-905-11 s CERAMIC, CHIP 1pF 50V
                                                                                                                         C711
                                                                                                                                         1-126-205-11 s ELECT 47uF 20% 6.3V
 C512
                                                                                                                                         1-164-227-11 s CERAMIC, CHIP 0.022uF 10% 25V
 C513
                                                                                                                         C712
                                                                                                                                         1-164-156-11 s CERAMIC, CHIP 0.1uF 25V
1-162-957-11 s CERAMIC, CHIP 220pF 5% 50V
1-164-357-11 s CERAMIC, CHIP 1000pF 5% 50V
1-164-156-11 s CERAMIC, CHIP 0.1uF 25V
1-162-957-11 s CERAMIC, CHIP 220pF 5% 50V
                 1-135-167-21 s TANTALUM, CHIP 68uF 10% 6.3V
 C515
                                                                                                                         C713
                 1-162-919-11 s CERAMIC, CHIP 22pF 5% 50V
1-162-925-11 s CERAMIC, CHIP 68pF 5% 50V
1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V
1-162-921-11 s CERAMIC, CHIP 33pF 5% 50V
 C516
                                                                                                                         C715
 C517
                                                                                                                         C716
 C518
                                                                                                                         C717
 C519
                                                                                                                         C718
                 1-135-157-21 s TANTALUM, CHIP 10uF 10% 6.3V 1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V 1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V 1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V 1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V
 C520
                                                                                                                         C719
                                                                                                                                         1-162-966-11 s CERAMIC, CHIP 0.0022uF 10% 50V
                                                                                                                                         1-126-205-11 s ELECT 47uF 20% 6.3V
1-126-205-11 s ELECT 47uF 20% 6.3V
 C521
                                                                                                                         C724
 C522
                                                                                                                         C725
                                                                                                                                         1-126-204-11 s ELECT 47uF 20% 16V
 C523
                                                                                                                         C750
                                                                                                                                         1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V
 C524
                                                                                                                         C751
                  1-164-004-11 s CERAMIC, CHIP 0.1uF 10% 25V
                                                                                                                                         1-162-970-11 s CERAMIC, CHIP 0.01 \mathrm{uF} 10\% 25\mathrm{V}
 C525
                                                                                                                         C752
                 1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V
1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V
                                                                                                                                         1-162-923-11 s CERAMIC, CHIP 47pF 5% 50V
1-164-156-11 s CERAMIC, CHIP 0.1uF 25V
1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V
1-164-156-11 s CERAMIC, CHIP 0.1uF 25V
 C526
                                                                                                                         C753
 C527
                                                                                                                         C755
                  1-126-206-11 s ELECT 100uF 20% 6.3V
 C528
                                                                                                                         C756
 C529
                 1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V
                                                                                                                         C757
                 1-162-918-11 s CERAMIC, CHIP 18pF 5% 50V
1-164-386-11 s CERAMIC, CHIP 200pF 5% 50V
1-164-156-11 s CERAMIC, CHIP 0.1uF 25V
1-164-156-11 s CERAMIC, CHIP 0.1uF 25V
1-164-156-11 s CERAMIC, CHIP 0.1uF 25V
                                                                                                                         C758
                                                                                                                                         1-162-916-11 s CERAMIC, CHIP 12pF 5% 50V
1-162-921-11 s CERAMIC, CHIP 33pF 5% 50V
1-164-156-11 s CERAMIC, CHIP 0.1uF 25V
 C530
 C531
                                                                                                                         C759
 C600
                                                                                                                         C760
                                                                                                                                         1-126-205-11 s ELECT 47uF 20% 6.3V
1-164-227-11 s CERAMIC, CHIP 0.022uF 10% 25V
 C601
                                                                                                                         C761
 C603
                                                                                                                        C762
                 1-164-156-11 s CERAMIC, CHIP 0.1uF 25V 1-164-156-11 s CERAMIC, CHIP 0.1uF 25V
                                                                                                                                         1-164-156-11 s CERAMIC, CHIP 0.1uF 25V
1-164-227-11 s CERAMIC, CHIP 0.022uF 10% 25V
 C604
                                                                                                                        C763
 C605
                                                                                                                        C764
                 1-164-156-11 s CERAMIC, CHIP 0.1uF 25V
1-164-473-11 s CERAMIC, CHIP 820pF 5% 50V
1-164-473-11 s CERAMIC, CHIP 820pF 5% 50V
 C606
                                                                                                                        C800
                                                                                                                                         1-126-206-11 s ELECT 100uF 20% 6.3V
                                                                                                                                         1-162-957-11 s CERAMIC, CHIP 220pF 5% 50V
1-162-918-11 s CERAMIC, CHIP 18pF 5% 50V
 C607
                                                                                                                        C801
 C608
                                                                                                                        C802
                 1-164-227-11 s CERAMIC, CHIP 0.022uF 10% 25V 1-162-919-11 s CERAMIC, CHIP 22pF 5% 50V 1-164-156-11 s CERAMIC, CHIP 0.1uF 25V 1-164-156-11 s CERAMIC, CHIP 0.1uF 25V
                                                                                                                                        C609
                                                                                                                        C803
                                                                                                                        C804
 C610
                                                                                                                        C805
 C611
 C612
                                                                                                                        C806
                 1-126-206-11 s ELECT 100uF 20% 6.3V
 C613
                                                                                                                        C807
                                                                                                                                        1-135-155-21 s TANTALUM, CHIP 4.7uF 10% 16V
1-165-176-11 s CERAMIC, CHIP 0.047uF 10% 16V
1-164-217-11 s CERAMIC, CHIP 150pF 5% 50V
 C614
                 1-164-156-11 s CERAMIC, CHIP 0.1uF 25V
                                                                                                                        C808
                 1-126-206-11 s ELECT 100uF 20% 6.3V
1-126-205-11 s ELECT 47uF 20% 6.3V
1-126-205-11 s ELECT 47uF 20% 6.3V
                                                                                                                        C809
C615
                                                                                                                        C810
C650
                                                                                                                                         1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V
1-162-915-11 s CERAMIC, CHIP 10pF 50V
 C651
                                                                                                                        C811
                 1-164-227-11 s CERAMIC, CHIP 0.022uF 10% 25V
 C652
                                                                                                                        C812
                1-162-957-11 s CERAMIC, CHIP 220pF 5% 50V
1-164-315-11 s CERAMIC, CHIP 470pF 5% 50V
1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V
1-164-315-11 s CERAMIC, CHIP 470pF 5% 50V
                                                                                                                                        1-162-927-11 s CERAMIC, CHIP 100pF 5% 50V
1-162-970-11 s CERAMIC, CHIP 0.01uF 10% 25V
1-135-177-21 s TANTALUM, CHIP 1uF 10% 25V
 C653
                                                                                                                        C813
C654
                                                                                                                        C814
C655
                                                                                                                        C815
                                                                                                                        C816
                                                                                                                                        1-162-959-11 s CERAMIC, CHIP 330pF 5% 50V
C656
```

16-50 PVV-3P

(VO-46C BOARD)	(VO-46C BOARD)
Ref. No. or Q'ty Part No. SP Description	Ref. No. or Q'ty Part No. SP Description
L450 1-410-393-11 s INDUCTOR, CHIP 100uH L451 1-410-393-11 s INDUCTOR, CHIP 100uH L452 1-410-393-11 s INDUCTOR, CHIP 100uH L453 1-410-393-11 s INDUCTOR, CHIP 100uH L500 1-412-062-11 s INDUCTOR, CHIP 47uH	Q213 8-729-905-12 s TRANSISTOR DTA144EU Q214 8-729-117-73 s TRANSISTOR 2SC4178-F14 Q215 8-729-117-73 s TRANSISTOR 2SC4178-F14 Q216 8-729-117-32 s TRANSISTOR 2SC4177 Q217 8-729-117-16 s TRANSISTOR 2SA1611-M6
L501 1-410-393-11 s INDUCTOR, CHIP 100uH L502 1-410-389-31 s INDUCTOR, CHIP 47uH L503 1-412-062-11 s INDUCTOR, CHIP 47uH L504 1-410-393-11 s INDUCTOR, CHIP 100uH L600 1-410-658-31 s INDUCTOR, CHIP 220uH	Q218       8-729-117-32 s       TRANSISTOR       2SC4177         Q219       8-729-117-16 s       TRANSISTOR       2SA1611-M6         Q300       8-729-117-73 s       TRANSISTOR       2SC4178-F14         Q301       8-729-117-16 s       TRANSISTOR       2SA1611-M6         Q302       8-729-117-73 s       TRANSISTOR       2SC4178-F14
L601 1-410-393-11 s INDUCTOR, CHIP 100uH L602 1-410-393-11 s INDUCTOR, CHIP 100uH L650 1-410-393-11 s INDUCTOR, CHIP 100uH L651 1-410-393-11 s INDUCTOR, CHIP 100uH L652 1-412-282-41 s INDUCTOR, CHIP 470uH	Q303 8-729-117-32 s TRANSISTOR 2SC4177 Q304 8-729-118-58 s TRANSISTOR 2SK852-X4 Q305 8-729-904-41 s TRANSISTOR FMY3 Q306 8-729-117-32 s TRANSISTOR 2SC4177 Q309 8-729-117-32 s TRANSISTOR 2SC4177
L653 1-412-282-41 s INDUCTOR, CHIP 470uH L700 1-410-393-11 s INDUCTOR, CHIP 100uH L701 1-410-379-31 s INDUCTOR, CHIP 6. 8uH L702 1-410-393-11 s INDUCTOR, CHIP 100uH L750 1-410-393-11 s INDUCTOR, CHIP 100uH	Q350 8-729-117-73 s TRANSISTOR 2SC4178-F14 Q351 8-729-117-16 s TRANSISTOR 2SA1611-M6 Q352 8-729-117-73 s TRANSISTOR 2SC4178-F14 Q353 8-729-117-32 s TRANSISTOR 2SC4177 Q354 8-729-118-58 s TRANSISTOR 2SC852-X4
L751 1-410-379-31 s INDUCTOR, CHIP 6.8uH L752 1-410-393-11 s INDUCTOR, CHIP 100uH L800 1-410-393-11 s INDUCTOR, CHIP 100uH L801 1-410-393-11 s INDUCTOR, CHIP 100uH L802 1-410-382-31 s INDUCTOR, CHIP 12uH	Q355 8-729-904-41 s TRANSISTOR FMY3 Q356 8-729-117-32 s TRANSISTOR 2SC4177 Q359 8-729-117-32 s TRANSISTOR 2SC4177 Q400 8-729-117-16 s TRANSISTOR 2SA1611-M6 Q401 8-729-117-16 s TRANSISTOR 2SA1611-M6
L803 1-412-279-31 s INDUCTOR, CHIP 270uH L850 1-410-393-11 s INDUCTOR, CHIP 100uH L851 1-410-382-31 s INDUCTOR, CHIP 12uH	Q402 8-729-117-32 s TRANSISTOR 2SC4177 Q500-505 8-729-117-32 s TRANSISTOR 2SC4177 Q506 8-729-905-18 s TRANSISTOR DTC144EU Q507 8-729-117-32 s TRANSISTOR 2SC4177
LV400 1-409-983-21 s COIL, VAR, CHIP 5.6uH  Q101 8-729-117-32 s TRANSISTOR 2SC4177 Q102 8-729-905-18 s TRANSISTOR DTC144EU Q103 8-729-117-16 s TRANSISTOR 2SA1611-M6 Q104 8-729-117-32 s TRANSISTOR 2SC4177 Q105 8-729-117-32 s TRANSISTOR 2SC4177	Q509 8-729-117-16 s TRANSISTOR 2SA1611-M6 Q509 8-729-117-73 s TRANSISTOR 2SC4178-F14 Q510 8-729-117-73 s TRANSISTOR 2SC4178-F14 Q600 8-729-117-73 s TRANSISTOR 2SC4178-F14 Q601 8-729-117-73 s TRANSISTOR 2SC4178-F14 Q602 8-729-117-73 s TRANSISTOR 2SC4178-F14
Q106 8-729-117-32 s TRANSISTOR 2SC4177 Q107 . 8-729-117-32 s TRANSISTOR 2SC4177 Q108 8-729-117-73 s TRANSISTOR 2SC4178-F14 Q109 8-729-117-73 s TRANSISTOR 2SC4178-F14 Q110 8-729-117-32 s TRANSISTOR 2SC4177	Q603       8-729-118-58 s       TRANSISTOR 2SK852-X4         Q604       8-729-118-58 s       TRANSISTOR 2SK852-X4         Q605       8-729-118-58 s       TRANSISTOR 2SK852-X4         Q606       8-729-118-58 s       TRANSISTOR 2SK852-X4         Q607       8-729-117-73 s       TRANSISTOR 2SC4178-F14
Q111 8-729-117-32 s TRANSISTOR 2SC4177 Q113 8-729-117-32 s TRANSISTOR 2SC4177 Q114 8-729-117-32 s TRANSISTOR 2SC4177 Q115 8-729-117-16 s TRANSISTOR 2SC41611-M6 Q116 8-729-117-32 s TRANSISTOR 2SC4177	Q608       8-729-118-58 s       TRANSISTOR       25K852-X4         Q609       8-729-118-58 s       TRANSISTOR       25K852-X4         Q610       8-729-118-58 s       TRANSISTOR       25K852-X4         Q611       8-729-118-58 s       TRANSISTOR       25K852-X4         Q612       8-729-117-73 s       TRANSISTOR       25C4178-F14
Q117 8-729-117-16 s TRANSISTOR 2SA1611-M6 Q200 8-729-117-73 s TRANSISTOR 2SC4178-F14 Q201 8-729-117-73 s TRANSISTOR 2SC4178-F14 Q202 8-729-117-73 s TRANSISTOR 2SC4178-F14 Q203 8-729-118-58 s TRANSISTOR 2SK852-X4	Q613       8-729-117-73 s       TRANSISTOR 2SC4178-F14         Q614       8-729-905-12 s       TRANSISTOR DTA144EU         Q615       8-729-117-73 s       TRANSISTOR 2SC4178-F14         Q616       8-729-117-73 s       TRANSISTOR 2SC4178-F14         Q617       8-729-117-32 s       TRANSISTOR 2SC4177
Q204 8-729-118-58 s TRANSISTOR 2SK852-X4 Q205 8-729-118-58 s TRANSISTOR 2SK852-X4 Q206 8-729-118-58 s TRANSISTOR 2SK852-X4 Q207 8-729-117-73 s TRANSISTOR 2SC4178-F14 Q208 8-729-118-58 s TRANSISTOR 2SK852-X4	Q618 8-729-117-16 s TRANSISTOR 2SA1611-M6 Q619 8-729-117-32 s TRANSISTOR 2SC4177 Q620 8-729-117-16 s TRANSISTOR 2SA1611-M6 Q650-654 8-729-117-32 s TRANSISTOR 2SC4177 Q700 8-729-118-58 s TRANSISTOR 2SK852-X4
Q209 8-729-118-58 s TRANSISTOR 2SK852-X4 Q210 8-729-118-58 s TRANSISTOR 2SK852-X4 Q211 8-729-118-58 s TRANSISTOR 2SK852-X4 Q212 8-729-117-73 s TRANSISTOR 2SC4178-F14	Q701 8-729-118-58 s TRANSISTOR 2SK852-X4 Q702 8-729-118-58 s TRANSISTOR 2SK852-X4 Q703 8-729-118-58 s TRANSISTOR 2SK852-X4 Q704 8-729-117-73 s TRANSISTOR 2SC4178-F14

16-52 PVV-3P

R125

R196 R198

16-54 PVV-3P

R627

R628

R629

R630

R631

R632

1-216-809-11 s METAL, CHIP 100 5% 1/16W

1-216-827-11 s METAL, CHIP 3.3k 5% 1/16W 1-218-840-11 s METAL, CHIP 510 0.5% 1/16W 1-218-840-11 s METAL, CHIP 510 0.5% 1/16W 1-218-679-91 s METAL, CHIP 300 0.50% 1/16W

R533

R534

R535

R536

R538

R539

R540

1-218-720-11 s METAL, CHIP 15k 0.5% 1/16W 1-218-883-11 s METAL, CHIP 33k 0.5% 1/16W

1-218-704-11 s METAL, CHIP 3.3k 0.50% 1/16W

1-218-702-11 s METAL, CHIP 2.7k 0.5% 1/16W 1-216-824-11 s METAL, CHIP 1.8k 5% 1/16W

1-218-851-11 s METAL, CHIP 1.5k 0.5% 1/16W

(VO-46C BOARD)

Ref. No. or Q'ty	Part No. SP Description	Ref. No. or Q'ty Part No. SP Description	
R633 R634 R635 R636 R637	1-218-692-11 s METAL, CHIP 1k 0.5% 1/16W 1-216-821-11 s METAL, CHIP 1k 5% 1/16W 1-218-680-11 s METAL, CHIP 330 0.50% 1/16W 1-218-851-11 s METAL, CHIP 1.5k 0.5% 1/16W 1-216-827-11 s METAL, CHIP 3.3k 5% 1/16W	R724       1-216-807-11 s METAL, CHIP 68 5% 1/16W         R725       1-216-847-11 s METAL, CHIP 150k 5% 1/16W         R726       1-216-825-11 s METAL, CHIP 2. 2k 5% 1/16W         R727       1-216-841-11 s METAL, CHIP 47k 5% 1/16W         R728       1-216-849-11 s METAL, CHIP 220k 5% 1/16W	
R638 R639 R640 R641 R642	1-216-821-11 s METAL, CHIP 1k 5% 1/16W 1-216-833-11 s METAL, CHIP 10k 5% 1/16W 1-216-797-11 s METAL, CHIP 10 5% 1/16W 1-216-826-11 s METAL, CHIP 2.7k 5% 1/16W 1-216-826-11 s METAL, CHIP 2.7k 5% 1/16W	R729	,
R643 R644 R645 R646 R647	1-216-797-11 s METAL, CHIP 10 5% 1/16W 1-216-864-11 s METAL, CHIP 0 5% 1/16W 1-216-789-11 s METAL, CHIP 2.2 5% 1/16W 1-216-789-11 s METAL, CHIP 2.2 5% 1/16W 1-216-789-11 s METAL, CHIP 2.2 5% 1/16W	R734	
R648 R649 R650 R651 R652	1-216-789-11 s METAL, CHIP 2.2 5% 1/16W 1-216-864-11 s METAL, CHIP 0 5% 1/16W 1-216-857-11 s METAL, CHIP 1M 5% 1/16W 1-216-833-11 s METAL, CHIP 10k 5% 1/16W 1-216-829-11 s METAL, CHIP 4.7k 5% 1/16W	R750       1-216-829-11 s METAL, CHIP 4.7k 5% 1/16W         R751       1-216-829-11 s METAL, CHIP 4.7k 5% 1/16W         R752       1-218-668-11 s METAL, CHIP 100 0.5% 1/16W         R753       1-218-668-11 s METAL, CHIP 100 0.5% 1/16W         R754       1-218-708-11 s METAL, CHIP 4.7k 0.50% 1/16W	J SW SW
R653 R654 R655 R656 R657	1-216-821-11 s METAL, CHIP 1k 5% 1/16W 1-216-821-11 s METAL, CHIP 1k 5% 1/16W 1-216-829-11 s METAL, CHIP 4.7k 5% 1/16W 1-216-857-11 s METAL, CHIP 1M 5% 1/16W 1-216-833-11 s METAL, CHIP 10k 5% 1/16W	R755       1-218-708-11 s METAL, CHIP 4.7k 0.50% 1/16         R758       1-218-704-11 s METAL, CHIP 3.3k 0.50% 1/16         R759       1-218-676-11 s METAL, CHIP 220 0.5% 1/16W         R760       1-216-825-11 s METAL, CHIP 2.2k 5% 1/16W         R761       1-216-833-11 s METAL, CHIP 10k 5% 1/16W	(16W SW
R658 R659 R660 R661 R662	1-216-829-11 s METAL, CHIP 4.7k 5% 1/16W 1-216-822-11 s METAL, CHIP 1.2k 5% 1/16W 1-216-822-11 s METAL, CHIP 1.2k 5% 1/16W 1-216-829-11 s METAL, CHIP 4.7k 5% 1/16W 1-218-736-11 s METAL, CHIP 68k 0.5% 1/16W	R762       1-216-833-11 s METAL, CHIP 10k 5% 1/16W         R763       1-216-833-11 s METAL, CHIP 10k 5% 1/16W         R764       1-216-833-11 s METAL, CHIP 10k 5% 1/16W         R765       1-216-837-11 s METAL, CHIP 22k 5% 1/16W         R766       1-218-692-11 s METAL, CHIP 1k 0.5% 1/16W	ī
R663 R664 R667 R668 R669	1-218-734-11 s METAL, CHIP 56k 0.5% 1/16W 1-216-825-11 s METAL, CHIP 2.2k 5% 1/16W 1-216-809-11 s METAL, CHIP 100 5% 1/16W 1-218-692-11 s METAL, CHIP 1k 0.5% 1/16W 1-216-829-11 s METAL, CHIP 4.7k 5% 1/16W	R767       1-218-716-11 s METAL, CHIP 10k 0.5% 1/16W         R768       1-218-684-11 s METAL, CHIP 470 0.5% 1/16W         R769       1-216-823-11 s METAL, CHIP 1.5k 5% 1/16W         R771       1-216-823-11 s METAL, CHIP 1.5k 5% 1/16W         R772       1-218-684-11 s METAL, CHIP 470 0.5% 1/16W	SW I
R670 R671 R700 R701 R702	1-218-694-11 s METAL, CHIP 1.2k 0.5% 1/16W 1-216-864-11 s METAL, CHIP 0.5% 1/16W 1-216-829-11 s METAL, CHIP 4.7k 5% 1/16W 1-216-829-11 s METAL, CHIP 4.7k 5% 1/16W 1-218-668-11 s METAL, CHIP 100 0.5% 1/16W	R773 1-216-821-11 s METAL, CHIP 1k 5% 1/16W R774 1-216-807-11 s METAL, CHIP 68 5% 1/16W R800 1-218-668-11 s METAL, CHIP 100 0.5% 1/16W R801 1-218-716-11 s METAL, CHIP 10k 0.5% 1/16W R802 1-218-716-11 s METAL, CHIP 10k 0.5% 1/16W	W
R703 R704 R705 R708 R709	1-218-668-11 s METAL, CHIP 100 0.5% 1/16W 1-218-708-11 s METAL, CHIP 4.7k 0.50% 1/16W 1-218-708-11's METAL, CHIP 4.7k 0.50% 1/16W 1-218-694-11 s METAL, CHIP 1.2k 0.5% 1/16W 1-218-676-11 s METAL, CHIP 220 0.5% 1/16W	R803 1-218-710-11 s METAL, CHIP 5.6k 0.5% 1/16W R804 1-218-684-11 s METAL, CHIP 470 0.5% 1/16W R805 1-218-708-11 s METAL, CHIP 4.7k 0.50% 1/10 R806 1-218-706-11 s METAL, CHIP 3.9k 0.50% 1/10 R807 1-218-708-11 s METAL, CHIP 4.7k 0.50% 1/10	W 16W 16W
R710 R711 R712 R713 R714	1-216-825-11 s METAL, CHIP 2.2k 5% 1/16W 1-216-833-11 s METAL, CHIP 10k 5% 1/16W	R808 1-218-704-11 s METAL, CHIP 3.3k 0.50% 1/10 R809 1-216-825-11 s METAL, CHIP 2.2k 5% 1/16W R810 1-218-851-11 s METAL, CHIP 1.5k 0.5% 1/16W R811 1-216-821-11 s METAL, CHIP 1k 5% 1/16W R812 1-218-706-11 s METAL, CHIP 3.9k 0.50% 1/10	7 .6₩
R715 R716 R717 R718 R719	1-216-837-11 s METAL, CHIP 22k 5% 1/16W 1-218-692-11 s METAL, CHIP 1k 0.5% 1/16W 1-218-716-11 s METAL, CHIP 10k 0.5% 1/16W 1-218-684-11 s METAL, CHIP 470 0.5% 1/16W 1-216-823-11 s METAL, CHIP 1.5k 5% 1/16W	R813 1-218-724-11 s METAL, CHIP 22k 0.5% 1/16W R814 1-218-716-11 s METAL, CHIP 10k 0.5% 1/16W R815 1-216-821-11 s METAL, CHIP 1k 5% 1/16W R816 1-216-847-11 s METAL, CHIP 150k 5% 1/16W R817 1-218-716-11 s METAL, CHIP 10k 0.5% 1/16W	W
R720 R721 R722 R723	1-218-841-11 s METAL, CHIP 560 0.5% 1/16W 1-218-846-11 s METAL, CHIP 910 0.5% 1/16W 1-218-684-11 s METAL, CHIP 470 0.5% 1/16W 1-216-821-11 s METAL, CHIP 1k 5% 1/16W	R818 1-216-825-11 s METAL, CHIP 2.2k 5% 1/16W R819 1-218-704-11 s METAL, CHIP 3.3k 0.50% 1/16 R820 1-216-824-11 s METAL, CHIP 1.8k 5% 1/16W R821 1-218-724-11 s METAL, CHIP 22k 0.5% 1/16W	16W

## (VO-46C BOARD)

Ref. No. or Q'ty Part No. SP Description	Ref. No. or Q'ty Part No. SP Description
R822 1-218-724-11 s METAL, CHIP 22k 0.5% 1/16W R823 1-218-684-11 s METAL, CHIP 470 0.5% 1/16W R824 1-218-676-11 s METAL, CHIP 220 0.5% 1/16W R825 1-218-684-11 s METAL, CHIP 470 0.5% 1/16W R826 1-216-819-11 s METAL, CHIP 680 5% 1/16W	RV100 1-238-086-11 s RES, ADJ METAL 470 RV102 1-238-089-11 s RES, ADJ METAL 4.7k RV103 1-238-088-11 s RES, ADJ METAL 2.2k RV104 1-238-088-11 s RES, ADJ METAL 2.2k RV105 1-238-088-11 s RES, ADJ METAL 2.2k
R827 1-218-724-11 s METAL, CHIP 22k 0.5% 1/16W R828 1-218-883-11 s METAL, CHIP 33k 0.5% 1/16W R829 1-218-743-11 s METAL, CHIP 130k 0.5% 1/16W R830 1-218-873-11 s METAL, CHIP 12k 0.5% 1/16W R831 1-216-856-11 s METAL, CHIP 820k 5% 1/16W	RV200 1-238-089-11 s RES, ADJ METAL 4.7k RV201 1-238-089-11 s RES, ADJ METAL 4.7k RV202 1-238-089-11 s RES, ADJ METAL 4.7k RV203 1-238-089-11 s RES, ADJ METAL 4.7k RV251 1-238-091-11 s RES, ADJ METAL 22k
R832 1-218-716-11 s METAL, CHIP 10k 0.5% 1/16W R833 1-218-724-11 s METAL, CHIP 22k 0.5% 1/16W R834 1-218-732-11 s METAL, CHIP 47k 0.5% 1/16W R835 1-216-853-11 s METAL, CHIP 470k 5% 1/16W R836 1-218-873-11 s METAL, CHIP 12k 0.5% 1/16W	RV300 1-238-087-11 s RES, ADJ METAL 1k RV301 1-238-087-11 s RES, ADJ METAL 1k RV302 1-238-088-11 s RES, ADJ METAL 2.2k RV351 1-238-087-11 s RES, ADJ METAL 1k RV352 1-238-088-11 s RES, ADJ METAL 2.2k
R837 1-218-716-11 s METAL, CHIP 10k 0.5% 1/16W R838 1-216-825-11 s METAL, CHIP 2.2k 5% 1/16W R839 1-218-716-11 s METAL, CHIP 10k 0.5% 1/16W R840 1-218-873-11 s METAL, CHIP 12k 0.5% 1/16W R841 1-216-849-11 s METAL, CHIP 220k 5% 1/16W	RV401 1-238-090-11 s RES, ADJ METAL 10k RV450 1-238-091-11 s RES, ADJ METAL 22k RV500 1-238-088-11 s RES, ADJ METAL 2.2k RV502 1-238-089-11 s RES, ADJ METAL 4.7k RV505 1-238-089-11 s RES, ADJ METAL 4.7k
R842 1-218-708-11 s METAL, CHIP 4.7k 0.50% 1/16W R843 1-218-708-11 s METAL, CHIP 4.7k 0.50% 1/16W R844 1-216-841-11 s METAL, CHIP 47k 5% 1/16W R845 1-216-833-11 s METAL, CHIP 10k 5% 1/16W R846 1-216-841-11 s METAL, CHIP 47k 5% 1/16W	RV506 1-238-088-11 s RES, ADJ METAL 2.2k RV507 1-238-088-11 s RES, ADJ METAL 2.2k RV600 1-238-089-11 s RES, ADJ METAL 4.7k RV601 1-238-089-11 s RES, ADJ METAL 4.7k RV602 1-238-089-11 s RES, ADJ METAL 4.7k
R847 1-216-833-11 s METAL, CHIP 10k 5% 1/16W R848 1-216-825-11 s METAL, CHIP 2.2k 5% 1/16W R850 1-218-680-11 s METAL, CHIP 330 0.50% 1/16W R851 1-218-704-11 s METAL, CHIP 3.3k 0.50% 1/16W R852 1-216-825-11 s METAL, CHIP 2.2k 5% 1/16W	RV603 1-238-089-11 s RES, ADJ METAL 4.7k RV700 1-238-088-11 s RES, ADJ METAL 2.2k RV701 1-238-088-11 s RES, ADJ METAL 2.2k RV702 1-238-088-11 s RES, ADJ METAL 2.2k RV703 1-238-088-11 s RES, ADJ METAL 2.2k
R853 1-218-692-11 s METAL, CHIP 1k 0.5% 1/16W R855 1-216-820-11 s METAL, CHIP 820 5% 1/16W R856 1-218-716-11 s METAL, CHIP 10k 0.5% 1/16W R857 1-218-851-11 s METAL, CHIP 1.5k 0.5% 1/16W R858 1-216-819-11 s METAL, CHIP 680 5% 1/16W	RV750 1-238-088-11 s RES, ADJ METAL 2.2k RV751 1-238-088-11 s RES, ADJ METAL 2.2k RV752 1-238-088-11 s RES, ADJ METAL 2.2k RV753 1-238-088-11 s RES, ADJ METAL 2.2k RV850 1-223-378-11 s RES, ADJ METAL 100
R859 1-218-668-11 s METAL, CHIP 100 0.5% 1/16W R860 1-216-831-11 s METAL, CHIP 6.8k 5% 1/16W R861 1-218-732-11 s METAL, CHIP 47k 0.5% 1/16W R862 1-216-821-11 s METAL, CHIP 1k 5% 1/16W R863 1-218-708-11 s METAL, CHIP 4.7k 0.50% 1/16W	SP200 1-566-388-11 s CONNECTOR 8P, MALE SP600 1-566-388-11 s CONNECTOR 8P, MALE SP650 1-566-388-11 s CONNECTOR 8P, MALE SP650 1-566-388-11 s CONNECTOR 8P, MALE
R864 1-218-724-11 s METAL, CHIP 22k 0.5% 1/16W R900 1-216-833-11 s METAL, CHIP 10k 5% 1/16W R901 1-216-833-11 s METAL, CHIP 10k 5% 1/16W R902 1-216-821-11 s METAL, CHIP 1k 5% 1/16W R903 1-216-821-11 s METAL, CHIP 1k 5% 1/16W	SS200 1-565-413-11 o PLUG, SHORTING SS600 1-565-413-11 o PLUG, SHORTING SS650 1-565-413-11 o PLUG, SHORTING TH400 1-809-308-21 s THERMISTOR, CHIP 3.3k
R904 1-218-732-11 s METAL, CHIP 47k 0.5% 1/16W R905 1-218-732-11 s METAL, CHIP 47k 0.5% 1/16W R906 1-218-732-11 s METAL, CHIP 47k 0.5% 1/16W R907 1-218-732-11 s METAL, CHIP 47k 0.5% 1/16W R908 1-216-819-11 s METAL, CHIP 680 5% 1/16W	X400 1-760-109-21 s CRYSTAL 10.738635MHz X650 1-579-412-11 s RESONATOR, CERAMIC 310kHz X651 1-579-413-11 s RESONATOR, CERAMIC 540kHz
R909 1-216-819-11 s METAL, CHIP 680 5% 1/16W R911 1-216-825-11 s METAL, CHIP 2. 2k 5% 1/16W R912 1-216-825-11 s METAL, CHIP 2. 2k 5% 1/16W R914 1-218-702-11 s METAL, CHIP 2. 7k 0. 5% 1/16W R915 1-218-702-11 s METAL, CHIP 2. 7k 0. 5% 1/16W	
R916 1-216-833-11 s METAL, CHIP 10k 5% 1/16W R917 1-216-821-11 s METAL, CHIP 1k 5% 1/16W R918 1-216-829-11 s METAL, CHIP 4.7k 5% 1/16W	· ·

PVV-3P

```
(FRAME)
FRAME
                                                                                   Ref. No.
Ref. No.
                                                                                   or Q'ty Part No.
                                                                                                              SP Description
or Q'ty Part No.
                          SP Description
           A-8263-082-A s HEAD DRUM ASSY, DBH-46A-R
A-8263-083-A s UPPER DRUM ASSY, DBR-46-R
                                                                                  to TC-86 board
1nc
1pc
                                                                                              1-569-618-11 o HOUSING 3P
                                                                                   CN201
            1-651-202-11 o WIRE FLEXIBLE CARD, FL-160
Ipc
                                                                                               1-565-977-11 s CONTACT, FEMALE AWG28-32
            1-769-447-11 s CABLE, FLAT 25P
                                                                                   3pcs
1pc
            1-948-710-11 o HARNESS (TAPE TOP)
1pc
                                                                                               1-569-618-11 o HOUSING 3P
                                                                                   CN701
                                                                                               1-565-977-11 s CONTACT, FEMALE AWG28-32
            1-953-154-12 o HARNESS (TC-SW)
1-953-163-11 o HARNESS (VO-CN)
                                                                                   3pcs
1pc
1pc
                                                                                   CN703
                                                                                               1-569-617-11 o HOUSING 2P
            8-745-001-00 s DM-211A
1pc
                                                                                               1-565-977-11 s CONTACT, FEMALE AWG28-32
                                                                                   2pcs
to ANTON
                                                                                  to VO-46 board
            1-695-595-21 s HOUSING 2P
CN222
            1-695-596-11 s CONTACT, MALE
                                                                                               1-569-199-11 o HOUSING, 6P
                                                                                   CN3
3pcs
                                                                                               1-569-191-11 o CONTACT, FEMALE AWG22-26
1-569-193-11 o CONTACT, FEMALE
                                                                                   2pcs
to CN-935 board
                                                                                    8pcs
                                                                                               1-569-200-11 o HOUSING, 7P
1-569-193-11 o CONTACT, FEMALE
            1-569-200-11 o HOUSING, 7P
1-569-193-11 o CONTACT, FEMALE
                                                                                    CN4
 CN2
                                                                                    7pcs
 7pcs
                                                                                               1-569-195-11 s HOUSING 2P
                                                                                    CN5
            1-953-152-11 o HARNESS (SS-CN)
 CN3
                                                                                               1-569-191-11 o CONTACT, FEMALE AWG22-26
                                                                                    2pcs
to CN-983 board
                                                                                               1-569-195-31 s HOUSING 2P
                                                                                    CN6
                                                                                               1-569-191-11 o CONTACT, FEMALE AWG22-26
            1-569-618-11 o HOUSING 3P
                                                                                    2pcs
 CN4
             1-565-977-11 s CONTACT, FEMALE AWG28-32
 .3pcs
                                                                                               1-564-603-11 s CONNECTOR, XLR (WITH DC SW) 4P, MALE 1-509-184-51 s CONNECTOR, XLR 3P, FEMALE 1-509-184-51 s CONNECTOR, XLR 3P, FEMALE
                                                                                    CN201
             1-561-514-00 o HOUSING, ILG 2P
1-560-372-00 o CONTACT, ILG, FEMALE
                                                                                    CN202
                                                                                    CN203
 2pcs
                                                                                               1-810-462-11 s SENSOR, DEW CONDENSATION
                                                                                    CS201
to DR-254 board
             1-569-205-11 o HOUSING, 12P
1-569-191-11 o CONTACT, FEMALE AWG22-26
1-569-193-11 o CONTACT, FEMALE
                                                                                                1-543-762-11 s BEAD, FERRITE
                                                                                    FB201
 CN601
                                                                                    FB202
                                                                                                1-500-111-11 s BEAD, FERRITE
 2pcs
 8pcs
                                                                                                8-825-560-41 s HEAD, CTL RS-253-21
8-825-772-62 s HEAD, ERASE EF291-21A
8-825-779-51 s HEAD, AU PS244-2103K
                                                                                    H201
                                                                                    H202
to KY-285 board
                                                                                    H203
             1-765-131-11 s CABLE, FLAT 10P
                                                                                                1-543-316-21 s HEAD, SENSING (SMALL TYPE)
                                                                                    L201
 to MB-552 board
                                                                                                1-698-346-11 s MOTOR, DC (LOADING)
1-698-345-11 s MOTOR, DC (CAPSTAN)
                                                                                    M201
             1-561-515-00 o CONNECTOR HOUSING (3P)
                                                                                    M202
  CN25
             1-560-372-00 o CONTACT, ILG, FEMALE
  3pcs
                                                                                                1-571-367-11 s SWITCH, TOGGLE
                                                                                    S201
             1-561-514-00 o HOUSING, ILG 2P
1-560-372-00 o CONTACT, ILG, FEMALE
  CN23
                                                                                    SP001
                                                                                                1-503-854-11 s SPEAKER
  2pcs
             1-561-516-00 o HOUSING, ILG 4P
1-560-372-00 o CONTACT, ILG, FEMALE
  CN24
  4pcs
             1-561-514-00 o HOUSING, ILG 2P
1-560-372-00 o CONTACT, ILG, FEMALE
  CN29
  2pcs
 to SS-57 board
             1-765-131-11 s CABLE, FLAT 10P
  CN307
              1-569-195-11 s HOUSING 2P
  CN308
              1-569-193-11 o CONTACT, FEMALE
  2pcs
              1-953-152-11 o HARNESS (SS-CN)
  CN311
 to TC-86 board
              1-569-619-11 o HOUSING 4P
  CN3
              1-565-977-11 s CONTACT, FEMALE AWG28-32
  4pcs
```

CN101

3pcs

1-569-618-11 o HOUSING 3P

1-565-977-11 s CONTACT, FEMALE AWG28-32

### 16-4. PACKING MATERIALS AND ACCESSORIES

```
Ref. No.
or Q'ty Part No. SP Description
                  A-6772-374-A s BELT ASSY, SHOULDER
A-8278-122-B o HANDLE ASSY
 1pc
 1pc
 (This assy includes the following parts.)
                   3-679-036-01 o LID, HANDLE (2)
3-685-561-02 o HANDLE
3-685-563-01 o LID, HANDLE
3-701-439-11 o WASHER
7-682-548-09 s SCREW +B 3x8
   ·1pc
   1pc
   4pcs
   5pcs
                   3-679-069-01 s CONNECTOR COVER, SIDE 3-685-689-01 o INDIVIDUAL CARTON
 1pc
 1pc
                   3-685-690-02 o CUSHION, TOP

3-685-691-01 o CUSHION, BOTTOM

3-798-217-21 s MANUAL, INSTRUCTION (ENGLISH)
 1pc
·1pc
 1pc
                   3-798-217-31 s MANUAL, INSTRUCTION (FRENCH)
3-798-217-41 s MANUAL, INSTRUCTION (GERMAN)
3-798-217-51 s MANUAL, INSTRUCTION (ITALIAN)
7-682-560-09 s SCREW +B 4x6
7-682-563-09 s SCREW +B 4x12
 1pc
 1pc
  1pc
  2pcs
```

#### 16-5. OPTIONAL FIXTURES

	Part No.	SP	Description
	J-6080-003-E J-6080-029-A	0	DRUM ECCENTRICITY GAUGE (3) DRUM ECCENTRICITY GAUGE (2) FWD BACK TENSION MEASUREMENT CASSETTE ADJUSTMENT MIRROR PLATE, PARALLEL
	J-6152-450-A J-6321-500-A J-6321-880-A	0	DRUM ECCENTRICITY GAUGE (5) WIRE CLEARANCE CHECK GAUGE TAPE GUIDE ADJUSTMENT DRIVER CASSETTE DUMMY COVER TORQUE DRIVER BIT(FOR M1.4)
	J-6325-360-B J-6325-380-A J-6325-400-A J-6325-530-A J-6326-120-A	0	FLATNESS CHECK TOOL TORQUE DRIVER BIT(FOR M2) TORQUE DRIVER (FOR 3Kg) DRUM ECCENTRICITY GAUGE (6) HEXAGON BIT
	J-6335-710-A J-6335-800-A J-6337-830-A 7-661-018-18 7-662-010-04	0	RECORDING CURRENT ADJUSTING TOOL(EW-571) DEVIATION CHECKER (EW-580) CAMERA TOOL(EW-783) OIL GREASE SGL-505(20g)
	7-700-736-05 7-700-742-02 7-732-050-20 7-741-900-53 8-960-096-51	0	L-SHAPED HEXAGON WRENCH(d=1.5mm) JACK NUT SCREWDRIVER TENSION SCALE(50g FULL SCALE) WIPING CLOTH ALIGMENT TAPE, CR2-1B PS(PAL)
v	8-960-096-91 8-960-098-44 8-960-096-86 9-911-053-00 9-919-573-01	0	ALIGMENT TAPE, CR5-1B PS(PAL) ALIGMENT TAPE, CR5-2A PS(PAL) ALIGMENT TAPE, CR8-1B PS(PAL) THICKNESS GAUGE CLEANING FLUID

2pcs